

# Computer algebra independent integration tests

Nasser M. Abbasi

May 24, 2020

Compiled on May 24, 2020 at 11:45pm

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Listing of CAS systems tested . . . . .	3
1.2	Results . . . . .	4
1.3	Performance per integrand type . . . . .	7
1.4	Maximum leaf size ratio for each CAS against the optimal result . . . . .	14
1.5	Pass/Fail per test file for each CAS system . . . . .	19
1.6	Timing . . . . .	24
1.7	Verification . . . . .	25
1.8	Important notes about some of the results . . . . .	25
1.9	Design of the test system . . . . .	27
<b>2</b>	<b>links to individual test reports</b>	<b>29</b>
2.1	Tests completed . . . . .	29
<b>3</b>	<b>Regression reports</b>	<b>39</b>
3.1	Mathematica 12.1 and Mathematica 12 . . . . .	39
3.2	Fricas 1.3.6 and Fricas 1.3.5 . . . . .	40
3.3	Maple 2020 and Maple 2019.2.1 . . . . .	56
<b>4</b>	<b>Listing of integrals solved by CAS which has no known antiderivatives</b>	<b>69</b>
4.1	Test file Number [5] 0-Independent-test-suites/Hearn-Problems . . . . .	69
4.2	Test file Number [57] 3-Logarithms/3.1.4-f-x <sup>m</sup> -d+e-x <sup>r</sup> -q-a+b-log-c-x <sup>n</sup> -p . . . . .	70
4.3	Test file Number [58] 3-Logarithms/3.1.5-u-a+b-log-c-x <sup>n</sup> -p . . . . .	77
4.4	Test file Number [63] 3-Logarithms/3.4-u-a+b-log-c-d+e-x <sup>m</sup> -n <sup>p</sup> . . . . .	82
4.5	Test file Number [79] 4-Trig-functions/4.1-Sine/4.1.7-d-trig <sup>m</sup> -a+b-c-sin <sup>n</sup> -p . . . . .	99
4.6	Test file Number [151] 5-Inverse-trig-functions/5.3-Inverse-tangent/5.3.5-u-a+b-arctan-c+d-x <sup>p</sup> . . . . .	106

4.7	Test file Number [154] 5-Inverse-trig-functions/5.4-Inverse-cotangent/5.4.1-Inverse-cotangent-functions . . . . .	108
4.8	Test file Number [173] 6-Hyperbolic-functions/6.3-Hyperbolic-tangent/6.3.7-d-hyper- $\hat{m}$ - $a+b-c-\tanh\hat{n}\hat{p}$ . . . . .	110
<b>5</b>	<b>Listing of grading functions</b>	<b>117</b>
5.1	Mathematica and Rubi grading function . . . . .	117
5.2	Maple grading function . . . . .	119
5.3	Sympy grading function . . . . .	123
5.4	SageMath grading function . . . . .	125

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems.

The listing of the problems used by this report are

1. MathematicaSyntaxTestFiles.zip
2. MapleSyntaxTestFiles.zip

The above zip files were downloaded from [rulebasedintegration.org](http://rulebasedintegration.org).

The current number of problems in this test suite is [71994].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 99.52 ( 71651 )	% 0.48 ( 343 )
Mathematica	% 98.35 ( 70804 )	% 1.65 ( 1190 )
Maple	% 83.46 ( 60084 )	% 16.54 ( 11910 )
Fricas	% 68.07 ( 49005 )	% 31.93 ( 22989 )
Giac	% 52.51 ( 37804 )	% 47.49 ( 34190 )
Maxima	% 43.03 ( 30982 )	% 56.97 ( 41012 )
Sympy	% 32.41 ( 23332 )	% 67.59 ( 48662 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	98.89	0.23	0.41	0.48
Mathematica	74.67	6.18	17.49	1.65
Maple	52.8	22.93	7.72	16.54
Maxima	33.24	8.83	0.96	56.97
Fricas	48.52	18.03	1.51	31.93
Sympy	25.08	4.7	2.63	67.59
Giac	39.	12.5	1.01	47.49

Table 1.3: Antiderivative Grade distribution for each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



## 1.2.1 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.28	156.75	1.	107.	1.
Mathematica	1.77	800.29	2.8	92.	0.94
Maple	0.46	62669.	743.6	131.	1.27
Maxima	1.34	284.97	2.46	96.	1.36
Fricas	2.81	935.28	6.76	302.	3.43
Sympy	9.65	230.82	2.53	70.	1.14
Giac	1.53	301.08	2.55	120.	1.49

Table 1.4: Time and leaf size performance for each CAS

## 1.3 Performance per integrand type

The following are the different integrand types the test suite contains.

1. Algebraic Binomial problems (products involving powers of binomials and monomials).
2. Algebraic Trinomial problems (products involving powers of trinomials, binomials and monomials).
3. Miscellaneous Algebraic functions.
4. Exponentials.
5. Logarithms.
6. Trigonometric.
7. Inverse Trigonometric.
8. Hyperbolic functions.
9. Inverse Hyperbolic functions.
10. Special functions.
11. Independent tests.


The following table gives percentage solved of each CAS per integrand type.

Integrand type	problems	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
Independent tests	1892	98.31	98.73	92.18	79.39	94.34	71.78	82.72
Algebraic Binomial	14276	99.99	99.7	82.18	42.02	70.91	59.27	62.61
Algebraic Trinomial	10187	99.99	98.89	90.67	38.56	75.76	40.39	61.23
Algebraic Miscellaneous	1519	98.62	98.16	87.23	42.92	74.06	45.69	54.18
Exponentials	965	99.17	96.68	80.21	60.93	87.67	40.83	46.74
Logarithms	3085	98.51	97.8	54.49	48.36	57.76	25.32	43.37
Trigonometric	22551	99.56	97.61	85.75	41.34	63.42	13.64	44.13
Inverse Trigonometric	4585	99.65	97.97	83.84	31.15	48.29	28.16	48.05
Hyperbolic	5166	98.32	98.03	82.58	57.08	84.84	20.75	62.45
Inverse Hyperbolic	6626	99.52	98.46	80.47	40.34	62.27	24.89	39.5
Special functions	999	100.	95.4	69.97	35.54	48.85	39.34	34.93



Table 1.5: Percentage solved per integrand type



In addition to the above table, for each type of integrand listed above, 3D chart is made which shows how each CAS performed on that specific integrand type.



These charts and the table above can be used to show where each CAS relative strength or weakness in the area of integration.



















## 1.4 Maximum leaf size ratio for each CAS against the optimal result

The following table gives the largest ratio found in each test file, between each CAS antiderivative and the optimal antiderivative.

For each test input file, the problem with the largest ratio  $\frac{\text{CAS leaf size}}{\text{Optimal leaf size}}$  is recorded with the corresponding problem number.

In each column in the table below, the first number is the maximum leaf size ratio, and the number that follows inside the parentheses is the problem number in that specific file where this maximum ratio was found. This ratio is determined only when CAS solved the the problem and also when an optimal antiderivative is known.

If it happens that a CAS was not able to solve all the integrals in the input test file, or if it was not possible to obtain leaf size for the CAS result for all the problems in the file, then a zero is used for the ratio and -1 is used for the problem number.

This makes it easy to locate the problem. In the future, a direct link will be added as well.

Table 1.6: Maximum leaf size ratio for each CAS against the optimal result

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
1	1. (1)	3.9 (50)	16.6 (114)	5.1 (169)	13.7 (61)	191.1 (145)	15.5 (55)
2	7.3 (21)	6.2 (14)	3.6 (17)	2.6 (4)	55. (13)	18.5 (5)	6.2 (2)
3	1. (1)	16.1 (6)	17. (6)	14.9 (7)	11.5 (9)	1.9 (5)	2.6 (5)
4	6.4 (5)	14.3 (13)	40.7 (46)	22.4 (43)	18.7 (43)	4.4 (40)	53.7 (41)
5	1. (65)	54.7 (278)	12737.8 (278)	11. (280)	29.5 (103)	62. (12)	26.4 (141)
6	1. (1)	1. (2)	2.2 (4)	2.6 (1)	3.9 (7)	0.8 (4)	3.2 (5)
7	2.2 (3)	5.6 (7)	1.8 (3)	3.8 (3)	15.1 (9)	1.9 (7)	2.6 (3)
8	1.6 (50)	5.3 (31)	7.9 (70)	9. (11)	13. (42)	26.4 (71)	7. (70)
9	1.2 (365)	7.2 (80)	4.3 (341)	16.3 (328)	16.4 (351)	191.1 (251)	48.1 (368)
10	3.2 (335)	242.6 (327)	3343.5 (327)	49.9 (399)	109.1 (595)	76.3 (215)	25.3 (537)
11	529. (82)	127. (82)	317. (82)	3.7 (2)	150. (82)	41.3 (17)	4.9 (24)
12	1.8 (6)	2.3 (4)	1.2 (8)	2. (2)	7.8 (3)	3.4 (3)	2.1 (2)
13	7.1 (369)	23.8 (1323)	30.9 (1323)	44.4 (1323)	66.4 (1323)	136.1 (671)	45.9 (1323)
14	2. (870)	16.5 (1101)	22.6 (1101)	30. (1716)	45.7 (1101)	84.5 (67)	63. (827)
15	3.3 (97)	13.9 (72)	28.5 (100)	2.7 (155)	22.2 (21)	49.2 (119)	13.5 (119)
16	1. (1)	1.5 (17)	11. (25)	2. (10)	0. (-1)	59.5 (27)	26.8 (25)
17	2.6 (35)	10.1 (67)	39.8 (66)	2.7 (35)	12.8 (6)	5.3 (35)	17.1 (46)
18	1. (3)	27.5 (31)	68. (35)	0. (-1)	0. (-1)	0. (-1)	0. (-1)
19	8.2 (664)	6.9 (663)	7.9 (196)	13.5 (196)	22.3 (196)	55.3 (528)	14.8 (416)
20	1.6 (254)	6.4 (94)	147.4 (69)	6. (73)	62.8 (160)	21.9 (33)	14.4 (42)
21	1. (596)	12.6 (337)	46.7 (754)	4.2 (313)	49.1 (1016)	32.8 (324)	11.6 (553)
22	1.3 (64)	2.6 (63)	15.2 (57)	1.5 (18)	17.5 (60)	3. (21)	4. (98)
23	1. (1)	1.1 (50)	10.4 (15)	0. (-1)	15.6 (15)	43. (16)	18.6 (15)

Continued on next page

Table 1.6 – continued from previous page

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
24	1.2 (173)	1.9 (45)	2. (162)	3.4 (163)	12.9 (26)	18.3 (93)	5.3 (157)
25	8.4 (2686)	13.4 (2913)	141.8 (2913)	17.8 (2285)	52. (2913)	170.1 (2672)	30.8 (2813)
26	4.3 (116)	10.3 (306)	17.9 (265)	3. (47)	30.7 (265)	27.8 (238)	8.1 (292)
27	4.2 (760)	12.3 (1051)	77.4 (546)	39.3 (1063)	40.1 (317)	36.6 (124)	14.9 (1051)
28	1.2 (46)	0.9 (45)	51.1 (15)	0. (-1)	59.6 (15)	23.3 (6)	66.9 (16)
29	1.2 (552)	3.8 (45)	10.4 (43)	4.3 (161)	100.6 (416)	16.2 (171)	11. (591)
30	1.3 (278)	10. (328)	51.5 (297)	11.3 (328)	26. (348)	10. (328)	12.5 (348)
31	1. (1)	6.4 (283)	4.9 (269)	3.1 (279)	9.5 (269)	21.6 (269)	8.5 (269)
32	2.8 (83)	3.9 (25)	5.8 (74)	3.5 (98)	15.9 (127)	16.4 (63)	4.1 (74)
33	2. (2419)	23.9 (2302)	70.8 (2351)	19.2 (1497)	74.3 (2293)	72.8 (1423)	49.7 (982)
34	1.3 (1471)	15.6 (1635)	82.2 (1180)	29. (2015)	93.4 (1452)	91.8 (2147)	32.7 (2640)
35	2.1 (833)	58.6 (507)	116.1 (801)	8.1 (579)	48.7 (533)	68.8 (920)	27. (925)
36	1. (1)	10.3 (6)	425.1 (78)	3.7 (95)	61.2 (112)	1.2 (19)	9.4 (3)
37	1. (129)	9.7 (37)	14197.2 (12)	8.9 (27)	61.2 (117)	6.9 (13)	111.9 (24)
38	1.8 (76)	42.8 (204)	421. (278)	120.1 (278)	262.7 (278)	114.1 (278)	160.9 (278)
39	1.7 (636)	8.8 (109)	9.5 (885)	7.3 (515)	60.1 (1073)	28.5 (1105)	35.7 (857)
40	1.7 (212)	13.9 (409)	50.7 (220)	9. (88)	70.4 (109)	19.6 (218)	77. (32)
41	1.9 (327)	32.6 (381)	26. (136)	7.5 (70)	109.9 (305)	47.5 (220)	37.4 (109)
42	1. (59)	1.5 (25)	15.8 (54)	1.8 (111)	8.1 (46)	58.1 (87)	43.2 (21)
43	1.6 (135)	2.4 (136)	13.8 (37)	2.1 (131)	97. (60)	27.3 (39)	43. (25)
44	1.9 (1)	6.3 (24)	6.4 (29)	0. (-1)	8.4 (35)	0.8 (1)	3.3 (42)
45	1. (1)	4.9 (4)	0.9 (4)	0. (-1)	0. (-1)	0. (-1)	0. (-1)
46	2.1 (154)	12.7 (601)	54.7 (609)	8.5 (609)	99. (637)	26.3 (438)	62.9 (597)
47	1. (1)	22.3 (89)	2.7 (37)	1.8 (26)	24.2 (37)	42.2 (68)	13.2 (68)
48	1. (67)	16.1 (143)	2909.3 (93)	93. (94)	217.1 (93)	82.9 (93)	122. (93)
49	1. (1)	4.9 (17)	1.7 (11)	2.8 (16)	6. (16)	0. (-1)	4.5 (16)
50	1. (1)	1.7 (99)	4. (72)	1.2 (71)	22.1 (102)	20.7 (24)	35.7 (83)
51	6.2 (424)	11.6 (162)	1223.1 (192)	57.1 (63)	208.8 (192)	84.3 (192)	125.8 (192)
52	4.1 (997)	172.1 (1010)	3059.3 (1010)	6.8 (612)	85.5 (871)	57.5 (180)	64.3 (525)
53	1. (1)	1.2 (82)	9.5 (87)	3. (2)	4.4 (82)	2.5 (2)	75.3 (2)
54	1. (1)	1. (1)	16.8 (46)	2.2 (49)	9.5 (58)	2.2 (32)	50.6 (25)
55	1.2 (655)	5.3 (636)	38.7 (267)	176.7 (267)	35.7 (339)	11.2 (281)	73.8 (563)
56	1. (1)	1.3 (133)	83.5 (150)	2.6 (62)	11.6 (61)	4.4 (125)	13.8 (149)
57	1.7 (115)	3.9 (363)	97.5 (440)	6.9 (348)	47.1 (440)	21.2 (381)	14.6 (392)
58	1.5 (176)	12.4 (64)	504.9 (192)	3.9 (166)	20.8 (237)	3.6 (165)	18.1 (237)
59	7.5 (71)	39.2 (308)	376.9 (168)	10. (10)	14.9 (171)	5.6 (119)	15.2 (302)
60	26.4 (88)	16.8 (81)	1428.6 (228)	107.3 (81)	20.1 (228)	9.7 (28)	9. (233)
61	1.6 (79)	55.1 (51)	14.7 (74)	19.2 (44)	9.1 (15)	2.2 (50)	21.7 (34)
62	1.8 (383)	9.3 (340)	161.9 (62)	12.3 (340)	18.6 (404)	19.8 (425)	48.4 (456)
63	1.5 (390)	4.3 (45)	54.3 (175)	10. (390)	68.4 (197)	13.6 (321)	8.2 (329)
64	1.2 (284)	13.1 (44)	2190.9 (91)	14.3 (23)	23.9 (23)	15.9 (189)	20.7 (28)
65	1. (1)	114.1 (497)	33.3 (493)	5.3 (111)	13.2 (289)	32.4 (355)	7.6 (105)

Continued on next page

Table 1.6 – continued from previous page

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
66	1. (1)	8.6 (249)	7.6 (83)	25.1 (185)	29.6 (209)	30.8 (193)	74.3 (7)
67	1. (1)	9.2 (12)	4.3 (51)	3.2 (21)	9.9 (5)	17.1 (49)	5.1 (6)
68	1. (1)	7.1 (38)	7.7 (65)	28.8 (45)	5.6 (6)	2.2 (12)	74.3 (36)
69	1. (1)	3.3 (203)	7.8 (201)	227.2 (37)	10.6 (44)	8.7 (116)	7.2 (155)
70	2. (615)	79.6 (352)	447.5 (605)	12.2 (151)	55.8 (476)	56.4 (89)	30.6 (146)
71	1. (1)	1.1 (10)	1.4 (29)	20.7 (33)	3.7 (13)	3.9 (12)	3.2 (30)
72	1.6 (103)	533.6 (138)	3.6 (200)	5.4 (53)	15.8 (201)	2.6 (40)	173.8 (16)
73	1.9 (621)	1029.2 (406)	4910.9 (790)	41.5 (256)	36.3 (595)	44.2 (453)	24.3 (336)
74	1.6 (1108)	1478. (937)	173.2 (174)	11.6 (46)	35.5 (937)	69.4 (567)	107.9 (177)
75	1.3 (12)	3375. (37)	688.6 (48)	9.7 (16)	68.5 (35)	3.4 (1)	8.3 (13)
76	1.2 (206)	65.6 (202)	8067.4 (353)	47.4 (48)	38. (327)	40.6 (273)	18.1 (127)
77	1. (1)	6.7 (10)	3.9 (2)	16.8 (1)	5.6 (2)	412.4 (8)	7.3 (12)
78	1.4 (32)	72.6 (30)	4.4 (33)	4.4 (20)	5.5 (18)	2.3 (32)	1.3 (32)
79	1.8 (236)	228.2 (240)	51412.7 (593)	23.8 (487)	64. (418)	108.5 (89)	20.7 (29)
80	1. (1)	2.2 (2)	2.1 (4)	1.7 (2)	10.5 (7)	11.7 (4)	3.1 (2)
81	1. (1)	1.5 (16)	6. (13)	1.4 (19)	51.8 (1)	2.8 (11)	2.5 (14)
82	1. (1)	3.7 (284)	8.3 (12)	22.3 (170)	11.4 (176)	2.7 (64)	16.9 (64)
83	1. (1)	4. (62)	8.3 (76)	16.3 (133)	17.6 (33)	4.1 (9)	89.1 (8)
84	1. (1)	2.4 (61)	3.4 (50)	2.7 (5)	7.5 (5)	6. (41)	1.4 (19)
85	1. (1)	1.3 (94)	4.2 (26)	6.8 (40)	5.5 (36)	6. (61)	4.2 (92)
86	4.3 (11)	4.1 (60)	13.2 (78)	4.4 (3)	13.7 (11)	9.5 (1)	5. (11)
87	1. (1)	1. (10)	1.4 (29)	20.7 (32)	3.7 (13)	3.8 (12)	3.1 (30)
88	1. (1)	3.2 (1)	3.4 (3)	5.5 (3)	11.6 (20)	0. (-1)	4.1 (3)
89	1.4 (370)	35.3 (773)	9.3 (642)	50.3 (213)	15.8 (484)	12.8 (781)	66.1 (782)
90	1. (1)	2.8 (2)	2.9 (2)	0. (-1)	0. (-1)	0. (-1)	0. (-1)
91	1. (1)	3. (1)	1.8 (1)	4.7 (1)	4.2 (1)	0. (-1)	2.2 (1)
92	1.1 (40)	36.7 (454)	14.3 (436)	76.1 (95)	14.2 (270)	11.7 (38)	5.4 (80)
93	1. (1)	53.4 (393)	8. (29)	27.4 (115)	9.5 (319)	3. (9)	2.3 (5)
94	1.4 (940)	84.8 (1350)	18. (1154)	63.8 (96)	15.8 (590)	15.5 (339)	7.2 (381)
95	1.2 (81)	4.9 (91)	6.9 (70)	12.7 (53)	18. (67)	14.3 (1)	5. (91)
96	1. (1)	2.1 (9)	7.6 (21)	1.4 (2)	18. (13)	1.2 (3)	5.7 (13)
97	1. (1)	1.9 (5)	10.5 (13)	1.1 (12)	51.3 (13)	3.3 (12)	2.5 (5)
98	1. (1)	173.1 (357)	564.9 (52)	1.8 (7)	12.9 (293)	3.1 (376)	33.5 (8)
99	1. (1)	4.4 (44)	6. (54)	15. (49)	11.5 (54)	2.5 (24)	8.2 (8)
100	1. (1)	2.6 (33)	1.5 (21)	10.6 (52)	11.5 (39)	6.3 (15)	2.3 (21)
101	1.5 (562)	75.5 (641)	173.9 (617)	25.5 (393)	27.4 (80)	10.4 (88)	76.2 (540)
102	1. (1)	7. (46)	4.1 (61)	3.9 (67)	16.4 (75)	1.3 (2)	104.7 (13)
103	1.4 (891)	200.5 (678)	9426.9 (611)	21. (208)	221.2 (523)	13.3 (464)	37. (1203)
104	1. (1)	941.7 (463)	15275. (454)	21.6 (548)	188.9 (369)	20.1 (272)	32.8 (257)
105	1. (130)	3975.5 (145)	172.7 (123)	4. (83)	23.7 (83)	21.1 (70)	35.4 (51)
106	1. (1)	44.6 (159)	2905.5 (351)	24.4 (272)	61.7 (288)	30.9 (239)	104.5 (36)
107	1. (1)	777.6 (45)	36518.9 (5)	0. (-1)	34.9 (45)	0. (-1)	0. (-1)

Continued on next page



Table 1.6 – continued from previous page

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
108	1. (1)	21.6 (47)	288.2 (43)	1.7 (4)	12.5 (20)	2.6 (1)	5.7 (3)
109	1. (1)	5.5 (42)	10.1 (27)	25.1 (47)	11.2 (59)	2.4 (22)	54.5 (8)
110	1. (1)	2.5 (11)	3.4 (16)	4.4 (11)	10.3 (14)	1.3 (2)	3.5 (7)
111	1. (1)	2.4 (5)	4.3 (9)	5.8 (7)	9. (19)	1.2 (2)	3.7 (6)
112	1. (1)	3.9 (15)	69.4 (103)	2.6 (94)	11. (27)	8.9 (92)	3.2 (94)
113	1. (1)	23.7 (22)	35. (29)	18.4 (8)	32.6 (9)	21.5 (6)	7.6 (25)
114	1. (1)	1997.4 (22)	31765.8 (3)	0. (-1)	55.5 (27)	0. (-1)	0. (-1)
115	1. (1)	14.7 (42)	9.8 (259)	35. (47)	20.3 (42)	3.3 (1)	15.7 (42)
116	1. (1)	10. (40)	4.1 (29)	20. (16)	11.9 (29)	0. (-1)	8.7 (18)
117	1. (1)	3.2 (18)	5.9 (73)	97.4 (27)	10.3 (68)	2.2 (53)	2.7 (12)
118	1.4 (423)	249. (874)	14.7 (578)	70.7 (255)	15.4 (515)	2.6 (5)	5.2 (112)
119	1. (1)	45.2 (153)	12.3 (284)	3.9 (65)	12.7 (227)	0. (-1)	9.4 (196)
120	1.7 (340)	55.9 (191)	46.5 (339)	5. (67)	65.4 (338)	13.1 (90)	9.1 (286)
121	1.3 (115)	2597.8 (169)	1151.1 (153)	42.7 (108)	20.4 (159)	0. (-1)	7.2 (197)
122	2.2 (197)	1873.2 (240)	7.1 (238)	58.3 (130)	20.5 (241)	3.1 (170)	5.9 (256)
123	1.3 (265)	350.5 (634)	15.8 (385)	71. (259)	16.2 (337)	2.2 (47)	7.3 (124)
124	1. (1)	3.6 (65)	24.1 (25)	18.2 (25)	7.2 (58)	2.9 (33)	3.6 (41)
125	1.2 (870)	383.4 (1373)	19.8 (970)	62. (1289)	15.9 (808)	3.1 (930)	9.8 (490)
126	1.3 (231)	66.8 (138)	544.5 (433)	37.4 (297)	55.8 (461)	7.4 (459)	15.3 (365)
127	1. (1)	5.6 (42)	12.1 (21)	45.1 (39)	15.4 (42)	3.1 (1)	4.2 (41)
128	1. (1)	4. (25)	5.2 (74)	53.1 (15)	10.5 (69)	2.2 (53)	4. (61)
129	1. (1)	5.3 (36)	19.6 (18)	8.7 (13)	20.4 (19)	0. (-1)	18.4 (15)
130	1. (1)	2.5 (8)	4. (9)	6.6 (8)	8.9 (14)	0. (-1)	3. (8)
131	1.3 (20)	3.3 (10)	2.3 (22)	4.8 (1)	12. (22)	0. (-1)	3. (10)
132	1. (1)	2.7 (3)	2.2 (8)	3.4 (8)	5.9 (9)	4.9 (18)	4.5 (12)
133	1. (1)	1.2 (1)	1.8 (1)	0. (-1)	0. (-1)	0. (-1)	0. (-1)
134	1. (12)	3.1 (18)	26.8 (15)	32.8 (18)	40. (11)	0. (-1)	4.2 (1)
135	1. (1)	29.1 (187)	4879055.9 (170)	114.8 (57)	19.5 (231)	16.7 (241)	115.4 (200)
136	3.3 (23)	9.2 (211)	5.9 (146)	12.8 (209)	18.4 (143)	6.6 (114)	88.7 (238)
137	1.1 (281)	9.2 (164)	14.6 (80)	78.9 (391)	36.1 (273)	10.3 (396)	109.8 (293)
138	1. (1)	2.7 (1)	6.9 (9)	0.6 (5)	28.8 (4)	1.1 (5)	0.9 (5)
139	4.3 (259)	9.3 (299)	13.1 (259)	122.7 (225)	9.2 (173)	6.6 (12)	99.6 (126)
140	19.2 (34)	9.1 (133)	40.1 (34)	109.8 (34)	14.8 (63)	7.2 (135)	360.1 (31)
141	10.8 (759)	718.9 (434)	651.2 (860)	47. (927)	56.2 (503)	227.1 (140)	113.7 (904)
142	1.4 (107)	2.5 (95)	4.8 (156)	2.3 (155)	4.4 (7)	2.3 (11)	13.3 (145)
143	1.7 (100)	3.5 (200)	19.9 (90)	5.6 (195)	12.4 (642)	2.2 (9)	76.5 (620)
144	1.9 (147)	7. (85)	13.9 (55)	3.8 (186)	11.8 (93)	8.1 (206)	18.8 (233)
145	1.3 (168)	4.9 (41)	2.8 (156)	2.4 (155)	7.5 (7)	2.3 (11)	35.6 (147)
146	1. (1)	1.9 (10)	5.6 (4)	4. (11)	10.2 (33)	2. (23)	49.2 (23)
147	1. (1)	3.8 (13)	3.3 (18)	2.3 (55)	13.6 (29)	2. (58)	5.2 (31)
148	10. (146)	4.7 (83)	28.1 (148)	2.6 (165)	8. (112)	22.4 (99)	2.4 (66)
149	1.2 (25)	4.2 (25)	43.8 (20)	3.1 (21)	39.8 (21)	12.5 (21)	5.1 (8)

Continued on next page

Table 1.6 – continued from previous page

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
150	1.3 (152)	6.4 (429)	85.8 (146)	7. (218)	20.5 (1223)	24.6 (54)	4.8 (1195)
151	1. (1)	3.3 (36)	80. (56)	6.9 (1)	6.2 (30)	46.1 (5)	11.2 (14)
152	2. (344)	2.7 (248)	13.6 (329)	10.4 (375)	30. (375)	64.6 (177)	11.3 (375)
153	1.1 (117)	11.4 (54)	27.1 (147)	7.3 (67)	15. (96)	4.7 (38)	3.5 (10)
154	1.3 (109)	11.4 (164)	72.1 (110)	7.2 (164)	15. (186)	8.7 (106)	6.8 (135)
155	1. (1)	1.2 (7)	1. (2)	1.3 (2)	2.9 (5)	2.7 (4)	1.6 (2)
156	1.2 (68)	2.6 (104)	11.9 (105)	4.6 (31)	18.4 (151)	1.2 (9)	1.9 (7)
157	1. (1)	3.3 (42)	4.2 (26)	2.3 (14)	9.5 (24)	0.9 (10)	4.4 (26)
158	1.4 (51)	2.8 (111)	11.9 (112)	2.6 (22)	18.5 (156)	1.2 (9)	2. (7)
159	1. (1)	3.3 (40)	4.9 (26)	2.2 (13)	9.6 (23)	0.9 (9)	6.3 (26)
160	1. (1)	23.2 (333)	7.5 (379)	4.8 (1)	39.4 (329)	6.9 (226)	10. (259)
161	1. (1)	5.4 (53)	3.4 (98)	18.8 (90)	17.6 (20)	1.9 (10)	6. (93)
162	1. (1)	1.5 (24)	1.9 (28)	8.1 (7)	12.7 (24)	0. (-1)	2.2 (29)
163	1. (1)	30.9 (200)	8.4 (198)	18. (208)	76.9 (157)	16.8 (253)	34.9 (273)
164	1.3 (16)	9.9 (394)	15.3 (316)	29.6 (315)	175.6 (214)	96.5 (35)	21.4 (70)
165	1. (1)	13.6 (173)	7.4 (28)	4.8 (1)	39.6 (36)	4.1 (8)	4.8 (1)
166	1. (1)	7.9 (106)	3.6 (79)	4.7 (5)	9.2 (108)	2.3 (12)	4.6 (38)
167	1. (1)	2.1 (3)	3.4 (64)	18.9 (56)	17.6 (20)	1.9 (10)	6. (59)
168	1. (1)	1.5 (12)	1.9 (28)	8.1 (7)	12.6 (24)	0. (-1)	2.2 (29)
169	1. (1)	8.7 (328)	7.4 (165)	15.4 (196)	94.6 (177)	22. (152)	34.9 (246)
170	1.3 (60)	2.5 (11)	8. (38)	7.9 (40)	148.8 (12)	8.4 (37)	7. (38)
171	1. (1)	3.7 (3)	12.5 (43)	4.3 (8)	51.8 (11)	1.7 (8)	4.5 (8)
172	1.2 (109)	3.5 (212)	6.6 (102)	17. (188)	181.6 (200)	42.3 (62)	5.7 (102)
173	1.3 (257)	10.5 (252)	14.4 (114)	24.4 (104)	236.2 (244)	25.2 (183)	183.5 (109)
174	1. (1)	5.1 (48)	9.6 (22)	5. (8)	42.5 (47)	11.7 (27)	4.3 (8)
175	1. (1)	14.1 (209)	6.2 (35)	17.5 (193)	181.6 (205)	11.6 (148)	9.6 (113)
176	1. (1)	6.7 (10)	9.2 (24)	8.7 (10)	236.2 (41)	6.4 (5)	11.7 (10)
177	1. (1)	3.8 (6)	7.4 (3)	3.3 (7)	39.6 (9)	0. (-1)	3.6 (7)
178	1. (1)	3.5 (18)	3.6 (79)	2.7 (15)	60.8 (82)	0. (-1)	2.7 (31)
179	3.5 (186)	6.4 (145)	12.7 (186)	11.6 (59)	220. (136)	2.2 (119)	4.4 (86)
180	1.4 (54)	14.4 (168)	14. (169)	17.8 (124)	236.3 (209)	5.4 (142)	6.8 (167)
181	1. (1)	9.1 (26)	5. (29)	4.2 (7)	35.1 (9)	0. (-1)	3.7 (7)
182	1. (1)	5.2 (18)	3.9 (78)	3.1 (15)	75.2 (15)	0. (-1)	2.5 (5)
183	3.3 (160)	6.7 (24)	22.3 (24)	12. (91)	81.4 (124)	0. (-1)	12. (24)
184	1.1 (12)	3.4 (24)	16.5 (8)	8.4 (1)	139.3 (10)	0. (-1)	4. (1)
185	1.9 (192)	515.8 (777)	142.2 (767)	35.1 (100)	140.3 (589)	43.6 (11)	13.7 (1050)
186	1. (1)	1.9 (141)	2.7 (38)	2.3 (15)	7.9 (7)	1. (22)	3.5 (19)
187	2.1 (73)	3.5 (230)	10. (313)	9.2 (255)	12.5 (531)	3.5 (255)	4.2 (118)
188	1.2 (170)	4.7 (46)	6.2 (151)	15.6 (276)	10.9 (368)	8.2 (147)	7.7 (116)
189	1.1 (163)	3.2 (39)	2.3 (18)	1.8 (135)	4.9 (7)	1.1 (135)	3.1 (19)
190	1.7 (322)	5.5 (516)	17.2 (93)	3.7 (22)	14.3 (508)	1.7 (528)	3.5 (22)
191	1.3 (73)	6.9 (167)	26. (291)	3.4 (102)	19.3 (20)	7.6 (122)	8.2 (93)

Continued on next page

Table 1.6 – continued from previous page

file #	Rubi	Mathematica	Maple	Maxima	FriCAS	Sympy	Giac
192	8.1 (149)	1.9 (31)	7031. (175)	7.1 (202)	25.2 (216)	15.2 (61)	2.6 (60)
193	1.6 (21)	5. (12)	56.2 (20)	3.1 (40)	59.9 (32)	10.5 (24)	8.6 (8)
194	1.6 (538)	5. (156)	74.3 (235)	21.7 (244)	14.6 (516)	5.1 (61)	6.3 (505)
195	1. (43)	11.2 (42)	62.1 (46)	7. (15)	10.6 (37)	43.6 (13)	12.3 (37)
196	2. (172)	3.7 (868)	16.4 (867)	37.8 (1152)	31.8 (1368)	30.7 (997)	13. (1368)
197	1.7 (81)	24. (319)	24.6 (312)	5.8 (72)	18.9 (315)	3. (276)	6.4 (133)
198	1.2 (78)	24. (238)	18086.6 (185)	5.2 (95)	19.5 (189)	5.3 (92)	1. (298)
199	1.9 (172)	4.9 (430)	11.6 (22)	4.8 (37)	11.7 (130)	12.1 (767)	5.9 (29)
200	1. (1)	16.3 (85)	19.3 (124)	1.9 (47)	18.7 (168)	1.5 (35)	0. (-1)
201	2.8 (38)	5.6 (18)	40.5 (80)	1.3 (34)	20.9 (6)	0.7 (93)	4.1 (47)
202	1.2 (75)	2.9 (111)	11.5 (112)	2.8 (10)	20.2 (156)	1.2 (9)	0. (-1)
203	1.6 (55)	8.2 (13)	5.2 (65)	3.6 (31)	21.1 (71)	2. (31)	3.4 (31)
204	1. (1)	1.7 (102)	2.5 (221)	1.5 (31)	4.9 (140)	2.9 (83)	2.2 (18)
205	1. (1)	2.5 (57)	1.5 (92)	0. (-1)	0. (-1)	2. (179)	0. (-1)
206	1. (1)	2.6 (41)	3.3 (134)	0. (-1)	0. (-1)	7.3 (69)	84.2 (135)
207	1. (1)	2.5 (131)	1.3 (35)	0. (-1)	0. (-1)	8.5 (69)	0. (-1)
208	1.1 (174)	1.3 (195)	2.4 (144)	5.5 (155)	23.7 (150)	4.4 (29)	0. (-1)

## 1.5 Pass/Fail per test file for each CAS system

The following table gives the number of passed integrals and number of failed integrals per test number. There are 208 tests. Each tests corresponds to one input file.

Table 1.7: Pass/Fail per test file for each CAS

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
1	175	0	175	0	173	2	164	11	172	3	156	19	165	10
2	33	2	35	0	27	8	15	20	24	11	7	28	13	22
3	13	1	14	0	11	3	8	6	12	2	9	5	8	6
4	48	2	50	0	33	17	24	26	47	3	18	32	38	12
5	279	5	283	1	282	2	235	49	280	4	249	35	255	29
6	3	4	6	1	5	2	3	4	7	0	5	2	5	2
7	7	2	9	0	9	0	7	2	9	0	4	5	9	0
8	113	0	112	1	113	0	107	6	112	1	104	9	109	4
9	376	0	376	0	376	0	371	5	376	0	347	29	374	2
10	705	0	705	0	647	58	542	163	650	55	422	283	564	141
11	100	16	95	21	60	56	19	97	88	28	29	87	17	99
12	8	0	8	0	8	0	7	1	8	0	8	0	8	0
13	1917	0	1917	0	1557	360	963	954	1602	315	1173	744	1258	659
14	3201	0	3201	0	2863	338	1879	1322	2524	677	1524	1677	2330	871
15	158	1	155	4	128	31	21	138	47	112	38	121	39	120

Continued on next page

Table 1.7 – continued from previous page

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
16	34	0	34	0	28	6	12	22	0	34	14	20	28	6
17	78	0	78	0	78	0	19	59	43	35	15	63	35	43
18	35	0	35	0	35	0	0	35	0	35	0	35	0	35
19	1071	0	1071	0	755	316	395	676	674	397	970	101	639	432
20	349	0	349	0	246	103	24	325	136	213	106	243	111	238
21	1156	0	1156	0	1002	154	283	873	853	303	584	572	800	356
22	115	0	114	1	105	10	15	100	30	85	27	88	34	81
23	51	0	51	0	14	37	0	51	14	37	25	26	14	37
24	174	0	174	0	170	4	43	131	121	53	152	22	170	4
25	3078	0	3044	34	2585	493	1616	1462	2370	708	2625	453	1988	1090
26	385	0	383	2	197	188	65	320	213	172	147	238	131	254
27	1081	0	1081	0	720	361	215	866	662	419	365	716	490	591
28	46	0	46	0	12	34	0	46	12	34	10	36	11	35
29	594	0	594	0	577	17	206	388	338	256	454	140	418	176
30	454	0	454	0	385	69	136	318	256	198	113	341	234	220
31	298	0	296	2	275	23	107	191	228	70	120	178	208	90
32	143	0	143	0	113	30	93	50	113	30	47	96	104	39
33	2590	0	2584	6	2320	270	1115	1475	2065	525	1043	1547	1592	998
34	2646	0	2646	0	2584	62	1297	1349	2258	388	1182	1464	2076	570
35	958	0	937	21	729	229	179	779	569	389	261	697	268	690
36	123	0	123	0	121	2	67	56	110	13	43	80	87	36
37	143	0	142	1	141	2	12	131	61	82	10	133	47	96
38	400	0	394	6	388	12	217	183	324	76	145	255	317	83
39	1126	0	1126	0	1062	64	395	731	844	282	486	640	739	387
40	412	1	378	35	399	14	60	353	209	204	190	223	148	265
41	413	0	400	13	376	37	108	305	250	163	139	274	190	223
42	111	0	103	8	111	0	83	28	80	31	52	59	88	23
43	145	0	145	0	142	3	61	84	115	30	89	56	87	58
44	42	0	38	4	40	2	0	42	9	33	6	36	4	38
45	4	0	4	0	4	0	0	4	0	4	0	4	0	4
46	664	0	662	2	496	168	241	423	535	129	289	375	363	301
47	96	0	92	4	49	47	9	87	47	49	44	52	34	62
48	156	0	147	9	137	19	60	96	106	50	69	87	109	47
49	17	0	14	3	2	15	2	15	7	10	0	17	2	15
50	140	0	139	1	136	4	22	118	129	11	67	73	87	53
51	491	3	494	0	489	5	360	134	430	64	432	62	410	84
52	1007	18	997	28	836	189	292	733	695	330	262	763	413	612
53	98	0	98	0	78	20	64	34	87	11	38	60	56	42
54	93	0	84	9	75	18	62	31	93	0	48	45	49	44
55	766	8	751	23	621	153	462	312	666	108	308	466	346	428
56	193	0	193	0	98	95	96	97	123	70	71	122	101	92

Continued on next page

Table 1.7 – continued from previous page

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
57	456	0	449	7	309	147	158	298	280	176	195	261	197	259
58	249	0	243	6	81	168	61	188	90	159	37	212	58	191
59	288	26	298	16	187	127	238	76	206	108	55	259	157	157
60	249	14	249	14	98	165	179	84	156	107	49	214	49	214
61	106	2	108	0	25	83	65	43	39	69	15	93	38	70
62	543	4	542	5	309	238	219	328	218	329	130	417	217	330
63	641	0	621	20	338	303	273	368	392	249	119	522	336	305
64	314	0	314	0	236	78	203	111	278	36	110	204	185	129
65	538	0	538	0	442	96	200	338	274	264	98	440	212	326
66	348	0	348	0	264	84	192	156	322	26	99	249	156	192
67	72	0	72	0	47	25	32	40	39	33	32	40	33	39
68	113	0	113	0	113	0	53	60	113	0	26	87	47	66
69	357	0	345	12	245	112	223	134	305	52	93	264	156	201
70	653	0	638	15	562	91	257	396	358	295	85	568	270	383
71	36	0	36	0	34	2	34	2	36	0	20	16	34	2
72	206	2	203	5	178	30	142	66	178	30	4	204	140	68
73	837	0	820	17	635	202	216	621	512	325	123	714	323	514
74	1560	3	1519	44	1380	183	958	605	1216	347	203	1360	1116	447
75	51	0	51	0	50	1	16	35	30	21	4	47	13	38
76	358	0	348	10	289	69	132	226	275	83	60	298	160	198
77	19	0	15	4	12	7	13	6	13	6	8	11	12	7
78	34	0	32	2	5	29	7	27	8	26	1	33	1	33
79	590	4	583	11	521	73	174	420	393	201	61	533	290	304
80	9	0	9	0	9	0	2	7	9	0	5	4	9	0
81	19	0	19	0	19	0	5	14	15	4	6	13	9	10
82	294	0	294	0	195	99	92	202	93	201	13	281	27	267
83	189	0	187	2	134	55	134	55	133	56	50	139	80	109
84	62	0	62	0	45	17	37	25	39	23	32	30	34	28
85	99	0	99	0	87	12	77	22	91	8	30	69	47	52
86	88	0	88	0	88	0	27	61	32	56	21	67	32	56
87	34	0	34	0	32	2	32	2	34	0	18	16	32	2
88	22	0	22	0	22	0	15	7	21	1	0	22	20	2
89	932	0	923	9	854	78	285	647	443	489	77	855	254	678
90	4	0	4	0	4	0	0	4	0	4	0	4	0	4
91	1	0	1	0	1	0	1	0	1	0	0	1	1	0
92	644	0	634	10	634	10	189	455	313	331	61	583	199	445
93	393	0	389	4	236	157	119	274	121	272	7	386	15	378
94	1541	0	1534	7	1532	9	451	1090	708	833	120	1421	525	1016
95	98	0	98	0	98	0	32	66	70	28	15	83	67	31
96	21	0	21	0	21	0	2	19	15	6	2	19	19	2
97	20	0	20	0	20	0	4	16	16	4	5	15	9	11

Continued on next page

Table 1.7 – continued from previous page

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
98	387	0	386	1	265	122	70	317	136	251	13	374	68	319
99	62	1	63	0	58	5	43	20	63	0	26	37	35	28
100	66	0	66	0	36	30	43	23	48	18	32	34	36	30
101	700	0	700	0	580	120	362	338	452	248	104	596	250	450
102	91	0	90	1	83	8	74	17	83	8	5	86	76	15
103	1328	0	1208	120	1113	215	353	975	910	418	246	1082	544	784
104	855	0	797	58	780	75	310	545	583	272	174	681	331	524
105	171	0	169	2	122	49	84	87	84	87	44	127	78	93
106	499	0	497	2	408	91	189	310	403	96	81	418	283	216
107	51	0	51	0	40	11	0	51	16	35	0	51	0	51
108	52	0	52	0	37	15	22	30	21	31	8	44	14	38
109	61	0	61	0	58	3	39	22	61	0	27	34	35	26
110	23	0	23	0	23	0	13	10	18	5	5	18	22	1
111	19	0	19	0	19	0	11	8	15	4	4	15	19	0
112	106	0	105	1	103	3	3	103	31	75	1	105	3	103
113	64	0	64	0	63	1	16	48	64	0	11	53	46	18
114	32	0	32	0	25	7	0	32	16	16	0	32	0	32
115	299	0	299	0	225	74	93	206	106	193	16	283	36	263
116	46	0	45	1	42	4	24	22	46	0	20	26	24	22
117	83	0	79	4	51	32	27	56	63	20	35	48	43	40
118	879	0	865	14	735	144	309	570	393	486	30	849	289	590
119	305	1	301	5	267	39	175	131	191	115	2	304	191	115
120	364	1	341	24	331	34	162	203	241	124	35	330	228	137
121	240	1	225	16	216	25	95	146	145	96	3	238	67	174
122	286	0	273	13	262	24	166	120	232	54	1	285	192	94
123	634	0	634	0	586	48	193	441	299	335	7	627	204	430
124	70	0	70	0	70	0	48	22	49	21	3	67	46	24
125	1373	0	1343	30	1263	110	459	914	728	645	11	1362	531	842
126	468	2	424	46	431	39	140	330	401	69	19	451	242	228
127	70	0	70	0	53	17	28	42	31	39	7	63	28	42
128	84	0	80	4	50	34	29	55	64	20	35	49	44	40
129	59	0	53	6	41	18	25	34	41	18	2	57	38	21
130	16	0	16	0	16	0	12	4	16	0	0	16	16	0
131	23	0	23	0	23	0	18	5	23	0	0	23	23	0
132	24	0	24	0	24	0	24	0	24	0	9	15	24	0
133	1	0	1	0	1	0	0	1	0	1	0	1	0	1
134	27	0	27	0	27	0	11	16	27	0	0	27	12	15
135	254	0	252	2	224	30	159	95	209	45	38	216	152	102
136	294	0	294	0	289	5	230	64	290	4	61	233	282	12
137	397	0	397	0	359	38	291	106	365	32	102	295	222	175
138	9	0	9	0	9	0	1	8	9	0	1	8	1	8

Continued on next page

Table 1.7 – continued from previous page

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
139	254	76	305	25	100	230	139	191	119	211	55	275	76	254
140	140	2	142	0	114	28	58	84	115	27	32	110	63	79
141	944	6	938	12	907	43	622	328	845	105	392	558	696	254
142	227	0	226	1	217	10	63	164	79	148	91	136	168	59
143	700	3	694	9	554	149	190	513	265	438	172	531	280	423
144	472	2	459	15	378	96	85	389	182	292	155	319	241	233
145	227	0	227	0	215	12	64	163	79	148	92	135	168	59
146	33	0	33	0	30	3	10	23	15	18	11	22	13	20
147	118	0	113	5	78	40	26	92	48	70	31	87	50	68
148	157	9	163	3	144	22	87	79	91	75	84	82	98	68
149	29	2	26	5	30	1	14	17	11	20	9	22	14	17
150	1301	0	1279	22	1200	101	389	912	552	749	395	906	726	575
151	70	0	67	3	69	1	32	38	28	42	23	47	28	42
152	385	0	368	17	203	182	111	274	286	99	66	319	113	272
153	153	0	153	0	133	20	86	67	131	22	42	111	67	86
154	234	0	229	5	228	6	132	102	168	66	78	156	108	126
155	12	0	12	0	6	6	1	11	6	6	3	9	1	11
156	174	0	169	5	139	35	60	114	108	66	19	155	46	128
157	50	0	49	1	37	13	14	36	28	22	3	47	17	33
158	178	0	176	2	147	31	53	125	110	68	14	164	48	130
159	49	0	49	0	36	13	11	38	27	22	3	46	17	32
160	502	0	465	37	341	161	258	244	454	48	94	408	196	306
161	102	0	101	1	80	22	83	19	78	24	29	73	43	59
162	33	0	33	0	31	2	31	2	33	0	9	24	31	2
163	369	0	369	0	318	51	210	159	304	65	108	261	267	102
164	525	0	501	24	488	37	196	329	366	159	68	457	269	256
165	183	0	181	2	108	75	131	52	150	33	53	130	101	82
166	111	0	111	0	111	0	64	47	111	0	26	85	71	40
167	68	0	68	0	58	10	60	8	60	8	21	47	38	30
168	33	0	33	0	31	2	31	2	33	0	8	25	31	2
169	336	0	335	1	293	43	206	130	283	53	90	246	256	80
170	85	0	84	1	85	0	20	65	67	18	14	71	44	41
171	72	5	71	6	69	8	61	16	64	13	29	48	46	31
172	206	41	247	0	207	40	151	96	209	38	64	183	177	70
173	263	0	263	0	249	14	135	128	246	17	40	223	215	48
174	61	0	60	1	58	3	53	8	61	0	28	33	35	26
175	183	41	224	0	164	60	105	119	177	47	31	193	126	98
176	53	0	53	0	43	10	12	41	50	3	5	48	22	31
177	16	0	16	0	8	8	5	11	12	4	3	13	4	12
178	84	0	80	4	50	34	39	45	63	21	33	51	44	40
179	201	0	192	9	140	61	90	111	142	59	8	193	113	88

Continued on next page

Table 1.7 – continued from previous page

Test #	Rubi		MMA		Maple		Maxima		FriCAS		Sympy		Giac	
	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail	Pass	Fail
180	220	0	220	0	180	40	105	115	211	9	10	210	147	73
181	29	0	29	0	19	10	12	17	25	4	4	25	8	21
182	83	0	75	8	49	34	49	34	62	21	34	49	43	40
183	175	0	175	0	136	39	92	83	130	45	0	175	106	69
184	27	0	27	0	14	13	10	17	24	3	0	27	14	13
185	1059	0	1051	8	936	123	740	319	968	91	263	796	779	280
186	156	0	156	0	109	47	49	107	43	113	45	111	45	111
187	663	0	663	0	506	157	225	438	241	422	160	503	175	488
188	370	1	370	1	249	122	65	306	147	224	86	285	94	277
189	166	0	166	0	112	54	55	111	52	114	50	116	53	113
190	569	0	558	11	476	93	209	360	236	333	109	460	185	384
191	295	1	288	8	197	99	51	245	122	174	72	224	79	217
192	216	27	231	12	196	47	106	137	146	97	74	169	124	119
193	46	3	47	2	48	1	20	29	15	34	8	41	16	33
194	538	0	536	2	508	30	258	280	256	282	138	400	171	367
195	62	0	60	2	61	1	30	32	17	45	9	53	16	46
196	1378	0	1353	25	1100	278	515	863	1110	268	445	933	728	650
197	361	0	361	0	342	19	238	123	338	23	80	281	257	104
198	300	0	294	6	273	27	227	73	223	77	95	205	29	271
199	935	0	914	21	771	164	451	484	829	106	193	742	527	408
200	190	0	185	5	154	36	60	130	120	70	38	152	45	145
201	100	0	98	2	74	26	21	79	69	31	1	99	4	96
202	178	0	173	5	103	75	51	127	113	65	14	164	46	132
203	71	0	71	0	53	18	42	29	49	22	32	39	23	48
204	311	0	300	11	179	132	139	172	258	53	151	160	133	178
205	218	0	190	28	154	64	60	158	60	158	106	112	60	158
206	136	0	134	2	118	18	34	102	34	102	50	86	106	30
207	136	0	136	0	104	32	34	102	34	102	50	86	34	102
208	198	0	193	5	144	54	88	110	102	96	36	162	16	182

## 1.6 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered



to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.7 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.8 Important notes about some of the results

### 1.8.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.8.2 Important note about FriCAS and Giac/XCAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.8.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in-sage>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

## 1.9 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)**

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

**High level overview of the CAS independent integration test build system**



## Chapter 2

# links to individual test reports

These are links to each test report. The number in square brackets to right of the link is the number of integrals in the test. The list of numbers in the curly brackets after that (if any) is the list of the integrals in that specific test which were solved by any CAS which are known not to have antiderivative. This makes it easier to find these integrals and do more investigation into them.

### 2.1 Tests completed

1. [0\\_Independent\\_test\\_suites/Apostol\\_Problems](#) [175]
2. [0\\_Independent\\_test\\_suites/Bondarenko\\_Problems](#) [35]
3. [0\\_Independent\\_test\\_suites/Bronstein\\_Problems](#) [14]
4. [0\\_Independent\\_test\\_suites/Charlwood\\_Problems](#) [50]
5. [0\\_Independent\\_test\\_suites/Hearn\\_Problems](#) [284] { **Maxima: 145.** }
6. [0\\_Independent\\_test\\_suites/Hebisch\\_Problems](#) [7]
7. [0\\_Independent\\_test\\_suites/Jeffrey\\_Problems](#) [9]
8. [0\\_Independent\\_test\\_suites/Moses\\_Problems](#) [113]
9. [0\\_Independent\\_test\\_suites/Stewart\\_Problems](#) [376]
10. [0\\_Independent\\_test\\_suites/Timofeev\\_Problems](#) [705]
11. [0\\_Independent\\_test\\_suites/Welz\\_Problems](#) [116]
12. [0\\_Independent\\_test\\_suites/Wester\\_Problems](#) [8]
13. [1\\_Algebraic\\_functions/1.1\\_Binomial\\_products/1.1.1\\_Linear/1.1.1.2-a+b\\_x^m-c+d\\_x^n](#) [1917]
14. [1\\_Algebraic\\_functions/1.1\\_Binomial\\_products/1.1.1\\_Linear/1.1.1.3-a+b\\_x^m-c+d\\_x^n-e+f\\_x^p](#) [3201]

15. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.1\_Linear/1.1.1.4-a+b\_x<sup>-m</sup>-c+d\_x<sup>-n</sup>-e+f\_x<sup>-p</sup>-g+h\_x<sup>-q</sup> [159]
16. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.1\_Linear/1.1.1.5\_P-x-a+b\_x<sup>-m</sup>-c+d\_x<sup>-n</sup> [34]
17. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.1\_Linear/1.1.1.6\_P-x-a+b\_x<sup>-m</sup>-c+d\_x<sup>-n</sup>-e+f\_x<sup>-p</sup> [78]
18. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.1\_Linear/1.1.1.7\_P-x-a+b\_x<sup>-m</sup>-c+d\_x<sup>-n</sup>-e+f\_x<sup>-p</sup>-g+h\_x<sup>-q</sup> [35]
19. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.2-c\_x<sup>-m</sup>-a+b\_x<sup>-2</sup>-<sup>p</sup> [1071]
20. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.3-a+b\_x<sup>-2</sup>-<sup>p</sup>-c+d\_x<sup>-2</sup>-<sup>q</sup> [349]
21. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.4-e\_x<sup>-m</sup>-a+b\_x<sup>-2</sup>-<sup>p</sup>-c+d\_x<sup>-2</sup>-<sup>q</sup> [1156]
22. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.5-a+b\_x<sup>-2</sup>-<sup>p</sup>-c+d\_x<sup>-2</sup>-<sup>q</sup>-e+f\_x<sup>-2</sup>-<sup>r</sup> [115]
23. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.6-g\_x<sup>-m</sup>-a+b\_x<sup>-2</sup>-<sup>p</sup>-c+d\_x<sup>-2</sup>-<sup>q</sup>-e+f\_x<sup>-2</sup>-<sup>r</sup> [51]
24. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.2\_Quadratic/1.1.2.8\_P-x-c\_x<sup>-m</sup>-a+b\_x<sup>-2</sup>-<sup>p</sup> [174]
25. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.3\_General/1.1.3.2-c\_x<sup>-m</sup>-a+b\_x<sup>-n</sup>-<sup>p</sup> [3078]
26. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.3\_General/1.1.3.3-a+b\_x<sup>-n</sup>-<sup>p</sup>-c+d\_x<sup>-n</sup>-<sup>q</sup> [385]
27. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.3\_General/1.1.3.4-e\_x<sup>-m</sup>-a+b\_x<sup>-n</sup>-<sup>p</sup>-c+d\_x<sup>-n</sup>-<sup>q</sup> [1081]
28. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.3\_General/1.1.3.6-g\_x<sup>-m</sup>-a+b\_x<sup>-n</sup>-<sup>p</sup>-c+d\_x<sup>-n</sup>-<sup>q</sup>-e+f\_x<sup>-n</sup>-<sup>r</sup> [46]
29. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.3\_General/1.1.3.8\_P-x-c\_x<sup>-m</sup>-a+b\_x<sup>-n</sup>-<sup>p</sup> [594]
30. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.4\_Improper/1.1.4.2-c\_x<sup>-m</sup>-a\_x<sup>-j</sup>+b\_x<sup>-n</sup>-<sup>p</sup> [454]
31. 1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.4\_Improper/1.1.4.3-e\_x<sup>-m</sup>-a\_x<sup>-j</sup>+b\_x<sup>-k</sup>-<sup>p</sup>-c+d\_x<sup>-n</sup>-<sup>q</sup> [298]
32. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.1-a+b\_x+c\_x<sup>-2</sup>-<sup>p</sup> [143]

33. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.2-d+e\_x<sup>-m</sup>-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup> [2590]
34. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.3-d+e\_x<sup>-m</sup>-f+g\_x-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup> [2646]
35. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.4-d+e\_x<sup>-m</sup>-f+g\_x<sup>-n</sup>-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup> [958]
36. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.5-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup>-d+e\_x+f\_x<sup>2</sup>-<sup>q</sup> [123]
37. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.6-g+h\_x<sup>-m</sup>-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup>-d+e\_x+f\_x<sup>2</sup>-<sup>q</sup> [143]
38. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.9\_P-x-d+e\_x<sup>-m</sup>-a+b\_x+c\_x<sup>2</sup>-<sup>p</sup> [400]
39. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.2-d\_x<sup>-m</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [1126]
40. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.3-d+e\_x<sup>2</sup>-<sup>m</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [413]
41. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.4-f\_x<sup>-m</sup>-d+e\_x<sup>2</sup>-<sup>q</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [413]
42. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.5\_P-x-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [111]
43. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.6\_P-x-d\_x<sup>-m</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [145]
44. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.7\_P-x-d+e\_x<sup>2</sup>-<sup>q</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [42]
45. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.2\_Quartic/1.2.2.8\_P-x-d+e\_x<sup>-q</sup>-a+b\_x<sup>2</sup>+c\_x<sup>4</sup>-<sup>p</sup> [4]
46. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.3\_General/1.2.3.2-d\_x<sup>-m</sup>-a+b\_x<sup>n</sup>+c\_x<sup>-2</sup>-<sup>n</sup>-<sup>p</sup> [664]
47. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.3\_General/1.2.3.3-d+e\_x<sup>n</sup>-<sup>q</sup>-a+b\_x<sup>n</sup>+c\_x<sup>-2</sup>-<sup>n</sup>-<sup>p</sup> [96]
48. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.3\_General/1.2.3.4-f\_x<sup>-m</sup>-d+e\_x<sup>n</sup>-<sup>q</sup>-a+b\_x<sup>n</sup>+c\_x<sup>-2</sup>-<sup>n</sup>-<sup>p</sup> [156]
49. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.3\_General/1.2.3.5\_P-x-d\_x<sup>-m</sup>-a+b\_x<sup>n</sup>+c\_x<sup>-2</sup>-<sup>n</sup>-<sup>p</sup> [17]
50. 1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.4\_Improper/1.2.4.2-d\_x<sup>-m</sup>-a\_x<sup>q</sup>+b\_x<sup>n</sup>+c\_x<sup>-2</sup>-<sup>n</sup>-<sup>q</sup>-<sup>p</sup> [140]

51. 1\_Algebraic\_functions/1.3\_Miscellaneous/1.3.1\_Rational\_functions [494]
52. 1\_Algebraic\_functions/1.3\_Miscellaneous/1.3.2\_Algebraic\_functions [1025]
53. 2\_Exponentials/2.1\_u-F<sup>-c-a+b</sup>x<sup>-n</sup> [98]
54. 2\_Exponentials/2.2-c+d\_x<sup>-m</sup>F<sup>-g-e+f</sup>x<sup>-n-a+b</sup>F<sup>-g-e+f</sup>x<sup>-n</sup><sup>p</sup> [93]
55. 2\_Exponentials/2.3\_Exponential\_functions [774]
56. 3\_Logarithms/3.1.2-d\_x<sup>-m-a+b</sup>log-c\_x<sup>n</sup><sup>p</sup> [193]
57. 3\_Logarithms/3.1.4-f\_x<sup>-m-d</sup>+e\_x<sup>r</sup><sup>-q</sup>-a+b\_log-c\_x<sup>n</sup><sup>p</sup> [456] { **Mathematica:** 166, 167, 168, 170, 322, 323, 406, 407, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 444, 445. }
58. 3\_Logarithms/3.1.5\_u-a+b\_log-c\_x<sup>n</sup><sup>p</sup> [249] { **Mathematica:** 138, 144, 145, 146, 148, 149, 220. **Maple:** 220, 221, 222. }
59. 3\_Logarithms/3.2.1-f+g\_x<sup>-m-A+B</sup>log-e-a+b\_x-over-c+d\_x<sup>-n</sup><sup>p</sup> [314]
60. 3\_Logarithms/3.2.2-f+g\_x<sup>-m-h+i</sup>x<sup>-q-A+B</sup>log-e-a+b\_x-over-c+d\_x<sup>-n</sup><sup>p</sup> [263]
61. 3\_Logarithms/3.2.3\_u\_log-e-f-a+b\_x<sup>-p-c+d</sup>x<sup>-q</sup><sup>r</sup><sup>s</sup> [108]
62. 3\_Logarithms/3.3\_u-a+b\_log-c-d+e\_x<sup>-n</sup><sup>p</sup> [547]
63. 3\_Logarithms/3.4\_u-a+b\_log-c-d+e\_x<sup>m</sup><sup>-n</sup><sup>p</sup> [641] { **Mathematica:** 98, 99, 100, 101, 158, 159, 277, 298, 299, 485, 486, 487, 488, 528, 529, 530, 531. }
64. 3\_Logarithms/3.5\_Logarithm\_functions [314]
65. 4\_Trig\_functions/4.1\_Sine/4.1.0-a\_sin<sup>-m</sup>-b\_trg<sup>-n</sup> [538]
66. 4\_Trig\_functions/4.1\_Sine/4.1.10-c+d\_x<sup>-m-a+b</sup>sin<sup>-n</sup> [348]
67. 4\_Trig\_functions/4.1\_Sine/4.1.1.1-a+b\_sin<sup>-n</sup> [72]
68. 4\_Trig\_functions/4.1\_Sine/4.1.11-e\_x<sup>-m-a+b</sup>x<sup>n</sup><sup>p</sup>sin [113]
69. 4\_Trig\_functions/4.1\_Sine/4.1.12-e\_x<sup>-m-a+b</sup>sin-c+d\_x<sup>n</sup><sup>p</sup> [357]
70. 4\_Trig\_functions/4.1\_Sine/4.1.1.2-g\_cos<sup>-p</sup>-a+b\_sin<sup>-m</sup> [653]
71. 4\_Trig\_functions/4.1\_Sine/4.1.13-d+e\_x<sup>-m</sup>sin-a+b\_x+c\_x<sup>2</sup><sup>-n</sup> [36]
72. 4\_Trig\_functions/4.1\_Sine/4.1.1.3-g\_tan<sup>-p</sup>-a+b\_sin<sup>-m</sup> [208]
73. 4\_Trig\_functions/4.1\_Sine/4.1.2.1-a+b\_sin<sup>-m</sup>-c+d\_sin<sup>-n</sup> [837]
74. 4\_Trig\_functions/4.1\_Sine/4.1.2.2-g\_cos<sup>-p</sup>-a+b\_sin<sup>-m</sup>-c+d\_sin<sup>-n</sup> [1563]
75. 4\_Trig\_functions/4.1\_Sine/4.1.2.3-g\_sin<sup>-p</sup>-a+b\_sin<sup>-m</sup>-c+d\_sin<sup>-n</sup> [51]
76. 4\_Trig\_functions/4.1\_Sine/4.1.3.1-a+b\_sin<sup>-m</sup>-c+d\_sin<sup>-n</sup>-A+B\_sin- [358]
77. 4\_Trig\_functions/4.1\_Sine/4.1.4.1-a+b\_sin<sup>-m</sup>-A+B\_sin+C\_sin<sup>2</sup>- [19]



78. 4\_Trig\_functions/4.1\_Sine/4.1.4.2-a+b\_sin<sup>m</sup>-c+d\_sin<sup>n</sup>-A+B\_sin+C\_sin<sup>2</sup>- [34]
79. 4\_Trig\_functions/4.1\_Sine/4.1.7-d\_trig<sup>m</sup>-a+b-c\_sin<sup>n</sup>-<sup>p</sup> [594] { **Mathematica: 399, 400, 401, 402, 403. Maple: 399, 400, 401, 402, 403.**  }
80. 4\_Trig\_functions/4.1\_Sine/4.1.8-a+b\_sin<sup>m</sup>-c+d\_trig<sup>n</sup> [9]
81. 4\_Trig\_functions/4.1\_Sine/4.1.9\_trig<sup>m</sup>-a+b\_sin<sup>n</sup>+c\_sin<sup>-2</sup>\_n-<sup>p</sup> [19]
82. 4\_Trig\_functions/4.2\_Cosine/4.2.0-a\_cos<sup>m</sup>-b\_trg<sup>n</sup> [294]
83. 4\_Trig\_functions/4.2\_Cosine/4.2.10-c+d\_x<sup>m</sup>-a+b\_cos<sup>n</sup> [189]
84. 4\_Trig\_functions/4.2\_Cosine/4.2.1.1-a+b\_cos<sup>n</sup> [62]
85. 4\_Trig\_functions/4.2\_Cosine/4.2.12-e\_x<sup>m</sup>-a+b\_cos-c+d\_x<sup>n</sup>-<sup>p</sup> [99]
86. 4\_Trig\_functions/4.2\_Cosine/4.2.1.2-g\_sin<sup>p</sup>-a+b\_cos<sup>m</sup> [88]
87. 4\_Trig\_functions/4.2\_Cosine/4.2.13-d+e\_x<sup>m</sup>\_cos-a+b\_x+c\_x<sup>2</sup>-<sup>n</sup> [34]
88. 4\_Trig\_functions/4.2\_Cosine/4.2.1.3-g\_tan<sup>p</sup>-a+b\_cos<sup>m</sup> [22]
89. 4\_Trig\_functions/4.2\_Cosine/4.2.2.1-a+b\_cos<sup>m</sup>-c+d\_cos<sup>n</sup> [932]
90. 4\_Trig\_functions/4.2\_Cosine/4.2.2.2-g\_sin<sup>p</sup>-a+b\_cos<sup>m</sup>-c+d\_cos<sup>n</sup> [4]
91. 4\_Trig\_functions/4.2\_Cosine/4.2.2.3-g\_cos<sup>p</sup>-a+b\_cos<sup>m</sup>-c+d\_cos<sup>n</sup> [1]
92. 4\_Trig\_functions/4.2\_Cosine/4.2.3.1-a+b\_cos<sup>m</sup>-c+d\_cos<sup>n</sup>-A+B\_cos- [644]
93. 4\_Trig\_functions/4.2\_Cosine/4.2.4.1-a+b\_cos<sup>m</sup>-A+B\_cos+C\_cos<sup>2</sup>- [393]
94. 4\_Trig\_functions/4.2\_Cosine/4.2.4.2-a+b\_cos<sup>m</sup>-c+d\_cos<sup>n</sup>-A+B\_cos+C\_cos<sup>2</sup>- [1541]
95. 4\_Trig\_functions/4.2\_Cosine/4.2.7-d\_trig<sup>m</sup>-a+b-c\_cos<sup>n</sup>-<sup>p</sup> [98]
96. 4\_Trig\_functions/4.2\_Cosine/4.2.8-a+b\_cos<sup>m</sup>-c+d\_trig<sup>n</sup> [21]
97. 4\_Trig\_functions/4.2\_Cosine/4.2.9\_trig<sup>m</sup>-a+b\_cos<sup>n</sup>+c\_cos<sup>-2</sup>\_n-<sup>p</sup> [20]
98. 4\_Trig\_functions/4.3\_Tangent/4.3.0-a\_trg<sup>m</sup>-b\_tan<sup>n</sup> [387]
99. 4\_Trig\_functions/4.3\_Tangent/4.3.10-c+d\_x<sup>m</sup>-a+b\_tan<sup>n</sup> [63]
100. 4\_Trig\_functions/4.3\_Tangent/4.3.11-e\_x<sup>m</sup>-a+b\_tan-c+d\_x<sup>n</sup>-<sup>p</sup> [66]
101. 4\_Trig\_functions/4.3\_Tangent/4.3.1.2-d\_sec<sup>m</sup>-a+b\_tan<sup>n</sup> [700]
102. 4\_Trig\_functions/4.3\_Tangent/4.3.1.3-d\_sin<sup>m</sup>-a+b\_tan<sup>n</sup> [91]
103. 4\_Trig\_functions/4.3\_Tangent/4.3.2.1-a+b\_tan<sup>m</sup>-c+d\_tan<sup>n</sup> [1328]
104. 4\_Trig\_functions/4.3\_Tangent/4.3.3.1-a+b\_tan<sup>m</sup>-c+d\_tan<sup>n</sup>-A+B\_tan- [855]
105. 4\_Trig\_functions/4.3\_Tangent/4.3.4.2-a+b\_tan<sup>m</sup>-c+d\_tan<sup>n</sup>-A+B\_tan+C\_tan<sup>2</sup>- [171]

106. 4\_Trig\_functions/4.3\_Tangent/4.3.7-d\_trig<sup>-m</sup>-a+b-c\_tan<sup>-n</sup>-<sup>p</sup> [499]
107. 4\_Trig\_functions/4.3\_Tangent/4.3.9\_trig<sup>m</sup>-a+b\_tan<sup>n</sup>+c\_tan<sup>-2</sup>-n-<sup>p</sup> [51]
108. 4\_Trig\_functions/4.4\_Cotangent/4.4.0-a\_trg<sup>-m</sup>-b\_cot<sup>-n</sup> [52]
109. 4\_Trig\_functions/4.4\_Cotangent/4.4.10-c+d\_x<sup>-m</sup>-a+b\_cot<sup>-n</sup> [61]
110. 4\_Trig\_functions/4.4\_Cotangent/4.4.1.2-d\_csc<sup>-m</sup>-a+b\_cot<sup>-n</sup> [23]
111. 4\_Trig\_functions/4.4\_Cotangent/4.4.1.3-d\_cos<sup>-m</sup>-a+b\_cot<sup>-n</sup> [19]
112. 4\_Trig\_functions/4.4\_Cotangent/4.4.2.1-a+b\_cot<sup>-m</sup>-c+d\_cot<sup>-n</sup> [106]
113. 4\_Trig\_functions/4.4\_Cotangent/4.4.7-d\_trig<sup>-m</sup>-a+b-c\_cot<sup>-n</sup>-<sup>p</sup> [64]
114. 4\_Trig\_functions/4.4\_Cotangent/4.4.9\_trig<sup>m</sup>-a+b\_cot<sup>n</sup>+c\_cot<sup>-2</sup>-n-<sup>p</sup> [32]
115. 4\_Trig\_functions/4.5\_Secant/4.5.0-a\_sec<sup>-m</sup>-b\_trg<sup>-n</sup> [299]
116. 4\_Trig\_functions/4.5\_Secant/4.5.10-c+d\_x<sup>-m</sup>-a+b\_sec<sup>-n</sup> [46]
117. 4\_Trig\_functions/4.5\_Secant/4.5.11-e\_x<sup>-m</sup>-a+b\_sec-c+d\_x<sup>n</sup>-<sup>p</sup> [83]
118. 4\_Trig\_functions/4.5\_Secant/4.5.1.2-d\_sec<sup>-n</sup>-a+b\_sec<sup>-m</sup> [879]
119. 4\_Trig\_functions/4.5\_Secant/4.5.1.3-d\_sin<sup>-n</sup>-a+b\_sec<sup>-m</sup> [306]
120. 4\_Trig\_functions/4.5\_Secant/4.5.1.4-d\_tan<sup>-n</sup>-a+b\_sec<sup>-m</sup> [365]
121. 4\_Trig\_functions/4.5\_Secant/4.5.2.1-a+b\_sec<sup>-m</sup>-c+d\_sec<sup>-n</sup> [241]
122. 4\_Trig\_functions/4.5\_Secant/4.5.2.3-g\_sec<sup>-p</sup>-a+b\_sec<sup>-m</sup>-c+d\_sec<sup>-n</sup> [286]
123. 4\_Trig\_functions/4.5\_Secant/4.5.3.1-a+b\_sec<sup>-m</sup>-d\_sec<sup>-n</sup>-A+B\_sec- [634]
124. 4\_Trig\_functions/4.5\_Secant/4.5.4.1-a+b\_sec<sup>-m</sup>-A+B\_sec+C\_sec<sup>2</sup>- [70]
125. 4\_Trig\_functions/4.5\_Secant/4.5.4.2-a+b\_sec<sup>-m</sup>-d\_sec<sup>-n</sup>-A+B\_sec+C\_sec<sup>2</sup>- [1373]
126. 4\_Trig\_functions/4.5\_Secant/4.5.7-d\_trig<sup>-m</sup>-a+b-c\_sec<sup>-n</sup>-<sup>p</sup> [470]
127. 4\_Trig\_functions/4.6\_Cosecant/4.6.0-a\_csc<sup>-m</sup>-b\_trg<sup>-n</sup> [70]
128. 4\_Trig\_functions/4.6\_Cosecant/4.6.11-e\_x<sup>-m</sup>-a+b\_csc-c+d\_x<sup>n</sup>-<sup>p</sup> [84]
129. 4\_Trig\_functions/4.6\_Cosecant/4.6.1.2-d\_csc<sup>-n</sup>-a+b\_csc<sup>-m</sup> [59]
130. 4\_Trig\_functions/4.6\_Cosecant/4.6.1.3-d\_cos<sup>-n</sup>-a+b\_csc<sup>-m</sup> [16]
131. 4\_Trig\_functions/4.6\_Cosecant/4.6.1.4-d\_cot<sup>-n</sup>-a+b\_csc<sup>-m</sup> [23]
132. 4\_Trig\_functions/4.6\_Cosecant/4.6.3.1-a+b\_csc<sup>-m</sup>-d\_csc<sup>-n</sup>-A+B\_csc- [24]
133. 4\_Trig\_functions/4.6\_Cosecant/4.6.4.2-a+b\_csc<sup>-m</sup>-d\_csc<sup>-n</sup>-A+B\_csc+C\_csc<sup>2</sup>- [1]
134. 4\_Trig\_functions/4.6\_Cosecant/4.6.7-d\_trig<sup>-m</sup>-a+b-c\_csc<sup>-n</sup>-<sup>p</sup> [27]

135. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.1-c\_trig<sup>m</sup>-d\_trig<sup>n</sup> [254]
136. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.2\_trig<sup>m</sup>-a\_trig+b\_trig<sup>n</sup> [294]
137. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.3-c+d\_x<sup>m</sup>\_trig<sup>n</sup>\_trig<sup>p</sup> [397]
138. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.4\_x<sup>m</sup>-a+b\_trig<sup>n</sup><sup>p</sup> [9]
139. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.5\_x<sup>m</sup>\_trig-a+b\_log-c\_x<sup>n</sup><sup>p</sup> [330]
140. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.6\_f<sup>-a+b\_x+c\_x<sup>2</sup>-trig-d+e\_x+f\_x<sup>2</sup>-<sup>n</sup></sup> [142]
141. 4\_Trig\_functions/4.7\_Miscellaneous/4.7.7\_Trig\_functions [950]
142. 5\_Inverse\_trig\_functions/5.1\_Inverse\_sine/5.1.2-d\_x<sup>m</sup>-a+b\_arcsin-c\_x<sup>n</sup> [227]
143. 5\_Inverse\_trig\_functions/5.1\_Inverse\_sine/5.1.4-f\_x<sup>m</sup>-d+e\_x<sup>2</sup><sup>p</sup>-a+b\_arcsin-c\_x<sup>n</sup> [703]
144. 5\_Inverse\_trig\_functions/5.1\_Inverse\_sine/5.1.5\_Inverse\_sine\_functions [474]
145. 5\_Inverse\_trig\_functions/5.2\_Inverse\_cosine/5.2.2-d\_x<sup>m</sup>-a+b\_arccos-c\_x<sup>n</sup> [227]
146. 5\_Inverse\_trig\_functions/5.2\_Inverse\_cosine/5.2.4-f\_x<sup>m</sup>-d+e\_x<sup>2</sup><sup>p</sup>-a+b\_arccos-c\_x<sup>n</sup> [33]
147. 5\_Inverse\_trig\_functions/5.2\_Inverse\_cosine/5.2.5\_Inverse\_cosine\_functions [118]
148. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.2-d\_x<sup>m</sup>-a+b\_arctan-c\_x<sup>n</sup><sup>p</sup> [166]
149. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.3-d+e\_x<sup>m</sup>-a+b\_arctan-c\_x<sup>n</sup><sup>p</sup> [31]
150. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.4\_u-a+b\_arctan-c\_x<sup>p</sup> [1301]
151. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.5\_u-a+b\_arctan-c+d\_x<sup>p</sup> [70]  
{ **Mathematica:** 65, 66, 69, 70. }
152. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.6\_Exponentials\_of\_inverse\_tangent [385]
153. 5\_Inverse\_trig\_functions/5.3\_Inverse\_tangent/5.3.7\_Inverse\_tangent\_functions [153]
154. 5\_Inverse\_trig\_functions/5.4\_Inverse\_cotangent/5.4.1\_Inverse\_cotangent\_functions [234] { **Mathematica:** 116, 117, 120, 121. }
155. 5\_Inverse\_trig\_functions/5.4\_Inverse\_cotangent/5.4.2\_Exponentials\_of\_inverse\_cotangent [12]
156. 5\_Inverse\_trig\_functions/5.5\_Inverse\_secant/5.5.1\_u-a+b\_arcsec-c\_x<sup>n</sup> [174]
157. 5\_Inverse\_trig\_functions/5.5\_Inverse\_secant/5.5.2\_Inverse\_secant\_functions [50]
158. 5\_Inverse\_trig\_functions/5.6\_Inverse\_cosecant/5.6.1\_u-a+b\_arccsc-c\_x<sup>n</sup> [178]

159. 5\_Inverse\_trig\_functions/5.6\_Inverse\_cosecant/5.6.2\_Inverse\_cosecant\_functions [49]
160. 6\_Hyperbolic\_functions/6.1\_Hyperbolic\_sine/6.1.1-c+d\_x<sup>-m</sup>+b\_sinh<sup>n</sup> [502]
161. 6\_Hyperbolic\_functions/6.1\_Hyperbolic\_sine/6.1.3-e\_x<sup>-m</sup>+b\_sinh-c+d\_x<sup>n</sup><sup>-p</sup> [102]
162. 6\_Hyperbolic\_functions/6.1\_Hyperbolic\_sine/6.1.4-d+e\_x<sup>-m</sup>sinh-a+b\_x+c\_x<sup>2</sup><sup>-n</sup> [33]
163. 6\_Hyperbolic\_functions/6.1\_Hyperbolic\_sine/6.1.5\_Hyperbolic\_sine\_functions [369]
164. 6\_Hyperbolic\_functions/6.1\_Hyperbolic\_sine/6.1.7\_hyper<sup>m</sup>+b\_sinh<sup>n</sup><sup>-p</sup> [525]
165. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.1-c+d\_x<sup>-m</sup>+b\_cosh<sup>n</sup> [183]
166. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.2-e\_x<sup>-m</sup>+b\_x<sup>n</sup><sup>-p</sup>cosh [111]
167. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.3-e\_x<sup>-m</sup>+b\_cosh-c+d\_x<sup>n</sup><sup>-p</sup> [68]
168. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.4-d+e\_x<sup>-m</sup>cosh-a+b\_x+c\_x<sup>2</sup><sup>-n</sup> [33]
169. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.5\_Hyperbolic\_cosine\_functions [336]
170. 6\_Hyperbolic\_functions/6.2\_Hyperbolic\_cosine/6.2.7\_hyper<sup>m</sup>+b\_cosh<sup>n</sup><sup>-p</sup> [85]
171. 6\_Hyperbolic\_functions/6.3\_Hyperbolic\_tangent/6.3.1-c+d\_x<sup>-m</sup>+b\_tanh<sup>n</sup> [77]
172. 6\_Hyperbolic\_functions/6.3\_Hyperbolic\_tangent/6.3.2\_Hyperbolic\_tangent\_functions [247]
173. 6\_Hyperbolic\_functions/6.3\_Hyperbolic\_tangent/6.3.7-d\_hyper<sup>m</sup>+b-c\_tanh<sup>n</sup><sup>-p</sup> [263] { **Mathematica:** 74, 76, 77, 79. **Maple:** 74, 76, 77, 79. **Giac:** 74, 76, 77. }
174. 6\_Hyperbolic\_functions/6.4\_Hyperbolic\_cotangent/6.4.1-c+d\_x<sup>-m</sup>+b\_coth<sup>n</sup> [61]
175. 6\_Hyperbolic\_functions/6.4\_Hyperbolic\_cotangent/6.4.2\_Hyperbolic\_cotangent\_functions [224]
176. 6\_Hyperbolic\_functions/6.4\_Hyperbolic\_cotangent/6.4.7-d\_hyper<sup>m</sup>+b-c\_coth<sup>n</sup><sup>-p</sup> [53]
177. 6\_Hyperbolic\_functions/6.5\_Hyperbolic\_secant/6.5.1-c+d\_x<sup>-m</sup>+b\_sech<sup>n</sup> [16]
178. 6\_Hyperbolic\_functions/6.5\_Hyperbolic\_secant/6.5.2-e\_x<sup>-m</sup>+b\_sech-c+d\_x<sup>n</sup><sup>-p</sup> [84]
179. 6\_Hyperbolic\_functions/6.5\_Hyperbolic\_secant/6.5.3\_Hyperbolic\_secant\_functions [201]
180. 6\_Hyperbolic\_functions/6.5\_Hyperbolic\_secant/6.5.7-d\_hyper<sup>m</sup>+b-c\_sech<sup>n</sup><sup>-p</sup> [220]

181. 6\_Hyperbolic\_functions/6.6\_Hyperbolic\_cosecant/6.6.1-c+d\_x<sup>-m</sup>-a+b\_csch<sup>-n</sup> [29]
182. 6\_Hyperbolic\_functions/6.6\_Hyperbolic\_cosecant/6.6.2-e\_x<sup>-m</sup>-a+b\_csch-c+d\_x<sup>n</sup>-<sup>p</sup> [83]
183. 6\_Hyperbolic\_functions/6.6\_Hyperbolic\_cosecant/6.6.3\_Hyperbolic\_cosecant\_functions [175]
184. 6\_Hyperbolic\_functions/6.6\_Hyperbolic\_cosecant/6.6.7-d\_hyper<sup>-m</sup>-a+b-c\_csch<sup>-n</sup>-<sup>p</sup> [27]
185. 6\_Hyperbolic\_functions/6.7\_Miscellaneous/6.7.1\_Hyperbolic\_functions [1059]
186. 7\_Inverse\_hyperbolic\_functions/7.1\_Inverse\_hyperbolic\_sine/7.1.2-d\_x<sup>-m</sup>-a+b\_arcsinh-c\_x<sup>n</sup> [156]
187. 7\_Inverse\_hyperbolic\_functions/7.1\_Inverse\_hyperbolic\_sine/7.1.4-f\_x<sup>-m</sup>-d+e\_x<sup>2</sup>-<sup>p</sup>-a+b\_arcsinh-c\_x<sup>n</sup> [663]
188. 7\_Inverse\_hyperbolic\_functions/7.1\_Inverse\_hyperbolic\_sine/7.1.5\_Inverse\_hyperbolic\_sine\_functions [371]
189. 7\_Inverse\_hyperbolic\_functions/7.2\_Inverse\_hyperbolic\_cosine/7.2.2-d\_x<sup>-m</sup>-a+b\_arccosh-c\_x<sup>n</sup> [166]
190. 7\_Inverse\_hyperbolic\_functions/7.2\_Inverse\_hyperbolic\_cosine/7.2.4-f\_x<sup>-m</sup>-d+e\_x<sup>2</sup>-<sup>p</sup>-a+b\_arccosh-c\_x<sup>n</sup> [569]
191. 7\_Inverse\_hyperbolic\_functions/7.2\_Inverse\_hyperbolic\_cosine/7.2.5\_Inverse\_hyperbolic\_cosine\_functions [296]
192. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.2-d\_x<sup>-m</sup>-a+b\_arctanh-c\_x<sup>n</sup>-<sup>p</sup> [243]
193. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.3-d+e\_x<sup>-m</sup>-a+b\_arctanh-c\_x<sup>n</sup>-<sup>p</sup> [49]
194. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.4\_u-a+b\_arctanh-c\_x<sup>p</sup> [538]
195. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.5\_u-a+b\_arctanh-c+d\_x<sup>p</sup> [62]
196. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.6\_Exponentials\_of\_inverse\_hyperbolic\_tangent\_functions [1378]
197. 7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.7\_Inverse\_hyperbolic\_tangent\_functions [361]
198. 7\_Inverse\_hyperbolic\_functions/7.4\_Inverse\_hyperbolic\_cotangent/7.4.1\_Inverse\_hyperbolic\_cotangent\_functions [300]
199. 7\_Inverse\_hyperbolic\_functions/7.4\_Inverse\_hyperbolic\_cotangent/7.4.2\_Exponentials\_of\_inverse\_hyperbolic\_cotangent\_functions [935]

200. 7\_Inverse\_hyperbolic\_functions/7.5\_Inverse\_hyperbolic\_secant/7.5.1\_u-a+b\_arcsech-c\_x-^n [190]
201. 7\_Inverse\_hyperbolic\_functions/7.5\_Inverse\_hyperbolic\_secant/7.5.2\_Inverse\_hyperbolic\_secant\_functions [100]
202. 7\_Inverse\_hyperbolic\_functions/7.6\_Inverse\_hyperbolic\_cosecant/7.6.1\_u-a+b\_arccsch-c\_x-^n [178]
203. 7\_Inverse\_hyperbolic\_functions/7.6\_Inverse\_hyperbolic\_cosecant/7.6.2\_Inverse\_hyperbolic\_cosecant\_functions [71]
204. 8\_Special\_functions/8.1\_Error\_functions [311]
205. 8\_Special\_functions/8.2\_Fresnel\_integral\_functions [218]
206. 8\_Special\_functions/8.4\_Trig\_integral\_functions [136]
207. 8\_Special\_functions/8.5\_Hyperbolic\_integral\_functions [136]
208. 8\_Special\_functions/8.8\_Polylogarithm\_function [198]

# Chapter 3

## Regression reports

### 3.1 Mathematica 12.1 and Mathematica 12

#### 3.1.1 Test number 103

Test folder name

test\_cases/4\_Trig\_functions/4.3\_Tangent/4.3.2.1-a+b\_tan<sup>m</sup>+d\_tan<sup>n</sup>

##### 3.1.1.1 Problem number 1180

$$\int (a + ia \tan(e + fx))^m (c + d \tan(e + fx))^3 dx$$

Optimal antiderivative

$$\frac{2d(c^2(-m+3) + icdm + d^2)(a + ia \tan(e + fx))^m}{fm(m+2)} - \frac{d^2(dm + ic(m+4))(a + ia \tan(e + fx))^{m+1}}{af(m+1)(m+2)} + \frac{(d + ic)^3(a + ia \tan(e + fx))^m {}_2F_1(1, m; m+2, -e^{2i(e+fx)})}{2fm}$$

command

Integrate[(a + I\*a\*Tan[e + f\*x])<sup>m</sup>\*(c + d\*Tan[e + f\*x])<sup>3</sup>, x]

Mathematica 12.1 output

$$\int (a + ia \tan(e + fx))^m (c + d \tan(e + fx))^3 dx$$

Mathematica 12 output

$$\frac{2^{m-1} (e^{ifx})^m e^{-im(e+2fx)} \left( \frac{e^{i(e+fx)}}{1+e^{2i(e+fx)}} \right)^m \sec^{-m}(e + fx) (\cos(fx) + i \sin(fx))^{-m} (a + ia \tan(e + fx))^m \left( \frac{(d+ic)^3 e^{i(e(m+6)+2f(m+3)x)} {}_2F_1(1, m+4; -e^{2i(e+fx)})}{m+3} + \frac{(-d+ic)^3 e^{im(e+2fx)} (2(m+2)e^{2i(e+fx)} + 2(m+1))}{m(m+1)(m+2)} \right)}{f(1 + e^{2i(e+fx)})^2}$$

## 3.1.2 Test number 104

Test folder name

test\_cases/4\_Trig\_functions/4.3\_Tangent/4.3.3.1-a+b\_tan<sup>m</sup>-c+d\_tan<sup>n</sup>-A+B\_tan-

### 3.1.2.1 Problem number 715

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^n}{(a + ia \tan(e + fx))^2} dx$$

Optimal antiderivative

$$\frac{(B(n+2) + iA(2-n))(c - ic \tan(e + fx))^n {}_2F_1\left(2, n; n+1; \frac{1}{2}(1 - i \tan(e + fx))\right)}{16a^2fn} + \frac{(-B + iA)(c - ic \tan(e + fx))^n}{4a^2f(1 + i \tan(e + fx))^2}$$

command

Integrate[((A + B\*Tan[e + f\*x])\*(c - I\*c\*Tan[e + f\*x])^n)/(a + I\*a\*Tan[e + f\*x])^2,x]

Mathematica 12.1 output

$$\int \frac{(A + B \tan(e + fx))(c - ic \tan(e + fx))^n}{(a + ia \tan(e + fx))^2} dx$$

Mathematica 12 output

$$\frac{2^{n-2} \left( \frac{c}{1+e^{2i(e+fx)}} \right)^n \left( i(A(n-2) + iB(n+2))e^{4i(e+fx)} {}_2F_1\left(2, 2-n; 3-n; 1+e^{2i(e+fx)}\right) + (n-2)(B-iA) \right)}{a^2 f(n-2)(\tan(e+fx) - i)^2}$$

## 3.2 Fricas 1.3.6 and Fricas 1.3.5

### 3.2.1 Test number 14

Test folder name

test\_cases/1\_Algebraic\_functions/1.1\_Binomial\_products/1.1.1\_Linear/1.1.1.3-a+b\_x<sup>m</sup>-c+d\_x<sup>n</sup>-e+f\_x<sup>p</sup>

#### 3.2.1.1 Problem number 625

$$\int \frac{(a + bx)^{3/2}(c + dx)^{5/2}}{x^7} dx$$

Optimal antiderivative

$$-\frac{\sqrt{a+bx}(c+dx)^{3/2}(5ad+7bc)(bc-ad)^3}{768a^3c^3x^2} + \frac{\sqrt{a+bx}(c+dx)^{5/2}(5ad+7bc)(bc-ad)^2}{960a^2c^3x^3} + \frac{\sqrt{a+bx}\sqrt{c+dx}(5ad+7bc)(bc-ad)^4}{512a^4c^3x} - \frac{(5ad+7bc)(bc-ad)^5}{512a^5c^3x^4}$$



command

```
integrate((b*x+a)^(3/2)*(d*x+c)^(5/2)/x^7,x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: TypeError

Fricas 1.3.5 output

$$\frac{15(7b^6c^6 - 30ab^5c^5d + 45a^2b^4c^4d^2 - 20a^3b^3c^3d^3 - 15a^4b^2c^2d^4 + 18a^5bcd^5 - 5a^6d^6)\sqrt{ac}x^6 \log\left(\frac{8a^2c^2 + (b^2c^2 + 6abcd + a^2d^2)x^2 + 4(2ac + (bc + ad)x)\sqrt{ac}\sqrt{bx+a}\sqrt{dx+c} + 8(abc^2 + a^2cd)x}{x^2}\right)}{}$$

## 3.2.2 Test number 34

Test folder name

test\_cases/1\_Algebraic\_functions/1.2\_Trinomial\_products/1.2.1\_Quadratic/1.2.1.3-d+e\_x-  
^m-f+g\_x-a+b\_x+c\_x^2-^p

### 3.2.2.1 Problem number 703

$$\int \frac{(A + Bx)(a^2 + 2abx + b^2x^2)^{5/2}}{x^{14}} dx$$

Optimal antiderivative

$$\frac{a^4\sqrt{a^2 + 2abx + b^2x^2}(aB + 5Ab)}{12x^{12}(a + bx)} - \frac{5a^3b\sqrt{a^2 + 2abx + b^2x^2}(aB + 2Ab)}{11x^{11}(a + bx)} - \frac{a^2b^2\sqrt{a^2 + 2abx + b^2x^2}(aB + Ab)}{x^{10}(a + bx)} - \frac{5ab^3\sqrt{a^2 + 2abx + b^2x^2}(2aB + Ab)}{9x^9(a + bx)}$$

command

```
integrate((B*x+A)*(b^2*x^2+2*a*b*x+a^2)^(5/2)/x^14,x, algorithm="fricas")
```

Fricas 1.3.6 output

Timed out

Fricas 1.3.5 output

$$\frac{10296Bb^5x^6 + 5544Aa^5 + 9009(5Bab^4 + Ab^5)x^5 + 40040(2Ba^2b^3 + Aab^4)x^4 + 72072(Ba^3b^2 + Aa^2b^3)x^3 + 32760(Ba^4b + 2Aa^3b^2)x^2 + 6006(Ba^5 + 5Aa^4)}{72072x^{13}}$$

## 3.2.3 Test number 94

Test folder name

test\_cases/4\_Trig\_functions/4.2\_Cosine/4.2.4.2-a+b\_cos-^m-c+d\_cos-^n-A+B\_cos+C\_cos^2-

### 3.2.3.1 Problem number 597

$$\int \frac{(1 - \cos^2(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal antiderivative

$$\frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd} + \frac{\tanh^{-1}(\sin(c + dx))}{ad} - \frac{x}{b}$$

command

```
integrate((1-cos(d*x+c)^2)*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: TypeError

Fricas 1.3.5 output

$$\left[ \frac{2adx - b \log(\sin(dx+c)+1) + b \log(-\sin(dx+c)+1) - \sqrt{-a^2+b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2-b^2) \cos(dx+c)^2 - 2\sqrt{-a^2+b^2}(a \cos(dx+c)+b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2abd}, - \right]$$

## 3.2.4 Test number 139

Test folder name

```
test_cases/4_Trig_functions/4.7_Miscellaneous/4.7.5_x^m_trig-a+b_log-c_x^n-p
```

### 3.2.4.1 Problem number 48

$$\int \sin\left(a + \frac{1}{2}i \log(cx^2)\right) dx$$

Optimal antiderivative

$$\frac{ie^{-ia} cx^3}{4\sqrt{cx^2}} - \frac{ie^{ia} x \log(x)}{2\sqrt{cx^2}}$$

command

```
integrate(sin(a+1/2*I*log(c*x^2)),x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: NotImplementedError

Fricas 1.3.5 output

$$\frac{(icx^2 - 2ie^{2ia} \log(x))e^{-ia}}{4\sqrt{c}}$$

### 3.2.4.2 Problem number 50

$$\int \sin^2 \left( a + \frac{1}{4} i \log(cx^2) \right) dx$$

Optimal antiderivative

$$-\frac{e^{-2ia} cx^3}{8\sqrt{cx^2}} - \frac{e^{2ia} x \log(x)}{4\sqrt{cx^2}} + \frac{x}{2}$$

command

```
integrate(sin(a+1/4*I*log(c*x^2))^2,x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: NotImplementedError

Fricas 1.3.5 output

$$\frac{\left( 4x^2 e^{2ia} - \frac{x e^{4ia} \log \left( \frac{\left( \sqrt{cx^2}(x^2+1) e^{2ia} + \frac{(cx^3-cx) e^{2ia}}{\sqrt{c}} \right) e^{-2ia}}{8x^2} \right)}{\sqrt{c}} + \frac{x e^{4ia} \log \left( \frac{\left( \sqrt{cx^2}(x^2+1) e^{2ia} - \frac{(cx^3-cx) e^{2ia}}{\sqrt{c}} \right) e^{-2ia}}{8x^2} \right)}{\sqrt{c}} - \sqrt{cx^2}(x^2-1) \right) e^{-2ia}}{8x}$$

### 3.2.4.3 Problem number 52

$$\int \sin^3 \left( a + \frac{1}{6} i \log(cx^2) \right) dx$$

Optimal antiderivative

$$-\frac{ie^{-3ia} cx^3}{16\sqrt{cx^2}} + \frac{9}{32} ie^{-ia} x \sqrt{cx^2} - \frac{9ie^{ia} x}{16\sqrt{cx^2}} + \frac{ie^{3ia} x \log(x)}{8\sqrt{cx^2}}$$

command

```
integrate(sin(a+1/6*I*log(c*x^2))^3,x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: NotImplementedError

Fricas 1.3.5 output

$$\frac{\left( 2cx \sqrt{-\frac{e^{6ia}}{c}} e^{3ia} \log \left( \frac{\left( 4\sqrt{cx^2}(x^2+1) e^{3ia} + (4icx^3-4icx) \sqrt{-\frac{e^{6ia}}{c}} \right) e^{-3ia}}{32x^2} \right) - 2cx \sqrt{-\frac{e^{6ia}}{c}} e^{3ia} \log \left( \frac{\left( 4\sqrt{cx^2}(x^2+1) e^{3ia} + (-4icx^3+4icx) \sqrt{-\frac{e^{6ia}}{c}} \right) e^{-3ia}}{32x^2} \right) - 9i (cx^2)^{\frac{1}{6}} cx^2 e^{2ia} + 18i (cx^2)^{\frac{5}{6}} \right)}{32cx}$$

### 3.2.4.4 Problem number 135

$$\int x^3 \tan(a + i \log(x)) dx$$

Optimal antiderivative

$$-ie^{2ia}x^2 + ie^{4ia} \log(x^2 + e^{2ia}) + \frac{ix^4}{4}$$

command

```
integrate(x^3*tan(a+I*log(x)),x, algorithm="fricas")
```

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-ix^3e^{(2ia-2\log(x))} + ix^3}{e^{(2ia-2\log(x))} + 1}, x\right)$$

Fricas 1.3.5 output

$$\frac{1}{4}ix^4 - ix^2e^{(2ia)} + ie^{(4ia)} \log(x^2 + e^{(2ia)})$$

### 3.2.4.5 Problem number 136

$$\int x^2 \tan(a + i \log(x)) dx$$

Optimal antiderivative

$$-2ie^{2ia}x + 2ie^{3ia} \tan^{-1}(e^{-ia}x) + \frac{ix^3}{3}$$

command

```
integrate(x^2*tan(a+I*log(x)),x, algorithm="fricas")
```

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-ix^2e^{(2ia-2\log(x))} + ix^2}{e^{(2ia-2\log(x))} + 1}, x\right)$$

Fricas 1.3.5 output

$$\frac{1}{3}ix^3 - 2ixe^{(2ia)} - e^{(3ia)} \log(x + ie^{(ia)}) + e^{(3ia)} \log(x - ie^{(ia)})$$

### 3.2.4.6 Problem number 137

$$\int x \tan(a + i \log(x)) dx$$

Optimal antiderivative

$$\frac{ix^2}{2} - ie^{2ia} \log(x^2 + e^{2ia})$$

command

`integrate(x*tan(a+I*log(x)),x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-ix e^{(2ia-2)\log(x)} + ix}{e^{(2ia-2)\log(x)} + 1}, x\right)$$

Fricas 1.3.5 output

$$\frac{1}{2}ix^2 - ie^{(2ia)} \log(x^2 + e^{(2ia)})$$

### 3.2.4.7 Problem number 138

$$\int \tan(a + i \log(x)) dx$$

Optimal antiderivative

$$ix - 2ie^{ia} \tan^{-1}(e^{-ia}x)$$

command

`integrate(tan(a+I*log(x)),x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-ie^{(2ia-2)\log(x)} + i}{e^{(2ia-2)\log(x)} + 1}, x\right)$$

Fricas 1.3.5 output

$$e^{(ia)} \log(x + ie^{(ia)}) - e^{(ia)} \log(x - ie^{(ia)}) + ix$$

### 3.2.4.8 Problem number 140

$$\int \frac{\tan(a + i \log(x))}{x^2} dx$$

Optimal antiderivative

$$2ie^{-ia} \tan^{-1}(e^{-ia}x) + \frac{i}{x}$$

command

`integrate(tan(a+I*log(x))/x^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-i e^{(2i a - 2 \log(x))} + i}{x^2 e^{(2i a - 2 \log(x))} + x^2}, x\right)$$

Fricas 1.3.5 output

$$\frac{(x \log(x + i e^{(i a)}) - x \log(x - i e^{(i a)}) - i e^{(i a)}) e^{(-i a)}}{x}$$

### 3.2.4.9 Problem number 141

$$\int \frac{\tan(a + i \log(x))}{x^3} dx$$

Optimal antiderivative

$$\frac{i}{2x^2} - i e^{-2ia} \log\left(1 + \frac{e^{2ia}}{x^2}\right)$$

command

`integrate(tan(a+I*log(x))/x^3,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-i e^{(2i a - 2 \log(x))} + i}{x^3 e^{(2i a - 2 \log(x))} + x^3}, x\right)$$

Fricas 1.3.5 output

$$\frac{(-2i x^2 \log(x^2 + e^{(2i a)}) + 4i x^2 \log(x) + i e^{(2i a)}) e^{(-2i a)}}{2x^2}$$

### 3.2.4.10 Problem number 142

$$\int \frac{\tan(a + i \log(x))}{x^4} dx$$

Optimal antiderivative

$$-\frac{2ie^{-2ia}}{x} - 2ie^{-3ia} \tan^{-1}(e^{-ia}x) + \frac{i}{3x^3}$$

command

`integrate(tan(a+I*log(x))/x^4,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{-i e^{(2i a - 2 \log(x))} + i}{x^4 e^{(2i a - 2 \log(x))} + x^4}, x\right)$$

Fricas 1.3.5 output

$$\frac{(3x^3 \log(x + ie^{ia}) - 3x^3 \log(x - ie^{ia}) - 6ix^2e^{ia} + ie^{3ia})e^{-3ia}}{3x^3}$$

### 3.2.4.11 Problem number 143

$$\int x^3 \tan^2(a + i \log(x)) dx$$

Optimal antiderivative

$$2e^{2ia}x^2 - \frac{2e^{6ia}}{x^2 + e^{2ia}} - 4e^{4ia} \log(x^2 + e^{2ia}) - \frac{x^4}{4}$$

command

`integrate(x^3*tan(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^4 + (e^{(2ia-2 \log(x))} + 1) \operatorname{integral}\left(-\frac{x^3 e^{(2ia-2 \log(x))+9x^3}}{e^{(2ia-2 \log(x))+1}}, x\right)}{e^{(2ia-2 \log(x))} + 1}$$

Fricas 1.3.5 output

$$-\frac{x^6 - 7x^4 e^{(2ia)} - 8x^2 e^{(4ia)} + 16(x^2 e^{(4ia)} + e^{(6ia)}) \log(x^2 + e^{(2ia)}) + 8e^{(6ia)}}{4(x^2 + e^{(2ia)})}$$

### 3.2.4.12 Problem number 144

$$\int x^2 \tan^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-\frac{2e^{2ia}x^3}{x^2 + e^{2ia}} + 6e^{2ia}x - 6e^{3ia} \tan^{-1}(e^{-ia}x) - \frac{x^3}{3}$$

command

`integrate(x^2*tan(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^3 + (e^{(2ia-2 \log(x))} + 1) \operatorname{integral}\left(-\frac{x^2 e^{(2ia-2 \log(x))+7x^2}}{e^{(2ia-2 \log(x))+1}}, x\right)}{e^{(2ia-2 \log(x))} + 1}$$

Fricas 1.3.5 output

$$-\frac{x^5 - 11x^3 e^{(2ia)} - 18x e^{(4ia)} - (-9ix^2 e^{(3ia)} - 9ie^{(5ia)}) \log(x + ie^{ia}) - (9ix^2 e^{(3ia)} + 9ie^{(5ia)}) \log(x - ie^{ia})}{3(x^2 + e^{(2ia)})}$$

### 3.2.4.13 Problem number 145

$$\int x \tan^2(a + i \log(x)) dx$$

Optimal antiderivative

$$\frac{2e^{4ia}}{x^2 + e^{2ia}} + 2e^{2ia} \log(x^2 + e^{2ia}) - \frac{x^2}{2}$$

command

`integrate(x*tan(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^2 + (e^{(2ia-2 \log(x))} + 1) \operatorname{integral}\left(-\frac{xe^{(2ia-2 \log(x))+5x}}{e^{(2ia-2 \log(x))+1}}, x\right)}{e^{(2ia-2 \log(x))} + 1}$$

Fricas 1.3.5 output

$$-\frac{x^4 + x^2 e^{(2ia)} - 4(x^2 e^{(2ia)} + e^{(4ia)}) \log(x^2 + e^{(2ia)}) - 4e^{(4ia)}}{2(x^2 + e^{(2ia)})}$$

### 3.2.4.14 Problem number 146

$$\int \tan^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-\frac{2e^{2ia}x}{x^2 + e^{2ia}} + 2e^{ia} \tan^{-1}(e^{-ia}x) - x$$

command

`integrate(tan(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(e^{(2ia-2 \log(x))} + 1) \operatorname{integral}\left(-\frac{e^{(2ia-2 \log(x))+3}}{e^{(2ia-2 \log(x))+1}}, x\right) + 2x}{e^{(2ia-2 \log(x))} + 1}$$

Fricas 1.3.5 output

$$-\frac{x^3 + 3xe^{(2ia)} - (ix^2e^{(ia)} + ie^{(3ia)}) \log(x + ie^{(ia)}) - (-ix^2e^{(ia)} - ie^{(3ia)}) \log(x - ie^{(ia)})}{x^2 + e^{(2ia)}}$$

### 3.2.4.15 Problem number 148

$$\int \frac{\tan^2(a + i \log(x))}{x^2} dx$$

Optimal antiderivative



$$\frac{3x}{x^2 + e^{2ia}} + \frac{e^{2ia}}{x(x^2 + e^{2ia})} + 2e^{-ia} \tan^{-1}(e^{-ia}x)$$

command

`integrate(tan(a+I*log(x))^2/x^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(xe^{(2ia-2 \log(x))} + x)\text{integral}\left(-\frac{e^{(2ia-2 \log(x))-1}}{x^2e^{(2ia-2 \log(x))+x^2}}, x\right) + 2}{xe^{(2ia-2 \log(x))} + x}$$

Fricas 1.3.5 output

$$\frac{3x^2e^{(ia)} + (ix^3 + ixe^{(2ia)})\log(x + ie^{(ia)}) + (-ix^3 - ixe^{(2ia)})\log(x - ie^{(ia)}) + e^{(3ia)}}{x^3e^{(ia)} + xe^{(3ia)}}$$

### 3.2.4.16 Problem number 149

$$\int \frac{\tan^2(a + i \log(x))}{x^3} dx$$

Optimal antiderivative

$$-\frac{2e^{-2ia}}{1 + \frac{e^{2ia}}{x^2}} - 2e^{-2ia} \log\left(1 + \frac{e^{2ia}}{x^2}\right) + \frac{1}{2x^2}$$

command

`integrate(tan(a+I*log(x))^2/x^3,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(x^2e^{(2ia-2 \log(x))} + x^2)\text{integral}\left(-\frac{e^{(2ia-2 \log(x))-3}}{x^3e^{(2ia-2 \log(x))+x^3}}, x\right) + 2}{x^2e^{(2ia-2 \log(x))} + x^2}$$

Fricas 1.3.5 output

$$\frac{5x^2e^{(2ia)} - 4(x^4 + x^2e^{(2ia)})\log(x^2 + e^{(2ia)}) + 8(x^4 + x^2e^{(2ia)})\log(x) + e^{(4ia)}}{2(x^4e^{(2ia)} + x^2e^{(4ia)})}$$

### 3.2.4.17 Problem number 186

$$\int x^3 \cot(a + i \log(x)) dx$$

Optimal antiderivative

$$-ie^{2ia}x^2 - ie^{4ia} \log(-x^2 + e^{2ia}) - \frac{ix^4}{4}$$

command

`integrate(x^3*cot(a+I*log(x)),x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ix^3 e^{(2ia-2)\log(x)} + ix^3}{e^{(2ia-2)\log(x)} - 1}, x\right)$$

Fricas 1.3.5 output

$$-\frac{1}{4}ix^4 - ix^2 e^{(2ia)} - ie^{(4ia)} \log(x^2 - e^{(2ia)})$$

### 3.2.4.18 Problem number 187

$$\int x^2 \cot(a + i \log(x)) dx$$

Optimal antiderivative

$$-2ie^{2ia}x + 2ie^{3ia} \tanh^{-1}(e^{-ia}x) - \frac{ix^3}{3}$$

command

`integrate(x^2*cot(a+I*log(x)),x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ix^2 e^{(2ia-2)\log(x)} + ix^2}{e^{(2ia-2)\log(x)} - 1}, x\right)$$

Fricas 1.3.5 output

$$-\frac{1}{3}ix^3 - 2ix e^{(2ia)} + ie^{(3ia)} \log(x + e^{(ia)}) - ie^{(3ia)} \log(x - e^{(ia)})$$

### 3.2.4.19 Problem number 188

$$\int x \cot(a + i \log(x)) dx$$

Optimal antiderivative

$$-ie^{2ia} \log(-x^2 + e^{2ia}) - \frac{ix^2}{2}$$

command

`integrate(x*cot(a+I*log(x)),x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ix e^{(2ia-2)\log(x)} + ix}{e^{(2ia-2)\log(x)} - 1}, x\right)$$

Fricas 1.3.5 output

$$-\frac{1}{2}ix^2 - ie^{(2ia)} \log(x^2 - e^{(2ia)})$$

**3.2.4.20 Problem number 189**

$$\int \cot(a + i \log(x)) dx$$

Optimal antiderivative

$$2ie^{ia} \tanh^{-1}(e^{-ia}x) - ix$$

command

```
integrate(cot(a+I*log(x)),x, algorithm="fricas")
```

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ie^{(2ia-2)\log(x)} + i}{e^{(2ia-2)\log(x)} - 1}, x\right)$$

Fricas 1.3.5 output

$$ie^{(ia)} \log(x + e^{(ia)}) - ie^{(ia)} \log(x - e^{(ia)}) - ix$$

**3.2.4.21 Problem number 191**

$$\int \frac{\cot(a + i \log(x))}{x^2} dx$$

Optimal antiderivative

$$2ie^{-ia} \tanh^{-1}(e^{-ia}x) - \frac{i}{x}$$

command

```
integrate(cot(a+I*log(x))/x^2,x, algorithm="fricas")
```

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ie^{(2ia-2)\log(x)} + i}{x^2 e^{(2ia-2)\log(x)} - x^2}, x\right)$$

Fricas 1.3.5 output

$$\frac{(ix \log(x + e^{(ia)}) - ix \log(x - e^{(ia)}) - ie^{(ia)})e^{(-ia)}}{x}$$

**3.2.4.22 Problem number 192**

$$\int \frac{\cot(a + i \log(x))}{x^3} dx$$

Optimal antiderivative

$$-ie^{-2ia} \log\left(1 - \frac{e^{2ia}}{x^2}\right) - \frac{i}{2x^2}$$

command

`integrate(cot(a+I*log(x))/x^3,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ie^{(2ia-2\log(x))} + i}{x^3e^{(2ia-2\log(x))} - x^3}, x\right)$$

Fricas 1.3.5 output

$$\frac{(-2ix^2 \log(x^2 - e^{(2ia)}) + 4ix^2 \log(x) - ie^{(2ia)})e^{(-2ia)}}{2x^2}$$

### 3.2.4.23 Problem number 193

$$\int \frac{\cot(a + i \log(x))}{x^4} dx$$

Optimal antiderivative

$$-\frac{2ie^{-2ia}}{x} + 2ie^{-3ia} \tanh^{-1}(e^{-ia}x) - \frac{i}{3x^3}$$

command

`integrate(cot(a+I*log(x))/x^4,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\text{integral}\left(\frac{ie^{(2ia-2\log(x))} + i}{x^4e^{(2ia-2\log(x))} - x^4}, x\right)$$

Fricas 1.3.5 output

$$\frac{(3ix^3 \log(x + e^{(ia)}) - 3ix^3 \log(x - e^{(ia)}) - 6ix^2e^{(ia)} - ie^{(3ia)})e^{(-3ia)}}{3x^3}$$

### 3.2.4.24 Problem number 194

$$\int x^3 \cot^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-2e^{2ia}x^2 - \frac{2e^{6ia}}{-x^2 + e^{2ia}} - 4e^{4ia} \log(-x^2 + e^{2ia}) - \frac{x^4}{4}$$

command

`integrate(x^3*cot(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^4 - (e^{2ia-2\log(x)} - 1)\operatorname{integral}\left(-\frac{x^3 e^{2ia-2\log(x)} - 9x^3}{e^{2ia-2\log(x)} - 1}, x\right)}{e^{2ia-2\log(x)} - 1}$$

Fricas 1.3.5 output

$$\frac{x^6 + 7x^4 e^{2ia} - 8x^2 e^{4ia} + 16(x^2 e^{4ia} - e^{6ia})\log(x^2 - e^{2ia}) - 8e^{6ia}}{4(x^2 - e^{2ia})}$$

### 3.2.4.25 Problem number 195

$$\int x^2 \cot^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-\frac{2e^{2ia}x^3}{-x^2 + e^{2ia}} - 6e^{2ia}x + 6e^{3ia} \tanh^{-1}(e^{-ia}x) - \frac{x^3}{3}$$

command

`integrate(x^2*cot(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^3 - (e^{2ia-2\log(x)} - 1)\operatorname{integral}\left(-\frac{x^2 e^{2ia-2\log(x)} - 7x^2}{e^{2ia-2\log(x)} - 1}, x\right)}{e^{2ia-2\log(x)} - 1}$$

Fricas 1.3.5 output

$$\frac{x^5 + 11x^3 e^{2ia} - 18x e^{4ia} - 9(x^2 e^{3ia} - e^{5ia})\log(x + e^{ia}) + 9(x^2 e^{3ia} - e^{5ia})\log(x - e^{ia})}{3(x^2 - e^{2ia})}$$

### 3.2.4.26 Problem number 196

$$\int x \cot^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-\frac{2e^{4ia}}{-x^2 + e^{2ia}} - 2e^{2ia} \log(-x^2 + e^{2ia}) - \frac{x^2}{2}$$

command

`integrate(x*cot(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{2x^2 - (e^{2ia-2\log(x)} - 1)\operatorname{integral}\left(-\frac{x e^{2ia-2\log(x)} - 5x}{e^{2ia-2\log(x)} - 1}, x\right)}{e^{2ia-2\log(x)} - 1}$$

Fricas 1.3.5 output

$$\frac{x^4 - x^2 e^{2ia} + 4(x^2 e^{2ia} - e^{4ia})\log(x^2 - e^{2ia}) - 4e^{4ia}}{2(x^2 - e^{2ia})}$$

### 3.2.4.27 Problem number 197

$$\int \cot^2(a + i \log(x)) dx$$

Optimal antiderivative

$$-\frac{2e^{2ia}x}{-x^2 + e^{2ia}} + 2e^{ia} \tanh^{-1}(e^{-ia}x) - x$$

command

`integrate(cot(a+I*log(x))^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(e^{(2ia-2 \log(x))} - 1) \operatorname{integral}\left(-\frac{e^{(2ia-2 \log(x))-3}}{e^{(2ia-2 \log(x))-1}}, x\right) - 2x}{e^{(2ia-2 \log(x))} - 1}$$

Fricas 1.3.5 output

$$-\frac{x^3 - 3xe^{(2ia)} - (x^2e^{(ia)} - e^{(3ia)}) \log(x + e^{(ia)}) + (x^2e^{(ia)} - e^{(3ia)}) \log(x - e^{(ia)})}{x^2 - e^{(2ia)}}$$

### 3.2.4.28 Problem number 199

$$\int \frac{\cot^2(a + i \log(x))}{x^2} dx$$

Optimal antiderivative

$$-\frac{3x}{-x^2 + e^{2ia}} + \frac{e^{2ia}}{x(-x^2 + e^{2ia})} - 2e^{-ia} \tanh^{-1}(e^{-ia}x)$$

command

`integrate(cot(a+I*log(x))^2/x^2,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(xe^{(2ia-2 \log(x))} - x) \operatorname{integral}\left(-\frac{e^{(2ia-2 \log(x))+1}}{x^2e^{(2ia-2 \log(x))-x^2}}, x\right) - 2}{xe^{(2ia-2 \log(x))} - x}$$

Fricas 1.3.5 output

$$\frac{3x^2e^{(ia)} - (x^3 - xe^{(2ia)}) \log(x + e^{(ia)}) + (x^3 - xe^{(2ia)}) \log(x - e^{(ia)}) - e^{(3ia)}}{x^3e^{(ia)} - xe^{(3ia)}}$$

### 3.2.4.29 Problem number 200

$$\int \frac{\cot^2(a + i \log(x))}{x^3} dx$$

Optimal antiderivative

$$\frac{2e^{-2ia}}{1 - \frac{e^{2ia}}{x^2}} + 2e^{-2ia} \log\left(1 - \frac{e^{2ia}}{x^2}\right) + \frac{1}{2x^2}$$

command

`integrate(cot(a+I*log(x))^2/x^3,x, algorithm="fricas")`

Fricas 1.3.6 output

$$\frac{(x^2 e^{2ia-2 \log(x)} - x^2) \operatorname{integral}\left(-\frac{e^{(2ia-2 \log(x))+3}}{x^3 e^{2ia-2 \log(x)} - x^3}, x\right) - 2}{x^2 e^{2ia-2 \log(x)} - x^2}$$

Fricas 1.3.5 output

$$\frac{5x^2 e^{2ia} + 4(x^4 - x^2 e^{2ia}) \log(x^2 - e^{2ia}) - 8(x^4 - x^2 e^{2ia}) \log(x) - e^{4ia}}{2(x^4 e^{2ia} - x^2 e^{4ia})}$$

## 3.2.5 Test number 183

Test folder name

`test_cases/6_Hyperbolic_functions/6.6_Hyperbolic_cosecant/6.6.3_Hyperbolic_cosecant_functions`

### 3.2.5.1 Problem number 54

$$\int \frac{1}{\sqrt{a + i \operatorname{csch}(c + dx)}} dx$$

Optimal antiderivative

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \operatorname{coth}(c+dx)}{\sqrt{a+i \operatorname{csch}(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \operatorname{coth}(c+dx)}{\sqrt{2}\sqrt{a+i \operatorname{csch}(c+dx)}}\right)}{\sqrt{ad}}$$

command

`integrate(1/(a+I*a*csch(d*x+c))^(1/2),x, algorithm="fricas")`

Fricas 1.3.6 output

Exception raised: TypeError

Fricas 1.3.5 output

$$-\frac{1}{2} \sqrt{2} \sqrt{\frac{1}{ad^2}} \log\left(2\left(\sqrt{2}(ade^{2dx+2c} - ad)\sqrt{\frac{a}{e^{2dx+2c} - 1}}\sqrt{\frac{1}{ad^2}} + ae^{(dx+c)} - ia\right)e^{(-dx-c)}\right) + \frac{1}{2} \sqrt{2} \sqrt{\frac{1}{ad^2}} \log\left(-2\left(\sqrt{2}(ade^{2dx+2c} - ad)\sqrt{\frac{a}{e^{2dx+2c} - 1}}\sqrt{\frac{1}{ad^2}} - ae^{(dx+c)}\right)\right)$$

### 3.2.5.2 Problem number 57

$$\int \frac{1}{\sqrt{a - ia \operatorname{csch}(c + dx)}} dx$$

Optimal antiderivative

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \coth(c+dx)}{\sqrt{a-ia \operatorname{csch}(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \coth(c+dx)}{\sqrt{2\sqrt{a-ia \operatorname{csch}(c+dx)}}}\right)}{\sqrt{ad}}$$

command

```
integrate(1/(a-I*a*csch(d*x+c))^(1/2),x, algorithm="fricas")
```

Fricas 1.3.6 output

Exception raised: TypeError

Fricas 1.3.5 output

$$-\frac{1}{2} \sqrt{2} \sqrt{\frac{1}{ad^2}} \log\left(2\left(\sqrt{2}(ade^{2dx+2c}) - ad\right) \sqrt{\frac{a}{e^{2dx+2c} - 1}} \sqrt{\frac{1}{ad^2}} + ae^{(dx+c)} + ia\right) e^{(-dx-c)} + \frac{1}{2} \sqrt{2} \sqrt{\frac{1}{ad^2}} \log\left(-2\left(\sqrt{2}(ade^{2dx+2c}) - ad\right) \sqrt{\frac{a}{e^{2dx+2c} - 1}} \sqrt{\frac{1}{ad^2}} - ae^{(dx+c)}\right)$$

## 3.3 Maple 2020 and Maple 2019.2.1

### 3.3.1 Test number 55

Test folder name

test\_cases/2\_Exponentials/2.3\_Exponential\_functions

#### 3.3.1.1 Problem number 591

$$\int \frac{F^{f(a+b \log^2(c(dx+e)^n))}}{dg + egx} dx$$

Optimal antiderivative

$$\frac{\sqrt{\pi} F^{af} \operatorname{Erfi}\left(\sqrt{b} \sqrt{f} \sqrt{\log(F)} \log(c(dx+e)^n)\right)}{2\sqrt{be} \sqrt{fgn} \sqrt{\log(F)}}$$

command

```
int(F^(f*(a+b*ln(c*(e*x+d)^n)^2))/(e*g*x+d*g),x)
```

Maple 2020 output

$$\int \frac{F^{f(a+b(\ln(c(dx+e)^n))^2)}}{egx + dg} dx$$



Maple 2019.2.1 output

$$\frac{\sqrt{\pi}F^{af}}{2neg} \operatorname{Erf}\left(\sqrt{-\ln(F)}bf \ln((ex+d)^n) - \frac{bf(2 \ln(c) - i\pi \operatorname{csgn}(ic(ex+d)^n)(-\operatorname{csgn}(ic(ex+d)^n) + \operatorname{csgn}(ic))(-\operatorname{csgn}(ic(ex+d)^n) + \operatorname{csgn}(i(ex+d)^n))) \ln}{2}}\right)$$

**3.3.1.2 Problem number 606**

$$\int \frac{F^{f(a+b \log(c(d+ex)^n))^2}}{dg + egx} dx$$

Optimal antiderivative

$$\frac{\sqrt{\pi} \operatorname{Erfi}\left(a\sqrt{f}\sqrt{\log(F)} + b\sqrt{f}\sqrt{\log(F)} \log(c(d+ex)^n)\right)}{2be\sqrt{f}gn\sqrt{\log(F)}}$$

command

```
int(F^(f*(a+b*ln(c*(e*x+d)^n))^2)/(e*g*x+d*g), x)
```

Maple 2020 output

$$\int \frac{F^{f(a+b \ln(c(ex+d)^n))^2}}{egx + dg} dx$$

Maple 2019.2.1 output

$$-\frac{\sqrt{\pi}}{2negb} \operatorname{Erf}\left(-b\sqrt{-f \ln(F)} \ln((ex+d)^n) + f\left(a + b\left(\ln(c) - \frac{i}{2}\pi \operatorname{csgn}(ic(ex+d)^n)(-\operatorname{csgn}(ic(ex+d)^n) + \operatorname{csgn}(ic))(-\operatorname{csgn}(ic(ex+d)^n) + \operatorname{csgn}(i(ex+d)^n))\right)\right)\right)$$

**3.3.2 Test number 63**

Test folder name

```
test_cases/3_Logarithms/3.4_u-a+b_log-c-d+e_x^m~n~p
```

**3.3.2.1 Problem number 68**

$$\int (fx)^{-1-n} \log(c(d+ex^n)^p) dx$$

Optimal antiderivative

$$-\frac{(fx)^{-n} \log(c(d+ex^n)^p)}{fn} + \frac{epx^n \log(x)(fx)^{-n}}{df} - \frac{epx^n (fx)^{-n} \log(d+ex^n)}{dfn}$$

command

```
int((f*x)^(-1-n)*ln(c*(d+e*x^n)^p), x)
```

Maple 2020 output

$$\int (fx)^{-1-n} \ln(c(d+ex^n)^p) dx$$

Maple 2019.2.1 output

$$-\frac{x \ln((d+ex^n)^p)}{n} e^{-\frac{(1+n)\left(-i\pi(\operatorname{csgn}(fx))^3+i\pi(\operatorname{csgn}(fx))^2\operatorname{csgn}(fx)+i\pi(\operatorname{csgn}(fx))^2\operatorname{csgn}(ix)-i\pi\operatorname{csgn}(fx)\operatorname{csgn}(ix)\operatorname{csgn}(fx)+2\ln(f)+2\ln(x)\right)}{2}} + \frac{pe \ln(x^n)}{dn} e^{-\frac{(1+n)\left(-i\pi\operatorname{csgn}(fx)\operatorname{csgn}(fx)\operatorname{csgn}(ix)+i\pi(\operatorname{csgn}(fx))^2\operatorname{csgn}(fx)+\right)}{2}}$$

### 3.3.3 Test number 135

Test folder name

test\_cases/4\_Trig\_functions/4.7\_Miscellaneous/4.7.1-c\_trig-^m-d\_trig-^n

#### 3.3.3.1 Problem number 177

$$\int \cos^3(a+bx) \sin^{\frac{3}{2}}(2a+2bx) dx$$

Optimal antiderivative

$$\frac{7 \sin(a+bx) \sin^{\frac{3}{2}}(2a+2bx)}{48b} + \frac{\sin^{\frac{5}{2}}(2a+2bx) \cos(a+bx)}{12b} - \frac{7 \sin^{-1}(\cos(a+bx) - \sin(a+bx))}{64b} - \frac{7\sqrt{\sin(2a+2bx)} \cos(a+bx)}{32b} + \frac{7 \log(\sin(a+bx))}{b}$$

command

int(cos(b\*x+a)^3\*sin(2\*b\*x+2\*a)^(3/2),x)

Maple 2020 output

$$\int (\cos(bx+a))^3 (\sin(2bx+2a))^{\frac{3}{2}} dx$$

Maple 2019.2.1 output

output too large to display

### 3.3.4 Test number 178

Test folder name

test\_cases/6\_Hyperbolic\_functions/6.5\_Hyperbolic\_secant/6.5.2-e\_x-^m-a+b\_sech-c+d\_x-^n-^p

#### 3.3.4.1 Problem number 77

$$\int (ex)^{-1+2n} (a+b\operatorname{sech}(c+dx^n))^2 dx$$

Optimal antiderivative

$$-\frac{2iabx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -ie^{c+dx^n}\right)}{d^2en} + \frac{2iabx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, ie^{c+dx^n}\right)}{d^2en} + \frac{a^2(ex)^{2n}}{2en} + \frac{4abx^{-n}(ex)^{2n}\tan^{-1}\left(e^{c+dx^n}\right)}{den} - \frac{b^2x^{-2n}(ex)^{2n}\log(\cosh(c+dx^n))}{d^2en}$$

command

```
int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x)
```

Maple 2020 output

$$\int (ex)^{-1+2n} (a + b\text{sech}(c + dx^n))^2 dx$$

Maple 2019.2.1 output

$$\frac{a^2xe^{(-1+2n)(\ln(e)+\ln(x)-\frac{i}{2}\pi\text{csgn}(ix)-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix))}}{2n} - 2\frac{b^2xe^{(-1+2n)(\ln(e)+\ln(x)-i/2\pi\text{csgn}(ix)-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix))}}{nde^{\ln(x)^n}\left(\left(e^{c+de^{\ln(x)^n}}\right)^2+1\right)} - \frac{b^2e^{2n}e^{-\frac{i}{2}\pi\text{csgn}(ix)(-1+2n)}}{2n}$$

### 3.3.4.2 Problem number 83

$$\int \frac{(ex)^{-1+2n}}{(a + b\text{sech}(c + dx^n))^2} dx$$

Optimal antiderivative

$$-\frac{2bx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{b^2-a^2}}\right)}{a^2d^2en\sqrt{b^2-a^2}} + \frac{b^3x^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{b^2-a^2}}\right)}{a^2d^2en(b^2-a^2)^{3/2}} + \frac{2bx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{\sqrt{b^2-a^2}+b}\right)}{a^2d^2en\sqrt{b^2-a^2}} - \frac{b^3x^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{\sqrt{b^2-a^2}+b}\right)}{a^2d^2en(b^2-a^2)^{3/2}}$$

command

```
int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x)
```

Maple 2020 output

$$\int \frac{(ex)^{-1+2n}}{(a + b\text{sech}(c + dx^n))^2} dx$$

Maple 2019.2.1 output

$$\frac{xe^{(-1+2n)(\ln(e)+\ln(x)-\frac{i}{2}\pi\text{csgn}(ix)-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix))}}{2a^{2n}} - 2\frac{b^2e^{(-1+2n)(\ln(e)+\ln(x)-i/2\pi\text{csgn}(ix)-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix))}x\left(be^{c+de^{\ln(x)^n}}+a\right)}{nd(a^2-b^2)a^2e^{\ln(x)^n}\left(\left(e^{c+de^{\ln(x)^n}}\right)^2+a+2be^{c+de^{\ln(x)^n}}+a\right)} - 2\frac{be^{2n}e^{i\pi\text{csgn}(ix)(-1+2n)}}{2a^{2n}}$$

## 3.3.5 Test number 182

Test folder name

test\_cases/6\_Hyperbolic\_functions/6.6\_Hyperbolic\_cosecant/6.6.2-e\_x^-m-a+b\_csch-c+d\_x^n-p

### 3.3.5.1 Problem number 76

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n))^2 dx$$

Optimal antiderivative

$$-\frac{2abx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -e^{c+dx^n}\right)}{d^2en} + \frac{2abx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, e^{c+dx^n}\right)}{d^2en} + \frac{a^2(ex)^{2n}}{2en} - \frac{4abx^{-n}(ex)^{2n} \tanh^{-1}\left(e^{c+dx^n}\right)}{den} + \frac{b^2x^{-2n}(ex)^{2n} \log(\sinh(c + dx^n))}{d^2en}$$

command

```
int((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x)
```

Maple 2020 output

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n))^2 dx$$

Maple 2019.2.1 output

$$\frac{a^2xe^{(-1+2n)(\ln(e)+\ln(x)-\frac{i}{2}\pi\text{csgn}(ix)(-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix)))}}{2n} - 2 \frac{b^2xe^{(-1+2n)(\ln(e)+\ln(x)-i/2\pi\text{csgn}(ix)(-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix)))}}{nde^{\ln(x)^n} \left( (e^{c+de^{\ln(x)^n}})^2 - 1 \right)} - \frac{b^2e^{2n}e^{-\frac{i}{2}\pi\text{csgn}(ix)(-1+2n)}}{2n}$$

### 3.3.5.2 Problem number 82

$$\int \frac{(ex)^{-1+2n}}{(a + bcsch(c + dx^n))^2} dx$$

Optimal antiderivative

$$-\frac{2bx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a^2d^2en\sqrt{a^2+b^2}} + \frac{b^3x^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a^2d^2en(a^2+b^2)^{3/2}} + \frac{2bx^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{\sqrt{a^2+b^2}+b}\right)}{a^2d^2en\sqrt{a^2+b^2}} - \frac{b^3x^{-2n}(ex)^{2n}\text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{\sqrt{a^2+b^2}+b}\right)}{a^2d^2en(a^2+b^2)^{3/2}}$$

command

```
int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x)
```

Maple 2020 output

$$\int \frac{(ex)^{-1+2n}}{(a + bcsch(c + dx^n))^2} dx$$

Maple 2019.2.1 output

$$\frac{xe^{(-1+2n)(\ln(e)+\ln(x)-\frac{i}{2}\pi\text{csgn}(ix)(-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix)))}}{2a^2n} - 2 \frac{b^2e^{(-1+2n)(\ln(e)+\ln(x)-i/2\pi\text{csgn}(ix)(-\text{csgn}(ix)+\text{csgn}(ie))(-\text{csgn}(ix)+\text{csgn}(ix)))}x(-be^{c+de^{\ln(x)^n}}+a)}{nd(a^2+b^2)a^2e^{\ln(x)^n} \left( (e^{c+de^{\ln(x)^n}})^2 a + 2be^{c+de^{\ln(x)^n}} - a \right)} - 2 \frac{b^2e^{2n}e^{c+de^{\ln(x)^n}}}{2a^2n}$$

### 3.3.6 Test number 194

Test folder name

test\_cases/7\_Inverse\_hyperbolic\_functions/7.3\_Inverse\_hyperbolic\_tangent/7.3.4\_u-a+b\_arctanh-c\_x^-p

#### 3.3.6.1 Problem number 528

$$\int \frac{(a + b \tanh^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^2} dx$$

Optimal antiderivative

$$-\frac{1}{2}bce \operatorname{PolyLog}\left(2, \frac{1}{1 - c^2x^2}\right) - \frac{(a + b \tanh^{-1}(cx))(e \log(1 - c^2x^2) + d)}{x} - \frac{ce(a + b \tanh^{-1}(cx))^2}{b} + \frac{1}{2}bc \log\left(1 - \frac{1}{1 - c^2x^2}\right)(e \log(1 - c^2x^2) + d)$$

command

```
int((a+b*arctanh(c*x))*(d+e*ln(-c^2*x^2+1))/x^2,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{Artanh}(cx))(d + e \ln(-c^2x^2 + 1))}{x^2} dx$$

Maple 2019.2.1 output

$$-\frac{\left(a - \frac{i}{2}b\pi\right)e \ln(-c^2x^2 + 1)}{x} - \frac{\left(a - \frac{i}{2}b\pi\right)(ce \ln(-cx - 1)x - ce \ln(-cx + 1)x + d)}{x}$$

#### 3.3.6.2 Problem number 529

$$\int \frac{(a + b \tanh^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^3} dx$$

Optimal antiderivative

$$\frac{1}{2}bc^2e \operatorname{PolyLog}(2, -cx) - \frac{1}{2}bc^2e \operatorname{PolyLog}(2, cx) - \frac{(a + b \tanh^{-1}(cx))(e \log(1 - c^2x^2) + d)}{2x^2} + \frac{1}{2}c^2e(a+b) \log(1-cx) + \frac{1}{2}c^2e(a-b) \log(cx+1) - ac^2e \log$$

command

```
int((a+b*arctanh(c*x))*(d+e*ln(-c^2*x^2+1))/x^3,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{Artanh}(cx))(d + e \ln(-c^2x^2 + 1))}{x^3} dx$$

Maple 2019.2.1 output

$$-\frac{\left(a - \frac{i}{2}b\pi\right) e \ln(-c^2x^2 + 1)}{2x^2} + \frac{\left(a - \frac{i}{2}b\pi\right) (ec^2 \ln(-c^2x^2 + 1)x^2 - 2ec^2 \ln(x)x^2 - d)}{2x^2}$$

### 3.3.6.3 Problem number 530

$$\int \frac{(a + b \tanh^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^4} dx$$

Optimal antiderivative

$$-\frac{1}{6}bc^3e\text{PolyLog}\left(2, \frac{1}{1-c^2x^2}\right) - \frac{(a + b \tanh^{-1}(cx))(e \log(1 - c^2x^2) + d)}{3x^3} - \frac{c^3e(a + b \tanh^{-1}(cx))^2}{3b} + \frac{2c^2e(a + b \tanh^{-1}(cx))}{3x} + \frac{1}{6}bc^3 \log\left(1 - \frac{1}{1-c^2x^2}\right)$$

command

```
int((a+b*arctanh(c*x))*(d+e*ln(-c^2*x^2+1))/x^4,x)
```

Maple 2020 output

$$\int \frac{(a + b \text{Artanh}(cx))(d + e \ln(-c^2x^2 + 1))}{x^4} dx$$

Maple 2019.2.1 output

$$-\frac{\left(a - \frac{i}{2}b\pi\right) e \ln(-c^2x^2 + 1)}{3x^3} - \frac{\left(a - \frac{i}{2}b\pi\right) (c^3e \ln(-cx - 1)x^3 - c^3e \ln(-cx + 1)x^3 - 2ec^2x^2 + d)}{3x^3}$$

### 3.3.6.4 Problem number 531

$$\int \frac{(a + b \tanh^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^5} dx$$

Optimal antiderivative

$$\frac{1}{4}bc^4e\text{PolyLog}(2, -cx) - \frac{1}{4}bc^4e\text{PolyLog}(2, cx) - \frac{(a + b \tanh^{-1}(cx))(e \log(1 - c^2x^2) + d)}{4x^4} + \frac{1}{12}c^4e(3a+4b) \log(1-cx) + \frac{1}{12}c^4e(3a-4b) \log(cx+1) + \frac{ac}{4}$$

command

```
int((a+b*arctanh(c*x))*(d+e*ln(-c^2*x^2+1))/x^5,x)
```

Maple 2020 output

$$\int \frac{(a + b \text{Artanh}(cx))(d + e \ln(-c^2x^2 + 1))}{x^5} dx$$

Maple 2019.2.1 output

$$-\frac{\left(a - \frac{i}{2}b\pi\right) e \ln(-c^2x^2 + 1)}{4x^4} - \frac{\left(a - \frac{i}{2}b\pi\right) (2c^4e \ln(x)x^4 - c^4e \ln(-c^2x^2 + 1)x^4 - ec^2x^2 + d)}{4x^4}$$

### 3.3.6.5 Problem number 532

$$\int \frac{(a + b \tanh^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^6} dx$$

Optimal antiderivative

$$-\frac{1}{10}bc^5e\text{PolyLog}\left(2, \frac{1}{1-c^2x^2}\right) - \frac{(a + b \tanh^{-1}(cx))(e \log(1 - c^2x^2) + d)}{5x^5} + \frac{2c^2e(a + b \tanh^{-1}(cx))}{15x^3} - \frac{c^5e(a + b \tanh^{-1}(cx))^2}{5b} + \frac{2c^4e(a + b \tanh^{-1}(cx))}{5x}$$

command

```
int((a+b*arctanh(c*x))*(d+e*ln(-c^2*x^2+1))/x^6,x)
```

Maple 2020 output

$$\int \frac{(a + b \text{Artanh}(cx))(d + e \ln(-c^2x^2 + 1))}{x^6} dx$$

Maple 2019.2.1 output

$$\frac{(a - \frac{i}{2}b\pi)e \ln(-c^2x^2 + 1)}{5x^5} - \frac{(a - \frac{i}{2}b\pi)(3c^5e \ln(-cx - 1)x^5 - 3c^5e \ln(-cx + 1)x^5 - 6c^4ex^4 - 2ec^2x^2 + 3d)}{15x^5}$$

## 3.3.7 Test number 198

Test folder name

test\_cases/7\_Inverse\_hyperbolic\_functions/7.4\_Inverse\_hyperbolic\_cotangent/7.4.1\_Inverse\_hype

### 3.3.7.1 Problem number 172

$$\int \frac{1}{x \coth^{-1}(\tanh(a + bx))^2} dx$$

Optimal antiderivative

$$-\frac{1}{(bx - \coth^{-1}(\tanh(a + bx))) \coth^{-1}(\tanh(a + bx))} + \frac{\log(x)}{(bx - \coth^{-1}(\tanh(a + bx)))^2} - \frac{\log(\coth^{-1}(\tanh(a + bx)))}{(bx - \coth^{-1}(\tanh(a + bx)))^2}$$

command

```
int(1/x/arccoth(tanh(b*x+a))^2,x)
```

Maple 2020 output

$$\int \frac{1}{x (\text{arccoth}(\tanh(bx + a)))^2} dx$$

Maple 2019.2.1 output

$$\frac{4i}{bx} \left( 2\pi \left( \text{csgn}\left(\frac{i}{(e^{bx+a})^2 + 1}\right) \right)^2 - \pi \text{csgn}\left(\frac{i}{(e^{bx+a})^2 + 1}\right) \text{csgn}\left(i(e^{bx+a})^2\right) \text{csgn}\left(\frac{i(e^{bx+a})^2}{(e^{bx+a})^2 + 1}\right) + \pi \text{csgn}\left(\frac{i}{(e^{bx+a})^2 + 1}\right) \left( \text{csgn}\left(\frac{i(e^{bx+a})^2}{(e^{bx+a})^2 + 1}\right) \right)^2 \right) - 2\pi \left( \text{csgn}\left(\frac{i}{(e^{bx+a})^2 + 1}\right) \right)^2$$

### 3.3.7.2 Problem number 173

$$\int \frac{1}{x^2 \coth^{-1}(\tanh(a + bx))^2} dx$$

Optimal antiderivative

$$-\frac{2b}{(bx - \coth^{-1}(\tanh(a + bx)))^2 \coth^{-1}(\tanh(a + bx))} + \frac{1}{x(bx - \coth^{-1}(\tanh(a + bx))) \coth^{-1}(\tanh(a + bx))} + \frac{2b \log(x)}{(bx - \coth^{-1}(\tanh(a + bx)))^3} + \dots$$

command

```
int(1/x^2/arccoth(tanh(b*x+a))^2, x)
```

Maple 2020 output

$$\int \frac{1}{x^2 (\operatorname{arccoth}(\tanh(bx + a)))^2} dx$$

Maple 2019.2.1 output

output too large to display

### 3.3.7.3 Problem number 181

$$\int \frac{1}{x \coth^{-1}(\tanh(a + bx))^3} dx$$

Optimal antiderivative

$$\frac{1}{(bx - \coth^{-1}(\tanh(a + bx)))^2 \coth^{-1}(\tanh(a + bx))} - \frac{1}{2(bx - \coth^{-1}(\tanh(a + bx))) \coth^{-1}(\tanh(a + bx))^2} - \frac{\log(x)}{(bx - \coth^{-1}(\tanh(a + bx)))^3} + \dots$$

command

```
int(1/x/arccoth(tanh(b*x+a))^3, x)
```

Maple 2020 output

$$\int \frac{1}{x (\operatorname{arccoth}(\tanh(bx + a)))^3} dx$$

Maple 2019.2.1 output

output too large to display



### 3.3.7.4 Problem number 182

$$\int \frac{1}{x^2 \coth^{-1}(\tanh(a + bx))^3} dx$$

Optimal antiderivative

$$\frac{3b}{(bx - \coth^{-1}(\tanh(a + bx)))^3 \coth^{-1}(\tanh(a + bx))} - \frac{3b}{2(bx - \coth^{-1}(\tanh(a + bx)))^2 \coth^{-1}(\tanh(a + bx))^2} + \frac{1}{x(bx - \coth^{-1}(\tanh(a + bx)))}$$

command

```
int(1/x^2/arccoth(tanh(b*x+a))^3,x)
```

Maple 2020 output

$$\int \frac{1}{x^2 (\operatorname{arccoth}(\tanh(bx + a)))^3} dx$$

Maple 2019.2.1 output

output too large to display

### 3.3.7.5 Problem number 270

$$\int \frac{(a + b \coth^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^3} dx$$

Optimal antiderivative

$$\frac{1}{2}bc^2e\operatorname{PolyLog}\left(2, 1 - \frac{2}{1 - cx}\right) + \frac{1}{2}bc^2e\operatorname{PolyLog}\left(2, \frac{2}{cx + 1} - 1\right) - \frac{(a + b \coth^{-1}(cx))(e \log(1 - c^2x^2) + d)}{2x^2} + \frac{1}{2}c^2e(a+b)\log(1-cx) + \frac{1}{2}c^2e(a-b)\log(1+cx)$$

command

```
int((a+b*arccoth(c*x))*(d+e*ln(-c^2*x^2+1))/x^3,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{arccoth}(cx))(d + e \ln(-c^2x^2 + 1))}{x^3} dx$$

Maple 2019.2.1 output

$$-\frac{\ln(-c^2x^2 + 1)ae}{2x^2} - \frac{a(2ec^2 \ln(x)x^2 - ec^2 \ln(-c^2x^2 + 1)x^2 + d)}{2x^2}$$

### 3.3.7.6 Problem number 271

$$\int \frac{(a + b \coth^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^5} dx$$

Optimal antiderivative

$$\frac{1}{4}bc^4e\text{PolyLog}\left(2, 1 - \frac{2}{1-cx}\right) + \frac{1}{4}bc^4e\text{PolyLog}\left(2, \frac{2}{cx+1} - 1\right) - \frac{(a + b \coth^{-1}(cx))(e \log(1 - c^2x^2) + d)}{4x^4} + \frac{1}{12}c^4e(3a+4b)\log(1-cx) + \frac{1}{12}c^4e(3a-4b)\log(1+cx)$$

command

```
int((a+b*arccoth(c*x))*(d+e*ln(-c^2*x^2+1))/x^5,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{arccoth}(cx))(d + e \ln(-c^2x^2 + 1))}{x^5} dx$$

Maple 2019.2.1 output

$$\frac{\ln(-c^2x^2 + 1)ae}{4x^4} - \frac{a(2c^4e \ln(x)x^4 - c^4e \ln(-c^2x^2 + 1)x^4 - ec^2x^2 + d)}{4x^4}$$

### 3.3.7.7 Problem number 275

$$\int \frac{(a + b \coth^{-1}(cx))(d + e \log(1 - c^2x^2))}{x^2} dx$$

Optimal antiderivative

$$-\frac{1}{2}bce\text{PolyLog}\left(2, \frac{1}{1-c^2x^2}\right) - \frac{(a + b \coth^{-1}(cx))(e \log(1 - c^2x^2) + d)}{x} - \frac{ce(a + b \coth^{-1}(cx))^2}{b} + \frac{1}{2}bc \log\left(1 - \frac{1}{1-c^2x^2}\right)(e \log(1 - c^2x^2) + d)$$

command

```
int((a+b*arccoth(c*x))*(d+e*ln(-c^2*x^2+1))/x^2,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{arccoth}(cx))(d + e \ln(-c^2x^2 + 1))}{x^2} dx$$

Maple 2019.2.1 output

$$-\frac{\ln(-c^2x^2 + 1)ae}{x} + \frac{a(ce \ln(-cx + 1)x - ce \ln(-cx - 1)x - d)}{x}$$

### 3.3.7.8 Problem number 276

$$\int \frac{(a + b \coth^{-1}(cx)) (d + e \log(1 - c^2x^2))}{x^4} dx$$

Optimal antiderivative

$$-\frac{1}{6}bc^3e\text{PolyLog}\left(2, \frac{1}{1-c^2x^2}\right) - \frac{(a + b \coth^{-1}(cx))(e \log(1 - c^2x^2) + d)}{3x^3} - \frac{c^3e(a + b \coth^{-1}(cx))^2}{3b} + \frac{2c^2e(a + b \coth^{-1}(cx))}{3x} + \frac{1}{6}bc^3 \log\left(1 - \frac{1}{1-c^2x^2}\right)$$

command

```
int((a+b*arccoth(c*x))*(d+e*ln(-c^2*x^2+1))/x^4,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{arccoth}(cx)) (d + e \ln(-c^2x^2 + 1))}{x^4} dx$$

Maple 2019.2.1 output

$$-\frac{\ln(-c^2x^2 + 1)ae}{3x^3} - \frac{a(c^3e \ln(-cx - 1)x^3 - c^3e \ln(-cx + 1)x^3 - 2ec^2x^2 + d)}{3x^3}$$

### 3.3.7.9 Problem number 277

$$\int \frac{(a + b \coth^{-1}(cx)) (d + e \log(1 - c^2x^2))}{x^6} dx$$

Optimal antiderivative

$$-\frac{1}{10}bc^5e\text{PolyLog}\left(2, \frac{1}{1-c^2x^2}\right) - \frac{(a + b \coth^{-1}(cx))(e \log(1 - c^2x^2) + d)}{5x^5} + \frac{2c^2e(a + b \coth^{-1}(cx))}{15x^3} - \frac{c^5e(a + b \coth^{-1}(cx))^2}{5b} + \frac{2c^4e(a + b \coth^{-1}(cx))}{5x}$$

command

```
int((a+b*arccoth(c*x))*(d+e*ln(-c^2*x^2+1))/x^6,x)
```

Maple 2020 output

$$\int \frac{(a + b \operatorname{arccoth}(cx)) (d + e \ln(-c^2x^2 + 1))}{x^6} dx$$

Maple 2019.2.1 output

$$-\frac{\ln(-c^2x^2 + 1)ae}{5x^5} + \frac{a(3c^5e \ln(-cx + 1)x^5 - 3c^5e \ln(-cx - 1)x^5 + 6c^4ex^4 + 2ec^2x^2 - 3d)}{15x^5}$$



## Chapter 4

# Listing of integrals solved by CAS which has no known antiderivatives

### 4.1 Test file Number [5] 0-Independent-test-suites/Hearn-Problems

#### 4.1.1 Maxima

Integral number [145]

$$\int x \cos(k \csc(x)) \cot(x) \csc(x) dx$$

[B] time = 0.983046 (sec), size = 324 ,normalized size = 24.92

$$\frac{\left( x e^{\left( \frac{4k \cos(2x) \cos(x)}{\cos(2x)^2 + \sin(2x)^2 - 2 \cos(2x) + 1} + \frac{4k \sin(2x) \sin(x)}{\cos(2x)^2 + \sin(2x)^2 - 2 \cos(2x) + 1} \right)} + x e^{\left( \frac{4k \cos(x)}{\cos(2x)^2 + \sin(2x)^2 - 2 \cos(2x) + 1} \right)} \right) \left( -\frac{2k \cos(2x) \cos(x)}{\cos(2x)^2 + \sin(2x)^2 - 2 \cos(2x) + 1} - \frac{2k \sin(2x) \sin(x)}{\cos(2x)^2 + \sin(2x)^2 - 2 \cos(2x) + 1} \right)}{2k}$$

[In] integrate(x\*cos(x)\*cos(k/sin(x))/sin(x)^2,x, algorithm="maxima")

[Out]  $-1/2*(x*e^{(4*k*\cos(2*x)*\cos(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1)} + 4*k*\sin(2*x)*\sin(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1)) + x*e^{(4*k*\cos(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1))}*e^{(-2*k*\cos(2*x)*\cos(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1) - 2*k*\sin(2*x)*\sin(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1) - 2*k*\cos(x)/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1))*\sin(2*(k*\cos(x)*\sin(2*x) - k*\cos(2*x)*\sin(x) + k*\sin(x)))/(\cos(2*x)^2 + \sin(2*x)^2 - 2*\cos(2*x) + 1))/k$

## 4.2 Test file Number [57] 3-Logarithms/3.1.4-f-x<sup>m</sup>-d+e-x<sup>r</sup>-<sup>q</sup>-a+b-log-c-x<sup>n</sup>-<sup>p</sup>

### 4.2.1 Mathematica

**Integral number [166]**

$$\int \frac{(fx)^m (a + b \log(cx^n))}{d + ex} dx$$

**[B]** time = 0.101956 (sec), size = 72 ,normalized size = 2.88

$$\frac{x(fx)^m \left( (m+1) {}_2F_1\left(1, m+1; m+2; -\frac{ex}{d}\right) (a + b \log(cx^n)) - bn {}_3F_2\left(1, m+1, m+1; m+2, m+2; -\frac{ex}{d}\right) \right)}{d(m+1)^2}$$

**[In]** Integrate[((f\*x)<sup>m</sup>\*(a + b\*Log[c\*x<sup>n</sup>]))/(d + e\*x),x]

**[Out]** (x\*(f\*x)<sup>m</sup>\*(-(b\*n\*HypergeometricPFQ[{1, 1 + m, 1 + m}, {2 + m, 2 + m}, -(e\*x)/d])) + (1 + m)\*Hypergeometric2F1[1, 1 + m, 2 + m, -(e\*x)/d])\*(a + b\*Log[c\*x<sup>n</sup>]))/(d\*(1 + m)<sup>2</sup>)

**Integral number [167]**

$$\int \frac{(fx)^m (a + b \log(cx^n))}{(d + ex)^2} dx$$

**[B]** time = 0.103213 (sec), size = 72 ,normalized size = 2.88

$$\frac{x(fx)^m \left( (m+1) {}_2F_1\left(2, m+1; m+2; -\frac{ex}{d}\right) (a + b \log(cx^n)) - bn {}_3F_2\left(2, m+1, m+1; m+2, m+2; -\frac{ex}{d}\right) \right)}{d^2(m+1)^2}$$

**[In]** Integrate[((f\*x)<sup>m</sup>\*(a + b\*Log[c\*x<sup>n</sup>]))/(d + e\*x)<sup>2</sup>,x]

**[Out]** (x\*(f\*x)<sup>m</sup>\*(-(b\*n\*HypergeometricPFQ[{2, 1 + m, 1 + m}, {2 + m, 2 + m}, -(e\*x)/d])) + (1 + m)\*Hypergeometric2F1[2, 1 + m, 2 + m, -(e\*x)/d])\*(a + b\*Log[c\*x<sup>n</sup>]))/(d<sup>2</sup>\*(1 + m)<sup>2</sup>)

**Integral number [168]**

$$\int x(a + bx)^m \log(cx^n) dx$$

**[B]** time = 0.2398 (sec), size = 173 ,normalized size = 10.18

$$\frac{(a + bx)^m \left( \frac{bx}{a} + 1 \right)^{-m} \left( ab(m+2)nx {}_3F_2\left(1, 1, -m-1; 2, 2; -\frac{bx}{a}\right) + \left( -a^2 \left( \left( \frac{bx}{a} + 1 \right)^m - 1 \right) + b^2(m+1)x^2 \left( \frac{bx}{a} + 1 \right)^m + abmx \left( \frac{bx}{a} + 1 \right)^m \right) \right)}{b^2(m+1)(m+2)}$$

[In] Integrate[x\*(a + b\*x)^m\*Log[c\*x^n],x]

[Out] ((a + b\*x)^m\*(-(n\*(2\*a\*b\*x\*(1 + (b\*x)/a)^m + b^2\*x^2\*(1 + (b\*x)/a)^m + a^2\*(-1 + (1 + (b\*x)/a)^m))) + a\*b\*(2 + m)\*n\*x\*HypergeometricPFQ[{1, 1, -1 - m}, {2, 2}, -(b\*x)/a] + (a\*b\*m\*x\*(1 + (b\*x)/a)^m + b^2\*(1 + m)\*x^2\*(1 + (b\*x)/a)^m - a^2\*(-1 + (1 + (b\*x)/a)^m)\*Log[c\*x^n]))/(b^2\*(1 + m)\*(2 + m)\*(1 + (b\*x)/a)^m)

### Integral number [170]

$$\int \frac{(a + bx)^m \log(cx^n)}{x} dx$$

[B] time = 0.0541875 (sec), size = 89 ,normalized size = 4.68

$$\frac{\left(\frac{a}{bx} + 1\right)^{-m} (a + bx)^m \left(m \log(cx^n) {}_2F_1\left(-m, -m; 1 - m; -\frac{a}{bx}\right) - n {}_3F_2\left(-m, -m, -m; 1 - m, 1 - m; -\frac{a}{bx}\right)\right)}{m^2}$$

[In] Integrate[((a + b\*x)^m\*Log[c\*x^n])/x,x]

[Out] ((a + b\*x)^m\*(-(n\*HypergeometricPFQ[{-m, -m, -m}, {1 - m, 1 - m}, -(a/(b\*x))] + m\*Hypergeometric2F1[-m, -m, 1 - m, -(a/(b\*x))] \*Log[c\*x^n]))/(m^2\*(1 + a/(b\*x))^m)

### Integral number [322]

$$\int \frac{(fx)^m (a + b \log(cx^n))}{d + ex^2} dx$$

[B] time = 0.199069 (sec), size = 108 ,normalized size = 4.

$$\frac{x(fx)^m \left( (m+1) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{ex^2}{d}\right) (a + b \log(cx^n)) - bn {}_3F_2\left(1, \frac{m}{2} + \frac{1}{2}, \frac{m}{2} + \frac{1}{2}; \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; -\frac{ex^2}{d}\right) \right)}{d(m+1)^2}$$

[In] Integrate[((f\*x)^m\*(a + b\*Log[c\*x^n]))/(d + e\*x^2),x]

[Out] (x\*(f\*x)^m\*(-(b\*n\*HypergeometricPFQ[{1, 1/2 + m/2, 1/2 + m/2}, {3/2 + m/2, 3/2 + m/2}, -(e\*x^2)/d]) + (1 + m)\*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -(e\*x^2)/d]\* (a + b\*Log[c\*x^n])))/(d\*(1 + m)^2)

### Integral number [323]

$$\int \frac{(fx)^m (a + b \log(cx^n))}{(d + ex^2)^2} dx$$

**[B]** time = 0.120758 (sec), size = 108 ,normalized size = 4.

$$\frac{x(fx)^m \left( (m+1) {}_2F_1 \left( 2, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{ex^2}{d} \right) (a + b \log(cx^n)) - bn {}_3F_2 \left( 2, \frac{m}{2} + \frac{1}{2}, \frac{m}{2} + \frac{1}{2}; \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; -\frac{ex^2}{d} \right) \right)}{d^2(m+1)^2}$$

[In] Integrate[(f\*x)^m\*(a + b\*Log[c\*x^n])]/(d + e\*x^2)^2,x]

[Out] (x\*(f\*x)^m\*(-(b\*n\*HypergeometricPFQ[{2, 1/2 + m/2, 1/2 + m/2}, {3/2 + m/2, 3/2 + m/2}, -(e\*x^2)/d])) + (1 + m)\*Hypergeometric2F1[2, (1 + m)/2, (3 + m)/2, -(e\*x^2)/d]\*(a + b\*Log[c\*x^n]))/(d^2\*(1 + m)^2)

### Integral number [406]

$$\int \frac{x^3 (a + b \log(cx^n))}{d + ex^r} dx$$

**[B]** time = 0.116605 (sec), size = 87 ,normalized size = 3.48

$$\frac{x^4 \left( 4 {}_2F_1 \left( 1, \frac{4}{r}; \frac{r+4}{r}; -\frac{ex^r}{d} \right) (a + b \log(cx^n)) - bn {}_3F_2 \left( 1, \frac{4}{r}, \frac{4}{r}; 1 + \frac{4}{r}, 1 + \frac{4}{r}; -\frac{ex^r}{d} \right) \right)}{16d}$$

[In] Integrate[(x^3\*(a + b\*Log[c\*x^n]))/(d + e\*x^r),x]

[Out] (x^4\*(-(b\*n\*HypergeometricPFQ[{1, 4/r, 4/r}, {1 + 4/r, 1 + 4/r}, -(e\*x^r)/d])) + 4\*Hypergeometric2F1[1, 4/r, (4 + r)/r, -(e\*x^r)/d]\*(a + b\*Log[c\*x^n]))/(16\*d)

### Integral number [407]

$$\int \frac{x (a + b \log(cx^n))}{d + ex^r} dx$$

**[B]** time = 0.0997893 (sec), size = 87 ,normalized size = 3.78

$$\frac{x^2 \left( 2 {}_2F_1 \left( 1, \frac{2}{r}; \frac{r+2}{r}; -\frac{ex^r}{d} \right) (a + b \log(cx^n)) - bn {}_3F_2 \left( 1, \frac{2}{r}, \frac{2}{r}; 1 + \frac{2}{r}, 1 + \frac{2}{r}; -\frac{ex^r}{d} \right) \right)}{4d}$$

[In] Integrate[(x\*(a + b\*Log[c\*x^n]))/(d + e\*x^r),x]

[Out] (x^2\*(-(b\*n\*HypergeometricPFQ[{1, 2/r, 2/r}, {1 + 2/r, 1 + 2/r}, -(e\*x^r)/d])) + 2\*Hypergeometric2F1[1, 2/r, (2 + r)/r, -(e\*x^r)/d]\*(a + b\*Log[c\*x^n]))/(4\*d)



**Integral number [409]**

$$\int \frac{a + b \log(cx^n)}{x^3(d + ex^r)} dx$$

[B] time = 0.104514 (sec), size = 86 ,normalized size = 3.44

$$\frac{bn {}_3F_2\left(1, -\frac{2}{r}, -\frac{2}{r}; 1 - \frac{2}{r}, 1 - \frac{2}{r}; -\frac{ex^r}{d}\right) + 2 {}_2F_1\left(1, -\frac{2}{r}; \frac{r-2}{r}; -\frac{ex^r}{d}\right)(a + b \log(cx^n))}{4dx^2}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(x^3\*(d + e\*x^r)),x]

[Out] -(b\*n\*HypergeometricPFQ[{1, -2/r, -2/r}, {1 - 2/r, 1 - 2/r}, -(e\*x^r)/d]) + 2\*Hypergeometric2F1[1, -2/r, (-2 + r)/r, -(e\*x^r)/d]\*(a + b\*Log[c\*x^n])/(4\*d\*x^2)

**Integral number [410]**

$$\int \frac{x^2(a + b \log(cx^n))}{d + ex^r} dx$$

[B] time = 0.106612 (sec), size = 87 ,normalized size = 3.48

$$\frac{x^3\left(3 {}_2F_1\left(1, \frac{3}{r}; \frac{r+3}{r}; -\frac{ex^r}{d}\right)(a + b \log(cx^n)) - bn {}_3F_2\left(1, \frac{3}{r}, \frac{3}{r}; 1 + \frac{3}{r}, 1 + \frac{3}{r}; -\frac{ex^r}{d}\right)\right)}{9d}$$

[In] Integrate[(x^2\*(a + b\*Log[c\*x^n]))/(d + e\*x^r),x]

[Out] (x^3\*(-(b\*n\*HypergeometricPFQ[{1, 3/r, 3/r}, {1 + 3/r, 1 + 3/r}, -(e\*x^r)/d])) + 3\*Hypergeometric2F1[1, 3/r, (3 + r)/r, -(e\*x^r)/d]\*(a + b\*Log[c\*x^n])))/(9\*d)

**Integral number [411]**

$$\int \frac{a + b \log(cx^n)}{d + ex^r} dx$$

[B] time = 0.0787297 (sec), size = 69 ,normalized size = 3.14

$$\frac{x\left(2 {}_2F_1\left(1, \frac{1}{r}; 1 + \frac{1}{r}; -\frac{ex^r}{d}\right)(a + b \log(cx^n)) - bn {}_3F_2\left(1, \frac{1}{r}, \frac{1}{r}; 1 + \frac{1}{r}, 1 + \frac{1}{r}; -\frac{ex^r}{d}\right)\right)}{d}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(d + e\*x^r),x]

[Out] (x\*(-(b\*n\*HypergeometricPFQ[{1, r^(-1), r^(-1)}, {1 + r^(-1), 1 + r^(-1)}, -(e\*x^r)/d])) + Hypergeometric2F1[1, r^(-1), 1 + r^(-1), -(e\*x^r)/d]\*(a

+ b\*Log[c\*x^n])))/d

### Integral number [412]

$$\int \frac{a + b \log(cx^n)}{x^2(d + ex^r)} dx$$

[B] time = 0.0973344 (sec), size = 83 ,normalized size = 3.32

$$\frac{bn {}_3F_2\left(1, -\frac{1}{r}, -\frac{1}{r}; 1 - \frac{1}{r}, 1 - \frac{1}{r}; -\frac{ex^r}{d}\right) + {}_2F_1\left(1, -\frac{1}{r}; \frac{r-1}{r}; -\frac{ex^r}{d}\right)(a + b \log(cx^n))}{dx}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(x^2\*(d + e\*x^r)),x]

[Out] -((b\*n\*HypergeometricPFQ[{1, -r^(-1)}, -r^(-1)], {1 - r^(-1), 1 - r^(-1)}, -(e\*x^r)/d]) + Hypergeometric2F1[1, -r^(-1), (-1 + r)/r, -(e\*x^r)/d]\*(a + b\*Log[c\*x^n]))/(d\*x))

### Integral number [413]

$$\int \frac{x^3(a + b \log(cx^n))}{(d + ex^r)^2} dx$$

[B] time = 0.243539 (sec), size = 140 ,normalized size = 5.6

$$\frac{x^4\left(-bn(r-4)(d + ex^r) {}_3F_2\left(1, \frac{4}{r}, \frac{4}{r}; 1 + \frac{4}{r}, 1 + \frac{4}{r}; -\frac{ex^r}{d}\right) + 4(d + ex^r) {}_2F_1\left(1, \frac{4}{r}; \frac{r+4}{r}; -\frac{ex^r}{d}\right)(a(r-4) + b(r-4) \log(cx^n) - bn) + 16d(a + b \log(cx^n))\right)}{16d^2r(d + ex^r)}$$

[In] Integrate[(x^3\*(a + b\*Log[c\*x^n]))/(d + e\*x^r)^2,x]

[Out] (x^4\*(-(b\*n\*(-4 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, 4/r, 4/r}, {1 + 4/r, 1 + 4/r}, -(e\*x^r)/d]) + 16\*d\*(a + b\*Log[c\*x^n]) + 4\*(d + e\*x^r)\*Hypergeometric2F1[1, 4/r, (4 + r)/r, -(e\*x^r)/d]\*(-(b\*n) + a\*(-4 + r) + b\*(-4 + r)\*Log[c\*x^n])))/(16\*d^2\*r\*(d + e\*x^r))

### Integral number [414]

$$\int \frac{x(a + b \log(cx^n))}{(d + ex^r)^2} dx$$

[B] time = 0.233625 (sec), size = 140 ,normalized size = 6.09

$$\frac{x^2\left(-bn(r-2)(d + ex^r) {}_3F_2\left(1, \frac{2}{r}, \frac{2}{r}; 1 + \frac{2}{r}, 1 + \frac{2}{r}; -\frac{ex^r}{d}\right) + 2(d + ex^r) {}_2F_1\left(1, \frac{2}{r}; \frac{r+2}{r}; -\frac{ex^r}{d}\right)(a(r-2) + b(r-2) \log(cx^n) - bn) + 4d(a + b \log(cx^n))\right)}{4d^2r(d + ex^r)}$$

[In] Integrate[(x\*(a + b\*Log[c\*x^n]))/(d + e\*x^r)^2,x]

[Out] (x^2\*(-(b\*n\*(-2 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, 2/r, 2/r}, {1 + 2/r, 1 + 2/r}, -(e\*x^r)/d])) + 4\*d\*(a + b\*Log[c\*x^n]) + 2\*(d + e\*x^r)\*Hypergeometric2F1[1, 2/r, (2 + r)/r, -(e\*x^r)/d]\*(-(b\*n) + a\*(-2 + r) + b\*(-2 + r)\*Log[c\*x^n]))/(4\*d^2\*r\*(d + e\*x^r))

### Integral number [416]

$$\int \frac{a + b \log(cx^n)}{x^3 (d + ex^r)^2} dx$$

[B] time = 0.23461 (sec), size = 139 ,normalized size = 5.56

$$\frac{bn(r+2)(d+ex^r) {}_3F_2\left(1, -\frac{2}{r}, -\frac{2}{r}; 1 - \frac{2}{r}, 1 - \frac{2}{r}; -\frac{ex^r}{d}\right) + 2(d+ex^r) {}_2F_1\left(1, -\frac{2}{r}; \frac{r-2}{r}; -\frac{ex^r}{d}\right)(a(r+2) + b(r+2)\log(cx^n) - bn) - 4d}{4d^2rx^2(d+ex^r)}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(x^3\*(d + e\*x^r)^2),x]

[Out] -(b\*n\*(2 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, -2/r, -2/r}, {1 - 2/r, 1 - 2/r}, -(e\*x^r)/d]) - 4\*d\*(a + b\*Log[c\*x^n]) + 2\*(d + e\*x^r)\*Hypergeometric2F1[1, -2/r, (-2 + r)/r, -(e\*x^r)/d]\*(-(b\*n) + a\*(2 + r) + b\*(2 + r)\*Log[c\*x^n]))/(4\*d^2\*r\*x^2\*(d + e\*x^r))

### Integral number [417]

$$\int \frac{x^2 (a + b \log(cx^n))}{(d + ex^r)^2} dx$$

[B] time = 0.238609 (sec), size = 140 ,normalized size = 5.6

$$\frac{x^3 \left( -bn(r-3)(d+ex^r) {}_3F_2\left(1, \frac{3}{r}, \frac{3}{r}; 1 + \frac{3}{r}, 1 + \frac{3}{r}; -\frac{ex^r}{d}\right) + 3(d+ex^r) {}_2F_1\left(1, \frac{3}{r}; \frac{r+3}{r}; -\frac{ex^r}{d}\right)(a(r-3) + b(r-3)\log(cx^n) - bn) + 9d \right)}{9d^2r(d+ex^r)}$$

[In] Integrate[(x^2\*(a + b\*Log[c\*x^n]))/(d + e\*x^r)^2,x]

[Out] (x^3\*(-(b\*n\*(-3 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, 3/r, 3/r}, {1 + 3/r, 1 + 3/r}, -(e\*x^r)/d])) + 9\*d\*(a + b\*Log[c\*x^n]) + 3\*(d + e\*x^r)\*Hypergeometric2F1[1, 3/r, (3 + r)/r, -(e\*x^r)/d]\*(-(b\*n) + a\*(-3 + r) + b\*(-3 + r)\*Log[c\*x^n]))/(9\*d^2\*r\*(d + e\*x^r))

### Integral number [418]

$$\int \frac{a + b \log(cx^n)}{(d + ex^r)^2} dx$$

**[B]** time = 2.46866 (sec), size = 161 ,normalized size = 7.32

$$\frac{x \left( -bn(r-1)(d+ex^r) {}_3F_2 \left( 1, \frac{1}{r}, \frac{1}{r}; 1 + \frac{1}{r}, 1 + \frac{1}{r}; -\frac{ex^r}{d} \right) + aex^r {}_2F_1 \left( 2, \frac{1}{r}; 1 + \frac{1}{r}; -\frac{ex^r}{d} \right) + adr {}_2F_1 \left( 2, \frac{1}{r}; 1 + \frac{1}{r}; -\frac{ex^r}{d} \right) - b(d+ex^r)(n-(r-1)) \right)}{d^2r(d+ex^r)}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(d + e\*x^r)^2,x]

[Out] (x\*(a\*d\*r\*Hypergeometric2F1[2, r^(-1), 1 + r^(-1), -((e\*x^r)/d)] + a\*e\*r\*x^r\*Hypergeometric2F1[2, r^(-1), 1 + r^(-1), -((e\*x^r)/d)] - b\*n\*(-1 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, r^(-1), r^(-1)}, {1 + r^(-1), 1 + r^(-1)}, -((e\*x^r)/d)] + b\*d\*Log[c\*x^n] - b\*(d + e\*x^r)\*Hypergeometric2F1[1, r^(-1), 1 + r^(-1), -((e\*x^r)/d)]\*(n - (-1 + r)\*Log[c\*x^n]))/(d^2\*r\*(d + e\*x^r))

**Integral number [419]**

$$\int \frac{a + b \log(cx^n)}{x^2(d + ex^r)^2} dx$$

**[B]** time = 0.201404 (sec), size = 135 ,normalized size = 5.4

$$\frac{-bn(r+1)(d+ex^r) {}_3F_2 \left( 1, -\frac{1}{r}, -\frac{1}{r}; 1 - \frac{1}{r}, 1 - \frac{1}{r}; -\frac{ex^r}{d} \right) - (d+ex^r) {}_2F_1 \left( 1, -\frac{1}{r}; \frac{r-1}{r}; -\frac{ex^r}{d} \right) (ar + a + b(r+1) \log(cx^n) - bn) + d(a + b \log(cx^n))}{d^2rx(d+ex^r)}$$

[In] Integrate[(a + b\*Log[c\*x^n])/(x^2\*(d + e\*x^r)^2),x]

[Out] (-b\*n\*(1 + r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, -r^(-1), -r^(-1)}, {1 - r^(-1), 1 - r^(-1)}, -((e\*x^r)/d)] + d\*(a + b\*Log[c\*x^n]) - (d + e\*x^r)\*Hypergeometric2F1[1, -r^(-1), (-1 + r)/r, -((e\*x^r)/d)]\*(a - b\*n + a\*r + b\*(1 + r)\*Log[c\*x^n]))/(d^2\*r\*x\*(d + e\*x^r))

**Integral number [444]**

$$\int \frac{(fx)^m (a + b \log(cx^n))}{d + ex^r} dx$$

**[B]** time = 0.153989 (sec), size = 111 ,normalized size = 4.11

$$\frac{x(fx)^m \left( (m+1)(a + b \log(cx^n)) {}_2F_1 \left( 1, \frac{m+1}{r}; \frac{m+r+1}{r}; -\frac{ex^r}{d} \right) - bn {}_3F_2 \left( 1, \frac{m}{r} + \frac{1}{r}, \frac{m}{r} + \frac{1}{r}; \frac{m}{r} + \frac{1}{r} + 1, \frac{m}{r} + \frac{1}{r} + 1; -\frac{ex^r}{d} \right) \right)}{d(m+1)^2}$$

[In] Integrate[((f\*x)^m\*(a + b\*Log[c\*x^n]))/(d + e\*x^r),x]

[Out] (x\*(f\*x)^m\*(-b\*n\*HypergeometricPFQ[{1, r^(-1) + m/r, r^(-1) + m/r}, {1 + r^(-1) + m/r, 1 + r^(-1) + m/r}, -((e\*x^r)/d)] + (1 + m)\*Hypergeometric2F1[1, (1 + m)/r, (1 + m + r)/r, -((e\*x^r)/d)]\*(a + b\*Log[c\*x^n]))/(d\*(1 + m)^2)

2)

**Integral number [445]**

$$\int \frac{(fx)^m (a + b \log(cx^n))}{(d + ex^r)^2} dx$$

[B] time = 0.387871 (sec), size = 177 ,normalized size = 6.56

$$\frac{x(fx)^m \left( bn(m-r+1)(d+ex^r) {}_3F_2\left(1, \frac{m}{r} + \frac{1}{r}, \frac{m}{r} + \frac{1}{r}; \frac{m}{r} + \frac{1}{r} + 1, \frac{m}{r} + \frac{1}{r} + 1; -\frac{ex^r}{d}\right) - (m+1) \left( (d+ex^r) {}_2F_1\left(1, \frac{m+1}{r}; \frac{m+r+1}{r}; -\frac{ex^r}{d}\right) (a + b \log(cx^n)) \right) \right)}{d^2(m+1)^2 r (d+ex^r)}$$

[In] Integrate[((f\*x)^m\*(a + b\*Log[c\*x^n]))/(d + e\*x^r)^2,x]

[Out] (x\*(f\*x)^m\*(b\*n\*(1 + m - r)\*(d + e\*x^r)\*HypergeometricPFQ[{1, r^(-1) + m/r, r^(-1) + m/r}, {1 + r^(-1) + m/r, 1 + r^(-1) + m/r}, -(e\*x^r)/d]) - (1 + m)\*(-(d\*(1 + m)\*(a + b\*Log[c\*x^n])) + (d + e\*x^r)\*Hypergeometric2F1[1, (1 + m)/r, (1 + m + r)/r, -(e\*x^r)/d]\*(b\*n + a\*(1 + m - r) + b\*(1 + m - r)\*Log[c\*x^n]))) / (d^2\*(1 + m)^2\*r\*(d + e\*x^r))

## 4.3 Test file Number [58] 3-Logarithms/3.1.5-u-a+b-log-c-x^n-p

### 4.3.1 Mathematica

**Integral number [138]**

$$\int (gx)^q (a + b \log(cx^n)) \log(d(e + fx^m)^k) dx$$

[B] time = 0.329968 (sec), size = 304 ,normalized size = 10.13

$$\frac{x(gx)^q \left( -bkmn {}_3F_2\left(1, \frac{q}{m} + \frac{1}{m}, \frac{q}{m} + \frac{1}{m}; \frac{q}{m} + \frac{1}{m} + 1, \frac{q}{m} + \frac{1}{m} + 1; -\frac{fx^m}{e}\right) + km {}_2F_1\left(1, \frac{q+1}{m}; \frac{m+q+1}{m}; -\frac{fx^m}{e}\right) (aq + a + b(q+1) \log(cx^n)) - b \log(d(e + fx^m)^k) \right)}{d^2(m+1)^2 r (d+ex^r)}$$

[In] Integrate[(g\*x)^q\*(a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k],x]

[Out] (x\*(g\*x)^q\*(-(a\*k\*m) + 2\*b\*k\*m\*n - a\*k\*m\*q - b\*k\*m\*n\*HypergeometricPFQ[{1, m^(-1) + q/m, m^(-1) + q/m}, {1 + m^(-1) + q/m, 1 + m^(-1) + q/m}, -(f\*x^m)/e]) - b\*k\*m\*Log[c\*x^n] - b\*k\*m\*q\*Log[c\*x^n] + k\*m\*Hypergeometric2F1[1, (1 + q)/m, (1 + m + q)/m, -(f\*x^m)/e]\*(a - b\*n + a\*q + b\*(1 + q)\*Log[c\*x^n]) + a\*Log[d\*(e + f\*x^m)^k] - b\*n\*Log[d\*(e + f\*x^m)^k] + 2\*a\*q\*Log[d\*(e + f\*x^m)^k] - b\*n\*q\*Log[d\*(e + f\*x^m)^k] + a\*q^2\*Log[d\*(e + f\*x^m)^k] + b\*Log[c

$$*x^n * \text{Log}[d*(e + f*x^m)^k] + 2*b*q*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k] + b*q^2*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k])/(1 + q)^3$$

**Integral number [144]**

$$\int x^2 (a + b \log(cx^n)) \log(d(e + fx^m)^k) dx$$

**[B]** time = 0.178429 (sec), size = 292 ,normalized size = 10.43

$$x^3 \left( bek m(m+3)n {}_3F_2 \left( 1, \frac{3}{m}, \frac{3}{m}; 1 + \frac{3}{m}, 1 + \frac{3}{m}; -\frac{fx^m}{e} \right) - 27ae \log(d(e + fx^m)^k) - 9aem \log(d(e + fx^m)^k) + 9afk m x^m {}_2F_1 \left( 1, \frac{m+3}{m}; 2 \right) \right)$$

**[In]** Integrate[x^2\*(a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k],x]

**[Out]**  $-(x^3*(-6*b*e*k*m*n - 2*b*e*k*m^2*n + 9*a*f*k*m*x^m*\text{Hypergeometric2F1}[1, (3 + m)/m, 2 + 3/m, -((f*x^m)/e)] + b*e*k*m*(3 + m)*\text{HypergeometricPFQ}[\{1, 3/m, 3/m\}, \{1 + 3/m, 1 + 3/m\}, -((f*x^m)/e)] + b*e*k*m*(3 + m)*\text{Hypergeometric2F1}[1, 3/m, (3 + m)/m, -((f*x^m)/e)]*(n - 3*\text{Log}[c*x^n]) + 9*b*e*k*m*\text{Log}[c*x^n] + 3*b*e*k*m^2*\text{Log}[c*x^n] - 27*a*e*\text{Log}[d*(e + f*x^m)^k] - 9*a*e*m*\text{Log}[d*(e + f*x^m)^k] + 9*b*e*n*\text{Log}[d*(e + f*x^m)^k] + 3*b*e*m*n*\text{Log}[d*(e + f*x^m)^k] - 27*b*e*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k] - 9*b*e*m*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k])/(27*e*(3 + m))$

**Integral number [145]**

$$\int x (a + b \log(cx^n)) \log(d(e + fx^m)^k) dx$$

**[B]** time = 0.170561 (sec), size = 292 ,normalized size = 11.23

$$x^2 \left( bek m(m+2)n {}_3F_2 \left( 1, \frac{2}{m}, \frac{2}{m}; 1 + \frac{2}{m}, 1 + \frac{2}{m}; -\frac{fx^m}{e} \right) - 8ae \log(d(e + fx^m)^k) - 4aem \log(d(e + fx^m)^k) + 4afk m x^m {}_2F_1 \left( 1, \frac{m+2}{m}; 2 \right) \right)$$

**[In]** Integrate[x\*(a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k],x]

**[Out]**  $-(x^2*(-4*b*e*k*m*n - 2*b*e*k*m^2*n + 4*a*f*k*m*x^m*\text{Hypergeometric2F1}[1, (2 + m)/m, 2 + 2/m, -((f*x^m)/e)] + b*e*k*m*(2 + m)*\text{HypergeometricPFQ}[\{1, 2/m, 2/m\}, \{1 + 2/m, 1 + 2/m\}, -((f*x^m)/e)] + b*e*k*m*(2 + m)*\text{Hypergeometric2F1}[1, 2/m, (2 + m)/m, -((f*x^m)/e)]*(n - 2*\text{Log}[c*x^n]) + 4*b*e*k*m*\text{Log}[c*x^n] + 2*b*e*k*m^2*\text{Log}[c*x^n] - 8*a*e*\text{Log}[d*(e + f*x^m)^k] - 4*a*e*m*\text{Log}[d*(e + f*x^m)^k] + 4*b*e*n*\text{Log}[d*(e + f*x^m)^k] + 2*b*e*m*n*\text{Log}[d*(e + f*x^m)^k] - 8*b*e*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k] - 4*b*e*m*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k])/(8*e*(2 + m))$

**Integral number [146]**

$$\int (a + b \log(cx^n)) \log(d(e + fx^m)^k) dx$$

[B] time = 0.169122 (sec), size = 165 ,normalized size = 6.6

$$x \left( -bkmn {}_3F_2 \left( 1, \frac{1}{m}, \frac{1}{m}; 1 + \frac{1}{m}, 1 + \frac{1}{m}; -\frac{fx^m}{e} \right) + km {}_2F_1 \left( 1, \frac{1}{m}; 1 + \frac{1}{m}; -\frac{fx^m}{e} \right) (a + b \log(cx^n) - bn) + a \log(d(e + fx^m)^k) + b \log \right.$$

[In] Integrate[(a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k],x]

[Out] b\*k\*m\*n\*x - k\*m\*x\*(a + b\*(-(n\*Log[x]) + Log[c\*x^n])) + x\*(b\*k\*m\*n - b\*k\*m\*n\*HypergeometricPFQ[{1, m^(-1), m^(-1)}, {1 + m^(-1), 1 + m^(-1)}, -(f\*x^m)/e]) - b\*k\*m\*n\*Log[x] + k\*m\*Hypergeometric2F1[1, m^(-1), 1 + m^(-1), -(f\*x^m)/e]\*(a - b\*n + b\*Log[c\*x^n]) + a\*Log[d\*(e + f\*x^m)^k] - b\*n\*Log[d\*(e + f\*x^m)^k] + b\*Log[c\*x^n]\*Log[d\*(e + f\*x^m)^k])

**Integral number [148]**

$$\int \frac{(a + b \log(cx^n)) \log(d(e + fx^m)^k)}{x^2} dx$$

[B] time = 0.164843 (sec), size = 282 ,normalized size = 10.07

$$\frac{bek(m-1)mn {}_3F_2 \left( 1, -\frac{1}{m}, -\frac{1}{m}; 1 - \frac{1}{m}, 1 - \frac{1}{m}; -\frac{fx^m}{e} \right) + ae \log(d(e + fx^m)^k) - aem \log(d(e + fx^m)^k) + afkmx^m {}_2F_1 \left( 1, \frac{m-1}{m}; 2 - \frac{1}{m}; \right.}$$

[In] Integrate[((a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k])/x^2,x]

[Out] (2\*b\*e\*k\*m\*n - 2\*b\*e\*k\*m^2\*n + a\*f\*k\*m\*x^m\*Hypergeometric2F1[1, (-1 + m)/m, 2 - m^(-1), -(f\*x^m)/e]) + b\*e\*k\*(-1 + m)\*m\*n\*HypergeometricPFQ[{1, -m^(-1), -m^(-1)}, {1 - m^(-1), 1 - m^(-1)}, -(f\*x^m)/e]) + b\*e\*k\*m\*Log[c\*x^n] - b\*e\*k\*m^2\*Log[c\*x^n] + b\*e\*k\*(-1 + m)\*m\*Hypergeometric2F1[1, -m^(-1), (-1 + m)/m, -(f\*x^m)/e]\*(n + Log[c\*x^n]) + a\*e\*Log[d\*(e + f\*x^m)^k] - a\*e\*m\*Log[d\*(e + f\*x^m)^k] + b\*e\*n\*Log[d\*(e + f\*x^m)^k] - b\*e\*m\*n\*Log[d\*(e + f\*x^m)^k] + b\*e\*Log[c\*x^n]\*Log[d\*(e + f\*x^m)^k] - b\*e\*m\*Log[c\*x^n]\*Log[d\*(e + f\*x^m)^k])/(e\*(-1 + m)\*x)

**Integral number [149]**

$$\int \frac{(a + b \log(cx^n)) \log(d(e + fx^m)^k)}{x^3} dx$$

**[B]** time = 0.152721 (sec), size = 292 ,normalized size = 10.43

$$\frac{bek(m-2)mn {}_3F_2\left(1, -\frac{2}{m}, -\frac{2}{m}; 1 - \frac{2}{m}, 1 - \frac{2}{m}; -\frac{fx^m}{e}\right) + 8ae \log\left(d(e + fx^m)^k\right) - 4aem \log\left(d(e + fx^m)^k\right) + 4afkmx^m {}_2F_1\left(1, \frac{m-2}{m}; 2 - \frac{2}{m}, -\frac{fx^m}{e}\right)}{}$$

**[In]** Integrate[((a + b\*Log[c\*x^n])\*Log[d\*(e + f\*x^m)^k])/x^3,x]

**[Out]**  $(4*b*e*k*m*n - 2*b*e*k*m^2*n + 4*a*f*k*m*x^m \text{Hypergeometric2F1}[1, (-2 + m)/m, 2 - 2/m, -((f*x^m)/e)] + b*e*k*(-2 + m)*m*n \text{HypergeometricPFQ}[\{1, -2/m, -2/m\}, \{1 - 2/m, 1 - 2/m\}, -((f*x^m)/e)] + 4*b*e*k*m \text{Log}[c*x^n] - 2*b*e*k*m^2 \text{Log}[c*x^n] + b*e*k*(-2 + m)*m \text{Hypergeometric2F1}[1, -2/m, (-2 + m)/m, -((f*x^m)/e)]*(n + 2*\text{Log}[c*x^n]) + 8*a*e*\text{Log}[d*(e + f*x^m)^k] - 4*a*e*m*\text{Log}[d*(e + f*x^m)^k] + 4*b*e*n*\text{Log}[d*(e + f*x^m)^k] - 2*b*e*m*n*\text{Log}[d*(e + f*x^m)^k] + 8*b*e*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k] - 4*b*e*m*\text{Log}[c*x^n]*\text{Log}[d*(e + f*x^m)^k])/(8*e*(-2 + m)*x^2)$

### Integral number [220]

$$\int -(dx)^m (a + b \log(cx^n)) \log(1 - ex^q) dx$$

**[B]** time = 0.232955 (sec), size = 266 ,normalized size = 9.17

$$\frac{x(dx)^m \left(-bnq {}_3F_2\left(1, \frac{m}{q} + \frac{1}{q}, \frac{m}{q} + \frac{1}{q}; \frac{m}{q} + \frac{1}{q} + 1, \frac{m}{q} + \frac{1}{q} + 1; ex^q\right) + q {}_2F_1\left(1, \frac{m+1}{q}; \frac{m+q+1}{q}; ex^q\right) (am + a + b(m+1) \log(cx^n) - bn) + am\right)}{}$$

**[In]** Integrate[-((d\*x)^m\*(a + b\*Log[c\*x^n])\*Log[1 - e\*x^q]),x]

**[Out]**  $-((x*(d*x)^m*(-(a*q) - a*m*q + 2*b*n*q - b*n*q \text{HypergeometricPFQ}[\{1, q^{(-1)} + m/q, q^{(-1)} + m/q\}, \{1 + q^{(-1)} + m/q, 1 + q^{(-1)} + m/q\}, e*x^q] - b*q*\text{Log}[c*x^n] - b*m*q*\text{Log}[c*x^n] + q*\text{Hypergeometric2F1}[1, (1 + m)/q, (1 + m + q)/q, e*x^q])*(a + a*m - b*n + b*(1 + m)*\text{Log}[c*x^n]) + a*\text{Log}[1 - e*x^q] + 2*a*m*\text{Log}[1 - e*x^q] + a*m^2*\text{Log}[1 - e*x^q] - b*n*\text{Log}[1 - e*x^q] - b*m*n*\text{Log}[1 - e*x^q] + b*\text{Log}[c*x^n]*\text{Log}[1 - e*x^q] + 2*b*m*\text{Log}[c*x^n]*\text{Log}[1 - e*x^q] + b*m^2*\text{Log}[c*x^n]*\text{Log}[1 - e*x^q]))/(1 + m)^3)$

## 4.3.2 Maple

### Integral number [220]

$$\int -(dx)^m (a + b \log(cx^n)) \log(1 - ex^q) dx$$

**[B]** time = 0.468 (sec), size = 844 ,normalized size = 29.1

$$-\frac{(dx)^m x^{-m} a}{q} (-e)^{-\frac{m}{q}-q^{-1}} \left( \frac{qx^{1+m} \ln(1 - ex^q)}{1 + m} (-e)^{\frac{m}{q}+q^{-1}} - \frac{qx^{1+m+q} e^{-q-m-1}}{(1+m)(1+m+q)} (-e)^{\frac{m}{q}+q^{-1}} \text{LerchPhi}\left(ex^q, 1, \frac{1+m+q}{q}\right) \right) - \frac{(dx)^m x^{-m} a}{q}$$





$-e)^{(1/q*m+1/q)/(1+m)^2*\text{LerchPhi}(e*x^q,2,(1+m+q)/q)))*x$

### Integral number [222]

$$\int (dx)^m (a + b \log(cx^n)) \text{PolyLog}(3, ex^q) dx$$

[B] time = 1.089 (sec), size = 1065 ,normalized size = 4.36

result too large to display

[In] `int((d*x)^m*(a+b*ln(c*x^n))*polylog(3,e*x^q),x)`

[Out]  $-(d*x)^m*x^{(-m)}*(-e)^{(-1/q*m-1/q)}*a/q*(q^3*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)^3}*\ln(1-e*x^q)+q^2*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(2,e*x^q)-q*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)}*\text{polylog}(3,e*x^q)+q^3*x^{(1+m+q)}*e*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q))-(d*x)^m*x^{(-m)}*(-e)^{(-1/q*m-1/q)}*b*\ln(c)/q*(q^3*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)^3}*\ln(1-e*x^q)+q^2*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(2,e*x^q)-q*x^{(1+m)}*(-e)^{(1/q*m+1/q)/(1+m)}*\text{polylog}(3,e*x^q)+q^3*x^{(1+m+q)}*e*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q))+(1/q^2*\ln(-e)*(-e)^{(-1/q*m-1/q)}*(d*x)^m*x^{(-m)}*b*n*(q^3*x^m*(-e)^{(1/q*m+1/q)/(1+m)^3}*\ln(1-e*x^q)+q^2*x^m*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(2,e*x^q)-q*x^m*(-e)^{(1/q*m+1/q)/(1+m)}*\text{polylog}(3,e*x^q)+q^3*x^{(q+m)}*e*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q))-(e)^{(-1/q*m-1/q)}*(d*x)^m*x^{(-m)}*b*n/q*(q^3*\ln(x)*x^m*(-e)^{(1/q*m+1/q)/(1+m)^3}*\ln(1-e*x^q)+q^2*\ln(-e)*x^m*(-e)^{(1/q*m+1/q)/(1+m)^3}*\ln(1-e*x^q)-3*q^3*x^m*(-e)^{(1/q*m+1/q)/(1+m)^4}*\ln(1-e*x^q)+q^2*\ln(x)*x^m*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(2,e*x^q)+q*\ln(-e)*x^m*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(2,e*x^q)-2*q^2*x^m*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{polylog}(2,e*x^q)-q*\ln(x)*x^m*(-e)^{(1/q*m+1/q)/(1+m)}*\text{polylog}(3,e*x^q)-\ln(-e)*x^m*(-e)^{(1/q*m+1/q)/(1+m)}*\text{polylog}(3,e*x^q)+q*x^m*(-e)^{(1/q*m+1/q)/(1+m)^2}*\text{polylog}(3,e*x^q)+q^3*x^{(q+m)}*e*\ln(x)*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q)+q^2*x^{(q+m)}*e*\ln(-e)*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q)-3*q^3*x^{(q+m)}*e*(-e)^{(1/q*m+1/q)/(1+m)^4}*\text{LerchPhi}(e*x^q,1,(1+m+q)/q)-q^2*x^{(q+m)}*e*(-e)^{(1/q*m+1/q)/(1+m)^3}*\text{LerchPhi}(e*x^q,2,(1+m+q)/q)))*x$

## 4.4 Test file Number [63] 3-Logarithms/3.4-u-a+b-log-c-d+e-x^m-n-p

### 4.4.1 Mathematica

Integral number [98]

$$\int x^2 \log^3 \left( c (a + bx^2)^p \right) dx$$

[B] time = 3.753 (sec), size = 909 ,normalized size = 2.4

$$\left(-48 \left(4\sqrt{bx^2} \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{-a}}\right)\left(\log(bx^2 + a) - \log\left(\frac{bx^2}{a} + 1\right)\right) - \sqrt{-a}\sqrt{-\frac{bx^2}{a}}\left(\log^2\left(\frac{bx^2}{a} + 1\right) - 4\log\left(\frac{1}{2}\left(\sqrt{-\frac{bx^2}{a}} + 1\right)\right)\log\left(\frac{bx^2}{a} + 1\right) + \right.\right.$$


---

[In] Integrate[x^2\*Log[c\*(a + b\*x^2)^p]^3,x]

[Out] (2\*a\*p\*x\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2)/b - (2\*a^(3/2)\*p\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2)/b^(3/2) + p\*x^3\*Log[a + b\*x^2]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2 + (x^3\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2\*(-2\*p - p\*Log[a + b\*x^2] + Log[c\*(a + b\*x^2)^p]))/3 + 3\*p^2\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])\*(x^3\*Log[a + b\*x^2]^2)/3 - (4\*((9\*I)\*a^(3/2)\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]^2 + 3\*a^(3/2)\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]\*(-8 + 6\*Log[(2\*Sqrt[a])/(Sqrt[a] + I\*Sqrt[b]\*x)] + 3\*Log[a + b\*x^2]) + Sqrt[b]\*x\*(24\*a - 2\*b\*x^2 + (-9\*a + 3\*b\*x^2)\*Log[a + b\*x^2]) + (9\*I)\*a^(3/2)\*PolyLog[2, (I\*Sqrt[a] + Sqrt[b]\*x)/((-I)\*Sqrt[a] + Sqrt[b]\*x)))/(27\*b^(3/2)) + (p^3\*(416\*Sqrt[-a]\*a^(3/2)\*Sqrt[(b\*x^2)/(a + b\*x^2)]\*Sqrt[a + b\*x^2]\*ArcSin[Sqrt[a]/Sqrt[a + b\*x^2]] + (2\*Sqrt[-a]\*b\*x^2\*(624\*a - 16\*b\*x^2 + (-288\*a + 24\*b\*x^2)\*Log[a + b\*x^2] + 18\*(3\*a - b\*x^2)\*Log[a + b\*x^2]^2 + 9\*b\*x^2\*Log[a + b\*x^2]^3))/3 + 36\*Sqrt[-a]\*a^(3/2)\*Sqrt[(b\*x^2)/(a + b\*x^2)]\*(8\*Sqrt[a]\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, a/(a + b\*x^2)] + Log[a + b\*x^2]\*(4\*Sqrt[a]\*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, a/(a + b\*x^2)] + Sqrt[a + b\*x^2]\*ArcSin[Sqrt[a]/Sqrt[a + b\*x^2]]\*Log[a + b\*x^2])) - 48\*a^2\*(4\*Sqrt[b\*x^2]\*ArcTanh[Sqrt[b\*x^2]/Sqrt[-a]]\*(Log[a + b\*x^2] - Log[1 + (b\*x^2)/a]) - Sqrt[-a]\*Sqrt[-((b\*x^2)/a)]\*(Log[1 + (b\*x^2)/a]^2 - 4\*Log[1 + (b\*x^2)/a]\*Log[(1 + Sqrt[-((b\*x^2)/a)])/2] + 2\*Log[(1 + Sqrt[-((b\*x^2)/a)])/2]^2 - 4\*PolyLog[2, 1/2 - Sqrt[-((b\*x^2)/a)])/2])))/(18\*Sqrt[-a]\*b^2\*x)

**Integral number [99]**

$$\int \log^3\left(c(a + bx^2)^p\right) dx$$

[B] time = 3.35596 (sec), size = 789 ,normalized size = 2.73

$$p^3\left(-6\sqrt{-a^2}\sqrt{\frac{bx^2}{a+bx^2}}\left(8\sqrt{a}{}_4F_3\left(\frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}; \frac{3}{2}, \frac{3}{2}, \frac{3}{2}; \frac{a}{bx^2+a}\right) + \log(a + bx^2)\left(4\sqrt{a}{}_3F_2\left(\frac{1}{2}, \frac{1}{2}, \frac{1}{2}; \frac{3}{2}, \frac{3}{2}; \frac{a}{bx^2+a}\right) + \sqrt{a + bx^2}\log(a + bx^2)\sin\right.\right.$$


---

[In] Integrate[Log[c\*(a + b\*x^2)^p]^3,x]

[Out] (6\*Sqrt[a]\*p\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2)/Sqrt[b] + 3\*p\*x\*Log[a + b\*x^2]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2 + x\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2\*(-6\*p -

$p \cdot \text{Log}[a + b \cdot x^2] + \text{Log}[c \cdot (a + b \cdot x^2)^p] - (3 \cdot p^2 \cdot (p \cdot \text{Log}[a + b \cdot x^2] - \text{Log}[c \cdot (a + b \cdot x^2)^p]) \cdot ((4 \cdot I) \cdot \text{Sqrt}[a] \cdot \text{ArcTan}[(\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a]]^2 + 4 \cdot \text{Sqrt}[a] \cdot \text{ArcTan}[(\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a]] \cdot (-2 + 2 \cdot \text{Log}[(2 \cdot \text{Sqrt}[a]) / (\text{Sqrt}[a] + I \cdot \text{Sqrt}[b] \cdot x)] + \text{Log}[a + b \cdot x^2]) + \text{Sqrt}[b] \cdot x \cdot (8 - 4 \cdot \text{Log}[a + b \cdot x^2] + \text{Log}[a + b \cdot x^2]^2) + (4 \cdot I) \cdot \text{Sqrt}[a] \cdot \text{PolyLog}[2, (I \cdot \text{Sqrt}[a] + \text{Sqrt}[b] \cdot x) / ((-I) \cdot \text{Sqrt}[a] + \text{Sqrt}[b] \cdot x)])) / \text{Sqrt}[b] + (p^3 \cdot (-48 \cdot \text{Sqrt}[-a^2] \cdot \text{Sqrt}[(b \cdot x^2) / (a + b \cdot x^2)] \cdot \text{Sqrt}[a + b \cdot x^2] \cdot \text{ArcSin}[\text{Sqrt}[a] / \text{Sqrt}[a + b \cdot x^2]] + \text{Sqrt}[-a] \cdot b \cdot x^2 \cdot (-48 + 24 \cdot \text{Log}[a + b \cdot x^2] - 6 \cdot \text{Log}[a + b \cdot x^2]^2 + \text{Log}[a + b \cdot x^2]^3) - 6 \cdot \text{Sqrt}[-a^2] \cdot \text{Sqrt}[(b \cdot x^2) / (a + b \cdot x^2)] \cdot (8 \cdot \text{Sqrt}[a] \cdot \text{HypergeometricPFQ}[\{1/2, 1/2, 1/2, 1/2\}, \{3/2, 3/2, 3/2\}, a / (a + b \cdot x^2)] + \text{Log}[a + b \cdot x^2] \cdot (4 \cdot \text{Sqrt}[a] \cdot \text{HypergeometricPFQ}[\{1/2, 1/2, 1/2\}, \{3/2, 3/2\}, a / (a + b \cdot x^2)] + \text{Sqrt}[a + b \cdot x^2] \cdot \text{ArcSin}[\text{Sqrt}[a] / \text{Sqrt}[a + b \cdot x^2]] \cdot \text{Log}[a + b \cdot x^2])) + 24 \cdot a \cdot \text{Sqrt}[b \cdot x^2] \cdot \text{ArcTanh}[\text{Sqrt}[b \cdot x^2] / \text{Sqrt}[-a]] \cdot (\text{Log}[a + b \cdot x^2] - \text{Log}[1 + (b \cdot x^2) / a]) + 6 \cdot (-a)^{(3/2)} \cdot \text{Sqrt}[-((b \cdot x^2) / a)] \cdot (\text{Log}[1 + (b \cdot x^2) / a]^2 - 4 \cdot \text{Log}[1 + (b \cdot x^2) / a] \cdot \text{Log}[(1 + \text{Sqrt}[-((b \cdot x^2) / a)]) / 2] + 2 \cdot \text{Log}[(1 + \text{Sqrt}[-((b \cdot x^2) / a)]) / 2])^2 - 4 \cdot \text{PolyLog}[2, 1/2 - \text{Sqrt}[-((b \cdot x^2) / a)] / 2])) / (\text{Sqrt}[-a] \cdot b \cdot x)$

### Integral number [100]

$$\int \frac{\log^3\left(c(a+bx^2)^p\right)}{x^2} dx$$

[C] time = 0.781377 (sec), size = 505 ,normalized size = 10.1

$$\frac{p^3 \left( -96 \sqrt{a} \sqrt{1 - \frac{a}{a+bx^2}} {}_4F_3 \left( \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}; \frac{3}{2}, \frac{3}{2}, \frac{3}{2}; \frac{a}{bx^2+a} \right) - 48 \sqrt{a} \sqrt{1 - \frac{a}{a+bx^2}} \log(a+bx^2) {}_3F_2 \left( \frac{1}{2}, \frac{1}{2}, \frac{1}{2}; \frac{3}{2}, \frac{3}{2}; \frac{a}{bx^2+a} \right) - 2 \log^2(a+bx^2) \left( \sqrt{a} \right) \right)}{2\sqrt{ax}}$$

[In] Integrate[Log[c\*(a + b\*x^2)^p]^3/x^2,x]

[Out]  $(p^3 \cdot (-96 \cdot \text{Sqrt}[a] \cdot \text{Sqrt}[1 - a / (a + b \cdot x^2)] \cdot \text{HypergeometricPFQ}[\{1/2, 1/2, 1/2, 1/2\}, \{3/2, 3/2, 3/2\}, a / (a + b \cdot x^2)] - 48 \cdot \text{Sqrt}[a] \cdot \text{Sqrt}[1 - a / (a + b \cdot x^2)] \cdot \text{HypergeometricPFQ}[\{1/2, 1/2, 1/2\}, \{3/2, 3/2\}, a / (a + b \cdot x^2)] \cdot \text{Log}[a + b \cdot x^2] - 2 \cdot \text{Log}[a + b \cdot x^2]^2 \cdot (6 \cdot \text{Sqrt}[a + b \cdot x^2] \cdot \text{Sqrt}[1 - a / (a + b \cdot x^2)] \cdot \text{ArcSin}[\text{Sqrt}[a] / \text{Sqrt}[a + b \cdot x^2]] + \text{Sqrt}[a] \cdot \text{Log}[a + b \cdot x^2])) / (2 \cdot \text{Sqrt}[a] \cdot x) + (6 \cdot \text{Sqrt}[b] \cdot p \cdot \text{ArcTan}[(\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a]] \cdot (- (p \cdot \text{Log}[a + b \cdot x^2]) + \text{Log}[c \cdot (a + b \cdot x^2)^p])^2 / \text{Sqrt}[a] - (3 \cdot p \cdot \text{Log}[a + b \cdot x^2] \cdot (- (p \cdot \text{Log}[a + b \cdot x^2]) + \text{Log}[c \cdot (a + b \cdot x^2)^p])^2 / x - (- (p \cdot \text{Log}[a + b \cdot x^2]) + \text{Log}[c \cdot (a + b \cdot x^2)^p])^3 / x + 3 \cdot p^2 \cdot (- (p \cdot \text{Log}[a + b \cdot x^2]) + \text{Log}[c \cdot (a + b \cdot x^2)^p]) \cdot (- (\text{Log}[a + b \cdot x^2]^2 / x) + (4 \cdot \text{Sqrt}[b] \cdot (\text{ArcTan}[(\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a]] \cdot (I \cdot \text{ArcTan}[(\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a]] + 2 \cdot \text{Log}[(2 \cdot I) / (I - (\text{Sqrt}[b] \cdot x) / \text{Sqrt}[a])) + \text{Log}[a + b \cdot x^2]) + I \cdot \text{PolyLog}[2, (I \cdot \text{Sqrt}[a] + \text{Sqrt}[b] \cdot x) / ((-I) \cdot \text{Sqrt}[a] + \text{Sqrt}[b] \cdot x)])) / \text{Sqrt}[a])$

**Integral number [101]**

$$\int \frac{\log^3\left(c(a+bx^2)^p\right)}{x^4} dx$$

[B] time = 2.62218 (sec), size = 851 ,normalized size = 3.36

$$\left(-a^2 \log^3(bx^2+a) - 6abx^2 \log^2(bx^2+a) + 6\sqrt{a} \left(\frac{bx^2}{bx^2+a}\right)^{3/2} (bx^2+a)^{3/2} \sin^{-1}\left(\frac{\sqrt{a}}{\sqrt{bx^2+a}}\right) \log^2(bx^2+a) + 24\sqrt{-a} (bx^2)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}}{\sqrt{bx^2+a}}\right)\right)$$

[In] Integrate[Log[c\*(a + b\*x^2)^p]^3/x^4,x]

[Out] (a^2\*(p\*Log[a + b\*x^2] - Log[c\*(a + b\*x^2)^p])^3 - 6\*a\*b\*p\*x^2\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2 - 6\*Sqrt[a]\*b^(3/2)\*p\*x^3\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2 - 3\*a^2\*p\*Log[a + b\*x^2]\*(-(p\*Log[a + b\*x^2]) + Log[c\*(a + b\*x^2)^p])^2 + 3\*Sqrt[a]\*p^2\*(p\*Log[a + b\*x^2] - Log[c\*(a + b\*x^2)^p])\*(a^(3/2)\*Log[a + b\*x^2]^2 + 4\*b\*x^2\*(I\*Sqrt[b]\*x\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]^2 + Sqrt[a]\*Log[a + b\*x^2] + Sqrt[b]\*x\*ArcTan[(Sqrt[b]\*x)/Sqrt[a]]\*(-2 + 2\*Log[(2\*Sqrt[a])/(Sqrt[a] + I\*Sqrt[b]\*x)] + Log[a + b\*x^2]) + I\*Sqrt[b]\*x\*PolyLog[2, (I\*Sqrt[a] + Sqrt[b]\*x)/((-I)\*Sqrt[a] + Sqrt[b]\*x)]) + p^3\*(48\*a\*b\*x^2\*Sqrt[(b\*x^2)/(a + b\*x^2)]\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, a/(a + b\*x^2)] + 24\*Sqrt[-a]\*(b\*x^2)^(3/2)\*ArcTanh[Sqrt[b\*x^2]/Sqrt[-a]]\*Log[a + b\*x^2] + 24\*a\*b\*x^2\*Sqrt[(b\*x^2)/(a + b\*x^2)]\*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, a/(a + b\*x^2)]\*Log[a + b\*x^2] - 6\*a\*b\*x^2\*Log[a + b\*x^2]^2 + 6\*Sqrt[a]\*((b\*x^2)/(a + b\*x^2))^(3/2)\*(a + b\*x^2)^(3/2)\*ArcSin[Sqrt[a]/Sqrt[a + b\*x^2]]\*Log[a + b\*x^2]^2 - a^2\*Log[a + b\*x^2]^3 - 24\*Sqrt[-a]\*(b\*x^2)^(3/2)\*ArcTanh[Sqrt[b\*x^2]/Sqrt[-a]]\*Log[1 + (b\*x^2)/a] - 6\*a^2\*(-((b\*x^2)/a))^(3/2)\*Log[1 + (b\*x^2)/a]^2 + 24\*a^2\*(-((b\*x^2)/a))^(3/2)\*Log[1 + (b\*x^2)/a]\*Log[(1 + Sqrt[-((b\*x^2)/a)])]/2 - 12\*a^2\*(-((b\*x^2)/a))^(3/2)\*Log[(1 + Sqrt[-((b\*x^2)/a)])]/2]^2 + 24\*a^2\*(-((b\*x^2)/a))^(3/2)\*PolyLog[2, 1/2 - Sqrt[-((b\*x^2)/a)]/2])/(3\*a^2\*x^3)

**Integral number [158]**

$$\int (fx)^m \log^3\left(c(d+ex^2)^p\right) dx$$

[B] time = 2.27135 (sec), size = 994 ,normalized size = 13.08

$$(fx)^m \left( \frac{6p^3 \left( d \left( \left( -\frac{ex^2}{d} \right)^{\frac{m+1}{2}} - 1 \right) \log^2(ex^2+d) + (m+1)(ex^2+d) {}_3F_2 \left( 1, 1, \frac{1}{2} - \frac{m}{2}; 2, 2; \frac{ex^2}{d} + 1 \right) \log(ex^2+d) - (m+1)(ex^2+d) {}_4F_3 \left( 1, 1, 1, \frac{1}{2} - \frac{m}{2}; 2, 2, 2; \frac{ex^2}{d} + 1 \right) \right) \left( -\frac{ex^2}{d} \right)^{\frac{1}{2} - \frac{m}{2}}}{e} - 3mp^2 \left( \left( -\frac{ex^2}{d} \right)^{\frac{1}{2} - \frac{m}{2}} \right) \right)$$

[In] Integrate[(f\*x)^m\*Log[c\*(d + e\*x^2)^p]^3,x]

[Out] ((f\*x)^m\*((1 + m)\*p^3\*x^2\*Log[d + e\*x^2]^3 + (6\*p^3\*(-((e\*x^2)/d))^(1/2 - m/2)\*(-((1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1, 1/2 - m/2}, {2, 2, 2}, 1 + (e\*x^2)/d])) + (1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1/2 - m/2}, {2, 2}, 1 + (e\*x^2)/d]\*Log[d + e\*x^2] + d\*(-1 + (-((e\*x^2)/d))^(1 + m/2))\*Log[d + e\*x^2]^2))/e + (6\*d\*(1 + m)\*p^3\*((e\*x^2)/(d + e\*x^2))^(1/2 - m/2)\*(8\*HypergeometricPFQ[{1/2 - m/2, 1/2 - m/2, 1/2 - m/2, 1/2 - m/2}, {3/2 - m/2, 3/2 - m/2, 3/2 - m/2}, d/(d + e\*x^2)] + (-1 + m)\*Log[d + e\*x^2]\*(-4\*HypergeometricPFQ[{1/2 - m/2, 1/2 - m/2, 1/2 - m/2}, {3/2 - m/2, 3/2 - m/2}, d/(d + e\*x^2)] + (-1 + m)\*Hypergeometric2F1[1/2 - m/2, 1/2 - m/2, 3/2 - m/2, d/(d + e\*x^2)]\*Log[d + e\*x^2]))/(e\*(-1 + m)^3 - (3\*p^2\*(-((e\*x^2)/d))^(1/2 - m/2)\*(-((1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1, 1/2 - m/2}, {2, 2, 2}, 1 + (e\*x^2)/d])) + (1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1/2 - m/2}, {2, 2}, 1 + (e\*x^2)/d]\*Log[d + e\*x^2] + d\*(-1 + (-((e\*x^2)/d))^(1 + m/2))\*Log[d + e\*x^2]^2)\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])/e - (3\*m\*p^2\*(-((e\*x^2)/d))^(1/2 - m/2)\*(-((1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1, 1/2 - m/2}, {2, 2, 2}, 1 + (e\*x^2)/d])) + (1 + m)\*(d + e\*x^2)\*HypergeometricPFQ[{1, 1, 1/2 - m/2}, {2, 2}, 1 + (e\*x^2)/d]\*Log[d + e\*x^2] + d\*(-1 + (-((e\*x^2)/d))^(1 + m/2))\*Log[d + e\*x^2]^2)\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])/e + (3\*p\*x^2\*(-2\*e\*x^2\*Hypergeometric2F1[1, (3 + m)/2, (5 + m)/2, -(e\*x^2)/d] + d\*(3 + m)\*Log[d + e\*x^2])\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]^2)/(d\*(3 + m)) + (3\*m\*p\*x^2\*(-2\*e\*x^2\*Hypergeometric2F1[1, (3 + m)/2, (5 + m)/2, -(e\*x^2)/d] + d\*(3 + m)\*Log[d + e\*x^2])\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]^2)/(d\*(3 + m)) + x^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^3 + m\*x^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^3)/((1 + m)^2\*x)

### Integral number [159]

$$\int (fx)^m \log^2(c(d + ex^2)^p) dx$$

[B] time = 1.02958 (sec), size = 466 ,normalized size = 6.3

$$(fx)^m \left( \frac{4d(m+1)p^2 \left( \frac{ex^2}{d+ex^2} \right)^{\frac{1}{2}-\frac{m}{2}} \left( (m-1) \log(d+ex^2) {}_2F_1 \left( \frac{1}{2}-\frac{m}{2}, \frac{1}{2}-\frac{m}{2}; \frac{3}{2}-\frac{m}{2}; \frac{d}{ex^2+d} \right) - 2 {}_3F_2 \left( \frac{1}{2}-\frac{m}{2}, \frac{1}{2}-\frac{m}{2}, \frac{1}{2}-\frac{m}{2}; \frac{3}{2}-\frac{m}{2}, \frac{3}{2}-\frac{m}{2}; \frac{d}{ex^2+d} \right) \right)}{e^{(m-1)2x}} + \frac{2p(p \log(d+ex^2) - \log(c(d+ex^2)^p)) (2ex^2)}{d} \right)$$

[In] Integrate[(f\*x)^m\*Log[c\*(d + e\*x^2)^p]^2,x]

[Out] ((f\*x)^m\*(4\*p^2\*x\*((2\*e\*x^2\*Hypergeometric2F1[1, (3 + m)/2, (5 + m)/2, -(e\*x^2)/d]))/(d\*(3 + m)) - Log[d + e\*x^2]) + (1 + m)\*p^2\*x\*Log[d + e\*x^2]^2 + (4\*d\*(1 + m)\*p^2\*((e\*x^2)/(d + e\*x^2))^(1/2 - m/2)\*(-2\*HypergeometricPFQ[{1/2 - m/2, 1/2 - m/2, 1/2 - m/2}, {3/2 - m/2, 3/2 - m/2}, d/(d + e\*x^2)] +

$$\begin{aligned} & (-1 + m) \text{Hypergeometric2F1}\left[\frac{1}{2} - \frac{m}{2}, \frac{1}{2} - \frac{m}{2}, \frac{3}{2} - \frac{m}{2}, \frac{d}{d + e x^2}\right] * \\ & \text{Log}[d + e x^2]) / (e^{-(1 + m)^2 x}) + (2 * p * (2 * e x^3 * \text{Hypergeometric2F1}\left[1, (3 + m) / 2, (5 + m) / 2, -((e x^2) / d)\right] - d * (3 + m) * x * \text{Log}[d + e x^2]) * (p * \text{Log}[d + e x^2] - \text{Log}[c * (d + e x^2)^p])) / (d * (3 + m)) - (2 * m * p * (-2 * e x^3 * \text{Hypergeometric2F1}\left[1, (3 + m) / 2, (5 + m) / 2, -((e x^2) / d)\right] + d * (3 + m) * x * \text{Log}[d + e x^2]) * (p * \text{Log}[d + e x^2] - \text{Log}[c * (d + e x^2)^p])) / (d * (3 + m)) + x * (- (p * \text{Log}[d + e x^2]) + \text{Log}[c * (d + e x^2)^p])^2 + m * x * (- (p * \text{Log}[d + e x^2]) + \text{Log}[c * (d + e x^2)^p])^2) / (1 + m)^2 \end{aligned}$$

### Integral number [277]

$$\int (f + g x^2) \log^3 \left( c (d + e x^2)^p \right) dx$$

[B] time = 4.48061 (sec), size = 1460 ,normalized size = 2.14

result too large to display

[In] Integrate[(f + g\*x^2)\*Log[c\*(d + e\*x^2)^p]^3,x]

[Out] (g\*p^3\*x\*(-18\*(d + e\*x^2)\*HypergeometricPFQ[{-1/2, 1, 1, 1, 1}, {2, 2, 2, 2}, (d + e\*x^2)/d] + 18\*(d + e\*x^2)\*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2, 2}, (d + e\*x^2)/d]\*Log[d + e\*x^2] - 9\*(d + e\*x^2)\*HypergeometricPFQ[{-1/2, 1, 1}, {2, 2}, (d + e\*x^2)/d]\*Log[d + e\*x^2]^2 + 2\*d\*Log[d + e\*x^2]^3 - 2\*d\*Sqrt[1 - (d + e\*x^2)/d]\*Log[d + e\*x^2]^3 + 2\*(d + e\*x^2)\*Sqrt[1 - (d + e\*x^2)/d]\*Log[d + e\*x^2]^3)/(6\*e\*Sqrt[1 - (d + e\*x^2)/d]) + (2\*d\*g\*p\*x\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2)/e + (6\*Sqrt[d]\*f\*p\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2)/Sqrt[e] - (2\*d^(3/2)\*g\*p\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2)/e^(3/2) + 3\*f\*p\*x\*Log[d + e\*x^2]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2 + g\*p\*x^3\*Log[d + e\*x^2]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2 + f\*x\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2\*(-6\*p - p\*Log[d + e\*x^2] + Log[c\*(d + e\*x^2)^p]) + (g\*x^3\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])^2\*(-2\*p - p\*Log[d + e\*x^2] + Log[c\*(d + e\*x^2)^p]))/3 + 3\*f\*p^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])\*(x\*Log[d + e\*x^2]^2 - (4\*((-I)\*Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]^2 + Sqrt[e]\*x\*(-2 + Log[d + e\*x^2]) - Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-2 + 2\*Log[(2\*Sqrt[d])/(Sqrt[d] + I\*Sqrt[e]\*x)] + Log[d + e\*x^2]) - I\*Sqrt[d]\*PolyLog[2, (I\*Sqrt[d] + Sqrt[e]\*x)/((-I)\*Sqrt[d] + Sqrt[e]\*x)]))/Sqrt[e]) + 3\*g\*p^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p])\*((x^3\*Log[d + e\*x^2]^2)/3 - (4\*((9\*I)\*d^(3/2))\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]^2 + 3\*d^(3/2)\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-8 + 6\*Log[(2\*Sqrt[d])/(Sqrt[d] + I\*Sqrt[e]\*x)] + 3\*Log[d + e\*x^2]) + Sqrt[e]\*x\*(24\*d - 2\*e\*x^2 + (-9\*d + 3\*e\*x^2)\*Log[d + e\*x^2]) + (9\*I)\*d^(3/2)\*PolyLog[2, (I\*Sqrt[d] + Sqrt[e]\*x)/((-I)\*Sqrt[d] + Sqrt[e]\*x)]))/(27\*e^(3/2))) + (f\*p^3\*(-48\*Sqrt[-d^2]\*Sqrt[d + e\*x^2]\*Sqrt[1 - d/(d + e\*x^2)]\*ArcSin[Sqrt[d]/Sqrt[d + e\*x^2]] - 6\*Sqrt[-d^2]\*Sqrt[1 - d/(d + e\*x^2)]\*(8\*Sqrt[d]\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, d/(d + e\*x^2)] + 4\*Sqr

```
t[d]*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, d/(d + e*x^2)]*Log[d +
e*x^2] + Sqrt[d + e*x^2]*ArcSin[Sqrt[d]/Sqrt[d + e*x^2]]*Log[d + e*x^2]^2)
+ Sqrt[-d]*e*x^2*(-48 + 24*Log[d + e*x^2] - 6*Log[d + e*x^2]^2 + Log[d + e*
x^2]^3) + 24*d*Sqrt[e*x^2]*ArcTanh[Sqrt[e*x^2]/Sqrt[-d]]*(Log[d + e*x^2] -
Log[(d + e*x^2)/d]) + 6*(-d)^(3/2)*Sqrt[1 - (d + e*x^2)/d]*(Log[(d + e*x^2)
/d]^2 - 4*Log[(d + e*x^2)/d]*Log[(1 + Sqrt[1 - (d + e*x^2)/d])/2] + 2*Log[(
1 + Sqrt[1 - (d + e*x^2)/d])/2]^2 - 4*PolyLog[2, 1/2 - Sqrt[1 - (d + e*x^2)
/d]/2]))/(Sqrt[-d]*e*x)
```

### Integral number [298]

$$\int (f + gx^3)^2 \log^3(c(d + ex^2)^p) dx$$

**[B]** time = 9.21294 (sec), size = 2539 ,normalized size = 2.26

Result too large to show

**[In]** Integrate[(f + g\*x^3)^2\*Log[c\*(d + e\*x^2)^p]^3,x]

```
[Out] (f*g*p^3*(d + e*x^2)*(45*d - 3*e*x^2 + (-42*d + 6*e*x^2)*Log[d + e*x^2] + 6
*(3*d - e*x^2)*Log[d + e*x^2]^2 - 4*(d - e*x^2)*Log[d + e*x^2]^3))/(8*e^2)
+ (g^2*p^3*x*(-280*d^3*HypergeometricPFQ[{-3/2, 1, 1, 1}, {2, 2, 2}, 1 + (e
*x^2)/d] - 280*d^2*e*x^2*HypergeometricPFQ[{-3/2, 1, 1, 1}, {2, 2, 2}, 1 +
(e*x^2)/d] - 112*d^3*HypergeometricPFQ[{-5/2, 1, 1, 1, 1}, {2, 2, 2, 2}, 1
+ (e*x^2)/d] - 112*d^2*e*x^2*HypergeometricPFQ[{-5/2, 1, 1, 1, 1}, {2, 2, 2
, 2}, 1 + (e*x^2)/d] + 280*d^3*HypergeometricPFQ[{-3/2, 1, 1, 1, 1}, {2, 2,
2, 2}, 1 + (e*x^2)/d] + 280*d^2*e*x^2*HypergeometricPFQ[{-3/2, 1, 1, 1, 1}
, {2, 2, 2, 2}, 1 + (e*x^2)/d] - 210*d^3*HypergeometricPFQ[{-1/2, 1, 1, 1,
1}, {2, 2, 2, 2}, 1 + (e*x^2)/d] - 210*d^2*e*x^2*HypergeometricPFQ[{-1/2, 1
, 1, 1, 1}, {2, 2, 2, 2}, 1 + (e*x^2)/d] + 16*d^3*Log[d + e*x^2] + 16*e^3*x
^6*Sqrt[-((e*x^2)/d)]*Log[d + e*x^2] + 280*d^3*HypergeometricPFQ[{-3/2, 1,
1}, {2, 2}, 1 + (e*x^2)/d]*Log[d + e*x^2] + 280*d^2*e*x^2*HypergeometricPFQ
[{-3/2, 1, 1}, {2, 2}, 1 + (e*x^2)/d]*Log[d + e*x^2] - 280*d^3*Hypergeometr
icPFQ[{-3/2, 1, 1, 1}, {2, 2, 2}, 1 + (e*x^2)/d]*Log[d + e*x^2] - 280*d^2*e
*x^2*HypergeometricPFQ[{-3/2, 1, 1, 1}, {2, 2, 2}, 1 + (e*x^2)/d]*Log[d + e
*x^2] + 210*d^3*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2, 2}, 1 + (e*x^2)/d
]*Log[d + e*x^2] + 210*d^2*e*x^2*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2,
2}, 1 + (e*x^2)/d]*Log[d + e*x^2] - 32*d^3*Log[d + e*x^2]^2 + 28*d*e^2*x^4*
Sqrt[-((e*x^2)/d)]*Log[d + e*x^2]^2 - 4*e^3*x^6*Sqrt[-((e*x^2)/d)]*Log[d +
e*x^2]^2 + 140*d^3*HypergeometricPFQ[{-3/2, 1, 1}, {2, 2}, 1 + (e*x^2)/d]*L
og[d + e*x^2]^2 + 140*d^2*e*x^2*HypergeometricPFQ[{-3/2, 1, 1}, {2, 2}, 1 +
(e*x^2)/d]*Log[d + e*x^2]^2 - 105*d^3*HypergeometricPFQ[{-1/2, 1, 1}, {2,
2}, 1 + (e*x^2)/d]*Log[d + e*x^2]^2 - 105*d^2*e*x^2*HypergeometricPFQ[{-1/2
, 1, 1}, {2, 2}, 1 + (e*x^2)/d]*Log[d + e*x^2]^2 + 10*d^3*Log[d + e*x^2]^3
+ 10*e^3*x^6*Sqrt[-((e*x^2)/d)]*Log[d + e*x^2]^3 + 56*d^2*(d + e*x^2)*Hyper
geometricPFQ[{-5/2, 1, 1, 1}, {2, 2, 2}, 1 + (e*x^2)/d]*(3 + 2*Log[d + e*x^
```



2]) - 56\*d^2\*(d + e\*x^2)\*HypergeometricPFQ[{-5/2, 1, 1}, {2, 2}, 1 + (e\*x^2)/d]\*(1 + 3\*Log[d + e\*x^2] + Log[d + e\*x^2]^2))/(70\*e^3\*Sqrt[-((e\*x^2)/d)]) - (3\*f\*g\*p^2\*(e\*x^2\*(-6\*d + e\*x^2) + (6\*d^2 + 4\*d\*e\*x^2 - 2\*e^2\*x^4)\*Log[d + e\*x^2] - 2\*(d^2 - e^2\*x^4)\*Log[d + e\*x^2]^2)\*(p\*Log[d + e\*x^2] - Log[c\*(d + e\*x^2)^p]))/(4\*e^2) + (3\*d\*f\*g\*p\*x^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/(2\*e) - (2\*d^2\*g^2\*p\*x^3\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/(7\*e^2) + (6\*d\*g^2\*p\*x^5\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/(35\*e) - (6\*Sqrt[d]\*(-7\*e^3\*f^2 + d^3\*g^2)\*p\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/(7\*e^(7/2)) - (3\*d^2\*f\*g\*p\*Log[d + e\*x^2]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/(2\*e^2) + (3\*p\*x\*(14\*f^2 + 7\*f\*g\*x^3 + 2\*g^2\*x^6)\*Log[d + e\*x^2]\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/14 - (g^2\*x^7\*(6\*p + 7\*p\*Log[d + e\*x^2] - 7\*Log[c\*(d + e\*x^2)^p]))\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/49 - (f\*g\*x^4\*(3\*p + 2\*p\*Log[d + e\*x^2] - 2\*Log[c\*(d + e\*x^2)^p]))\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2/4 + (x\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))^2\*(-42\*e^3\*f^2\*p + 6\*d^3\*g^2\*p + 7\*e^3\*f^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))/(7\*e^3) - (3\*f^2\*p^2\*(p\*Log[d + e\*x^2] - Log[c\*(d + e\*x^2)^p]))\*((4\*I)\*Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]^2 + 4\*Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-2 + 2\*Log[(2\*Sqrt[d])/(Sqrt[d] + I\*Sqrt[e]\*x)]) + Log[d + e\*x^2]) + Sqrt[e]\*x\*(8 - 4\*Log[d + e\*x^2] + Log[d + e\*x^2]^2) + (4\*I)\*Sqrt[d]\*PolyLog[2, (I\*Sqrt[d] + Sqrt[e]\*x)/((-I)\*Sqrt[d] + Sqrt[e]\*x)]))/Sqrt[e] + 3\*g^2\*p^2\*(-(p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]))\*((x^7\*Log[d + e\*x^2]^2)/7 - (4\*((11025\*I)\*d^(7/2)\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]^2 + 105\*d^(7/2)\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]]\*(-352 + 210\*Log[(2\*Sqrt[d])/(Sqrt[d] + I\*Sqrt[e]\*x)]) + 105\*Log[d + e\*x^2]) + Sqrt[e]\*x\*(36960\*d^3 - 4970\*d^2\*e\*x^2 + 1512\*d\*e^2\*x^4 - 450\*e^3\*x^6 - 105\*(105\*d^3 - 35\*d^2\*e\*x^2 + 21\*d\*e^2\*x^4 - 15\*e^3\*x^6)\*Log[d + e\*x^2]) + (11025\*I)\*d^(7/2)\*PolyLog[2, (I\*Sqrt[d] + Sqrt[e]\*x)/((-I)\*Sqrt[d] + Sqrt[e]\*x)]))/((77175\*e^(7/2))) + (f^2\*p^3\*(-48\*Sqrt[-d^2]\*Sqrt[(e\*x^2)/(d + e\*x^2)]\*Sqrt[d + e\*x^2]\*ArcSin[Sqrt[d]/Sqrt[d + e\*x^2]] + Sqrt[-d]\*e\*x^2\*(-48 + 24\*Log[d + e\*x^2] - 6\*Log[d + e\*x^2]^2 + Log[d + e\*x^2]^3) - 6\*Sqrt[-d^2]\*Sqrt[(e\*x^2)/(d + e\*x^2)]\*(8\*Sqrt[d]\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, d/(d + e\*x^2)] + Log[d + e\*x^2]\*(4\*Sqrt[d]\*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, d/(d + e\*x^2)] + Sqrt[d + e\*x^2]\*ArcSin[Sqrt[d]/Sqrt[d + e\*x^2]]\*Log[d + e\*x^2])) + 24\*d\*Sqrt[e\*x^2]\*ArcTanh[Sqrt[e\*x^2]/Sqrt[-d]]\*(Log[d + e\*x^2] - Log[1 + (e\*x^2)/d]) + 6\*(-d)^(3/2)\*Sqrt[-((e\*x^2)/d)]\*(Log[1 + (e\*x^2)/d]^2 - 4\*Log[1 + (e\*x^2)/d]\*Log[(1 + Sqrt[-((e\*x^2)/d)])]/2] + 2\*Log[(1 + Sqrt[-((e\*x^2)/d)])]/2]^2 - 4\*PolyLog[2, 1/2 - Sqrt[-((e\*x^2)/d)]/2]))/(Sqrt[-d]\*e\*x)

### Integral number [299]

$$\int (f + gx^3) \log^3 \left( c(d + ex^2)^p \right) dx$$

**[B]** time = 2.38113 (sec), size = 1066 ,normalized size = 2.06

$$-\frac{3}{16}gp^3x^4 + \frac{1}{4}g\log^3\left(c(ex^2+d)^p\right)x^4 - \frac{3}{8}gp\log^2\left(c(ex^2+d)^p\right)x^4 + \frac{3}{8}gp^2\log\left(c(ex^2+d)^p\right)x^4 + \frac{21dgp^3x^2}{8e} + \frac{3dgp\log^2\left(c(ex^2+d)^p\right)}{4e}$$

[In] Integrate[(f + g\*x^3)\*Log[c\*(d + e\*x^2)^p]^3,x]

[Out] (21\*d\*g\*p^3\*x^2)/(8\*e) - (3\*g\*p^3\*x^4)/16 - (3\*d^2\*g\*p^3\*Log[d + e\*x^2])/(8\*e^2) - (9\*d^2\*g\*p^2\*Log[c\*(d + e\*x^2)^p])/(4\*e^2) - (9\*d\*g\*p^2\*x^2\*Log[c\*(d + e\*x^2)^p])/(4\*e) + (3\*g\*p^2\*x^4\*Log[c\*(d + e\*x^2)^p])/8 + (9\*d^2\*g\*p\*Log[c\*(d + e\*x^2)^p]^2)/(8\*e^2) + (3\*d\*g\*p\*x^2\*Log[c\*(d + e\*x^2)^p]^2)/(4\*e) - (3\*g\*p\*x^4\*Log[c\*(d + e\*x^2)^p]^2)/8 - (d^2\*g\*Log[c\*(d + e\*x^2)^p]^3)/(4\*e^2) + (g\*x^4\*Log[c\*(d + e\*x^2)^p]^3)/4 + (6\*sqrt[d]\*f\*p\*ArcTan[(sqrt[e]\*x)/sqrt[d]]\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]^2/sqrt[e] + 3\*f\*p\*x\*Log[d + e\*x^2]\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]^2 + f\*x\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]^2\*(-6\*p - p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p] + 3\*f\*p^2\*(-p\*Log[d + e\*x^2]) + Log[c\*(d + e\*x^2)^p]\*(x\*Log[d + e\*x^2]^2 - 4\*((-1)\*sqrt[d]\*ArcTan[(sqrt[e]\*x)/sqrt[d]]^2 + sqrt[e]\*x\*(-2 + Log[d + e\*x^2]) - sqrt[d]\*ArcTan[(sqrt[e]\*x)/sqrt[d]]\*(-2 + 2\*Log[(2\*sqrt[d])/(sqrt[d] + I\*sqrt[e]\*x)] + Log[d + e\*x^2]) - I\*sqrt[d]\*PolyLog[2, (I\*sqrt[d] + sqrt[e]\*x)/((-1)\*sqrt[d] + sqrt[e]\*x)]))/sqrt[e]) + (f\*p^3\*(-48\*sqrt[-d^2]\*sqrt[d + e\*x^2]\*sqrt[1 - d/(d + e\*x^2)]\*ArcSin[sqrt[d]/sqrt[d + e\*x^2]] - 6\*sqrt[-d^2]\*sqrt[1 - d/(d + e\*x^2)]\*(8\*sqrt[d]\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, d/(d + e\*x^2)] + 4\*sqrt[d]\*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, d/(d + e\*x^2)]\*Log[d + e\*x^2] + sqrt[d + e\*x^2]\*ArcSin[sqrt[d]/sqrt[d + e\*x^2]]\*Log[d + e\*x^2]^2) + sqrt[-d]\*e\*x^2\*(-48 + 24\*Log[d + e\*x^2] - 6\*Log[d + e\*x^2]^2 + Log[d + e\*x^2]^3) + 24\*d\*sqrt[e\*x^2]\*ArcTanh[sqrt[e\*x^2]/sqrt[-d]]\*(Log[d + e\*x^2] - Log[(d + e\*x^2)/d]) + 6\*(-d)^(3/2)\*sqrt[1 - (d + e\*x^2)/d]\*(Log[(d + e\*x^2)/d]^2 - 4\*Log[(d + e\*x^2)/d]\*Log[(1 + sqrt[1 - (d + e\*x^2)/d])/2] + 2\*Log[(1 + sqrt[1 - (d + e\*x^2)/d])/2]^2 - 4\*PolyLog[2, 1/2 - sqrt[1 - (d + e\*x^2)/d]/2]))/sqrt[-d]\*e\*x)

**Integral number [485]**

$$\int x^2 \left( a + b \log \left( c \left( d + ex^{2/3} \right)^n \right) \right)^3 dx$$

**[B]** time = 9.0109 (sec), size = 3146 ,normalized size = 3.97

Result too large to show

[In] Integrate[x^2\*(a + b\*Log[c\*(d + e\*x^(2/3))^n])^3,x]

[Out] (b^3\*n^3\*x^(1/3)\*(32\*d^4 - 32\*d^4\*sqrt[1 - (d + e\*x^(2/3))/d] + 128\*d^3\*sqrt[1 - (d + e\*x^(2/3))/d]\*(d + e\*x^(2/3)) - 192\*d^2\*sqrt[1 - (d + e\*x^(2/3))

$$\begin{aligned}
& /d]*(d + e*x^{(2/3)})^2 + 128*d*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^3 \\
& - 32*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^4 + 1584*d^3*(d + e*x^{(2/3)}) \\
& * \text{HypergeometricPFQ}[\{-7/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e*x^{(2/3)})/d] - 4536 \\
& *d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-5/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e*x \\
& ^{(2/3)})/d] + 3780*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-3/2, 1, 1, 1\}, \{2 \\
& , 2, 2\}, (d + e*x^{(2/3)})/d] - 864*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-7 \\
& /2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e*x^{(2/3)})/d] + 3024*d^3*(d + e*x^{(2/3)}) \\
& )*\text{HypergeometricPFQ}[\{-5/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e*x^{(2/3)})/d] - \\
& 3780*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-3/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\} \\
& , (d + e*x^{(2/3)})/d] + 1890*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-1/2, 1, \\
& 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e*x^{(2/3)})/d] - 240*d^4*\text{Log}[d + e*x^{(2/3)}] + \\
& 240*d^4*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] - 672*d^3*\text{Sqrt}[1 - ( \\
& d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})*\text{Log}[d + e*x^{(2/3)}] + 576*d^2*\text{Sqrt}[1 - (d \\
& + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^2*\text{Log}[d + e*x^{(2/3)}] - 96*d*\text{Sqrt}[1 - (d + e \\
& *x^{(2/3)})/d]*(d + e*x^{(2/3)})^3*\text{Log}[d + e*x^{(2/3)}] - 48*\text{Sqrt}[1 - (d + e*x^{(2 \\
& /3)})/d]*(d + e*x^{(2/3)})^4*\text{Log}[d + e*x^{(2/3)}] - 3780*d^3*(d + e*x^{(2/3)})*\text{Hyp \\
& ergeometricPFQ}[\{-3/2, 1, 1\}, \{2, 2\}, (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] \\
& + 864*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-7/2, 1, 1, 1\}, \{2, 2, 2\}, (d \\
& + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] - 3024*d^3*(d + e*x^{(2/3)})*\text{Hypergeometri \\
& cPFQ}[\{-5/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] + 37 \\
& 80*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-3/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e \\
& *x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] - 1890*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPF \\
& Q}[\{-1/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}] + 284*d \\
& ^4*\text{Log}[d + e*x^{(2/3)}]^2 - 284*d^4*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{( \\
& 2/3)}]^2 + 668*d^3*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})*\text{Log}[d + e*x^{( \\
& 2/3)}]^2 - 552*d^2*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^2*\text{Log}[d + e*x \\
& ^{(2/3)}]^2 + 236*d*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^3*\text{Log}[d + e*x \\
& ^{(2/3)}]^2 - 68*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^4*\text{Log}[d + e*x^{(2 \\
& /3)}]^2 - 1890*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-3/2, 1, 1\}, \{2, 2\}, ( \\
& d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}]^2 + 945*d^3*(d + e*x^{(2/3)})*\text{Hypergeome \\
& tricPFQ}[\{-1/2, 1, 1\}, \{2, 2\}, (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{(2/3)}]^2 - 70* \\
& d^4*\text{Log}[d + e*x^{(2/3)}]^3 + 70*d^4*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*\text{Log}[d + e*x^{( \\
& 2/3)}]^3 - 280*d^3*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})*\text{Log}[d + e*x^{( \\
& 2/3)}]^3 + 420*d^2*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^2*\text{Log}[d + e*x \\
& ^{(2/3)}]^3 - 280*d*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^3*\text{Log}[d + e*x \\
& ^{(2/3)}]^3 + 70*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^4*\text{Log}[d + e*x^{(2 \\
& /3)}]^3 + 1512*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-5/2, 1, 1\}, \{2, 2\}, ( \\
& d + e*x^{(2/3)})/d]*(1 + 3*\text{Log}[d + e*x^{(2/3)}] + \text{Log}[d + e*x^{(2/3)}]^2) - 144*d \\
& ^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-7/2, 1, 1\}, \{2, 2\}, (d + e*x^{(2/3)})/ \\
& d]*(6 + 11*\text{Log}[d + e*x^{(2/3)}] + 3*\text{Log}[d + e*x^{(2/3)}]^2))/(210*e^4*\text{Sqrt}[1 - \\
& (d + e*x^{(2/3)})/d]) + (b^2*n^2*x^{(1/3)}*(-120*d^4 + 120*d^4*\text{Sqrt}[1 - (d + e \\
& *x^{(2/3)})/d] - 336*d^3*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)}) + 288*d^ \\
& 2*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^2 - 48*d*\text{Sqrt}[1 - (d + e*x^{(2 \\
& /3)})/d]*(d + e*x^{(2/3)})^3 - 24*\text{Sqrt}[1 - (d + e*x^{(2/3)})/d]*(d + e*x^{(2/3)})^ \\
& 4 - 1890*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-3/2, 1, 1\}, \{2, 2\}, (d + e \\
& *x^{(2/3)})/d] + 432*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{-7/2, 1, 1, 1\}, \{ \\
& 2, 2, 2\}, (d + e*x^{(2/3)})/d] - 1512*d^3*(d + e*x^{(2/3)})*\text{HypergeometricPFQ}[\{ \\
& -5/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e*x^{(2/3)})/d] + 1890*d^3*(d + e*x^{(2/3)})*\text{Hy}
\end{aligned}$$

```

pergeometricPFQ[{-3/2, 1, 1, 1}, {2, 2, 2}, (d + e*x^(2/3))/d] - 945*d^3*(d
+ e*x^(2/3))*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2, 2}, (d + e*x^(2/3))
/d] + 284*d^4*Log[d + e*x^(2/3)] - 284*d^4*Sqrt[1 - (d + e*x^(2/3))/d]*Log[
d + e*x^(2/3)] + 668*d^3*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))*Log[d
+ e*x^(2/3)] - 552*d^2*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^2*Log[d
+ e*x^(2/3)] + 236*d*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^3*Log[d +
e*x^(2/3)] - 68*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^4*Log[d + e*x^(
2/3)] - 1890*d^3*(d + e*x^(2/3))*HypergeometricPFQ[{-3/2, 1, 1}, {2, 2}, (d
+ e*x^(2/3))/d]*Log[d + e*x^(2/3)] + 945*d^3*(d + e*x^(2/3))*Hypergeometri
cPFQ[{-1/2, 1, 1}, {2, 2}, (d + e*x^(2/3))/d]*Log[d + e*x^(2/3)] - 105*d^4*
Log[d + e*x^(2/3)]^2 + 105*d^4*Sqrt[1 - (d + e*x^(2/3))/d]*Log[d + e*x^(2/3
)]^2 - 420*d^3*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))*Log[d + e*x^(2/3
)]^2 + 630*d^2*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^2*Log[d + e*x^(2
/3)]^2 - 420*d*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^3*Log[d + e*x^(2
/3)]^2 + 105*Sqrt[1 - (d + e*x^(2/3))/d]*(d + e*x^(2/3))^4*Log[d + e*x^(2/3
)]^2 + 756*d^3*(d + e*x^(2/3))*HypergeometricPFQ[{-5/2, 1, 1}, {2, 2}, (d +
e*x^(2/3))/d]*(3 + 2*Log[d + e*x^(2/3)]) - 72*d^3*(d + e*x^(2/3))*Hypergeo
metricPFQ[{-7/2, 1, 1}, {2, 2}, (d + e*x^(2/3))/d]*(11 + 6*Log[d + e*x^(2/3
)]))*(a + b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))/(105*e^4
*Sqrt[1 - (d + e*x^(2/3))/d]) - (2*b*d^4*n*x^(1/3)*(a + b*(-(n*Log[d + e*x^
(2/3)]) + Log[c*(d + e*x^(2/3))^n]))^2)/e^4 + (2*b*d^3*n*x*(a + b*(-(n*Log[
d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))^2)/(3*e^3) - (2*b*d^2*n*x^(5/3
))*(a + b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))^2)/(5*e^2) +
(2*b*d*n*x^(7/3)*(a + b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n
]))^2)/(7*e) + (2*b*d^(9/2)*n*ArcTan[(Sqrt[e]*x^(1/3))/Sqrt[d]]*(a + b*(-(n
*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))^2)/e^(9/2) + b*n*x^3*Log[
d + e*x^(2/3)]*(a + b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))
^2 + (x^3*(a + b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n]))^2*(3
*a - 2*b*n + 3*b*(-(n*Log[d + e*x^(2/3)]) + Log[c*(d + e*x^(2/3))^n])))/9

```

### Integral number [486]

$$\int \left( a + b \log \left( c \left( d + ex^{2/3} \right)^n \right) \right)^3 dx$$

**[A]** time = 1.24265 (sec), size = 598 ,normalized size = 1.23

$$\frac{3b^2n^2x \left( -a - b \log \left( c \left( d + ex^{2/3} \right)^n \right) + bn \log \left( d + ex^{2/3} \right) \right) \left( 3 \left( d + ex^{2/3} \right) {}_4F_3 \left( -\frac{1}{2}, 1, 1, 1; 2, 2, 2; \frac{x^{2/3}e}{d} + 1 \right) + \log \left( d + ex^{2/3} \right) \left( \left( d - d \left( -\frac{ex^{2/3}}{d} \right) \right) \right)}{d \left( -\frac{ex^{2/3}}{d} \right)^{3/2}}$$

**[In]** Integrate[(a + b\*Log[c\*(d + e\*x^(2/3))^n])^3,x]

**[Out]** -(b^3\*n^3\*x\*(-18\*(d + e\*x^(2/3))\*HypergeometricPFQ[{-1/2, 1, 1, 1, 1}, {2, 2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(2/3)]\*(18\*(d + e\*x^(2/3))\*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(

2/3)]\*(-9\*(d + e\*x^(2/3))\*HypergeometricPFQ[{-1/2, 1, 1}, {2, 2}, 1 + (e\*x^(2/3))/d] + 2\*(d - d\*(-((e\*x^(2/3))/d))^(3/2))\*Log[d + e\*x^(2/3)])))/(2\*d\*(-((e\*x^(2/3))/d))^(3/2)) + (3\*b^2\*n^2\*x\*(3\*(d + e\*x^(2/3))\*HypergeometricPFQ[{-1/2, 1, 1, 1}, {2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(2/3)]\*(-3\*(d + e\*x^(2/3))\*HypergeometricPFQ[{-1/2, 1, 1}, {2, 2}, 1 + (e\*x^(2/3))/d] + (d - d\*(-((e\*x^(2/3))/d))^(3/2))\*Log[d + e\*x^(2/3)]))\*(-a + b\*n\*Log[d + e\*x^(2/3)] - b\*Log[c\*(d + e\*x^(2/3))^n])/(d\*(-((e\*x^(2/3))/d))^(3/2)) + (6\*b\*d\*n\*x^(1/3)\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2)/e - (6\*b\*d^(3/2)\*n\*ArcTan[(Sqrt[e]\*x^(1/3))/Sqrt[d]]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2)/e^(3/2) + 3\*b\*n\*x\*Log[d + e\*x^(2/3)]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 + x\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2\*(a - 2\*b\*n - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])

### Integral number [487]

$$\int \frac{\left(a + b \log\left(c\left(d + ex^{2/3}\right)^n\right)\right)^3}{x^2} dx$$

[B] time = 7.16765 (sec), size = 1028 ,normalized size = 3.23

$$b^3 \left( \frac{d^{5/2} \log^3(d + ex^{2/3})}{\sqrt{-d}} + 6\sqrt{-d} (d + ex^{2/3})^{3/2} \left( \frac{ex^{2/3}}{d + ex^{2/3}} \right)^{3/2} \sin^{-1} \left( \frac{\sqrt{d}}{\sqrt{d + ex^{2/3}}} \right) \log^2(d + ex^{2/3}) - 6\sqrt{-d^2} ex^{2/3} \log^2(d + ex^{2/3}) - 24\sqrt{d} (ex^{2/3})^3 \right)$$

[In] Integrate[(a + b\*Log[c\*(d + e\*x^(2/3))^n])^3/x^2,x]

[Out] (-3\*b^2\*n^2\*(-3\*d\*(d + e\*x^(2/3))\*(-((e\*x^(2/3))/d))^(3/2)\*HypergeometricPFQ[{1, 1, 1, 5/2}, {2, 2, 2}, 1 + (e\*x^(2/3))/d] - d\*Log[d + e\*x^(2/3)]\*(-4\*e\*(-1 + Sqrt[-((e\*x^(2/3))/d)])\*x^(2/3) + 4\*d\*(-((e\*x^(2/3))/d))^(3/2)\*Log[(1 + Sqrt[-((e\*x^(2/3))/d)])]/2] + (d - d\*(-((e\*x^(2/3))/d))^(3/2))\*Log[d + e\*x^(2/3)]))\*(-a + b\*n\*Log[d + e\*x^(2/3)] - b\*Log[c\*(d + e\*x^(2/3))^n])/(d^2\*x) - (6\*b\*e\*n\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2)/(d\*x^(1/3)) - (6\*b\*e^(3/2)\*n\*ArcTan[(Sqrt[e]\*x^(1/3))/Sqrt[d]]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2)/d^(3/2) - (3\*b\*n\*Log[d + e\*x^(2/3)]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2)/x - (a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^3/x + (b^3\*n^3\*(48\*Sqrt[-d^2]\*e\*Sqrt[(e\*x^(2/3))/(d + e\*x^(2/3))]\*x^(2/3)\*HypergeometricPFQ[{1/2, 1/2, 1/2, 1/2}, {3/2, 3/2, 3/2}, d/(d + e\*x^(2/3))] - 12\*d\*Sqrt[-d^2]\*(-((e\*x^(2/3))/d))^(3/2)\*Log[(1 + Sqrt[-((e\*x^(2/3))/d)])]/2]^2 - 24\*Sqrt[d]\*(e\*x^(2/3))^(3/2)\*ArcTanh[Sqrt[e\*x^(2/3)]/Sqrt[-d]]\*Log[d + e\*x^(2/3)] + 24\*Sqrt[-d^2]\*e\*Sqrt[(e\*x^(2/3))/(d + e\*x^(2/3))]\*x^(2/3)\*HypergeometricPFQ[{1/2, 1/2, 1/2}, {3/2, 3/2}, d/(d + e\*x^(2/3))]\*Log[d + e\*x^(2/3)] - 6\*Sqrt[-d^2]\*e\*x^(2/3)\*Log[d + e\*x^(2/3)]^2 + 6\*Sqrt[-d]\*(d + e\*x^(2/3))^(3/2)\*(-((e\*x^(2/3))/d))^(3/2)\*ArcSin[Sqrt[d]/Sqrt[d + e\*x^(2/3)]]\*Log[d + e\*x^(2/3)]^2 + (d^(5/2)\*Log[d + e\*x^(2/3)]^3)/Sqrt[-d] + 24\*Sqrt[d]\*

$(e^{x^{2/3}})^{3/2} \operatorname{ArcTanh}[\operatorname{Sqrt}[e^{x^{2/3}}]/\operatorname{Sqrt}[-d]] \operatorname{Log}[1 + (e^{x^{2/3}})/d]$   
 $+ 24*d*\operatorname{Sqrt}[-d^2]*(-(e^{x^{2/3}})/d)^{3/2} \operatorname{Log}[(1 + \operatorname{Sqrt}[-(e^{x^{2/3}})/d])]$   
 $/2] \operatorname{Log}[1 + (e^{x^{2/3}})/d] - 6*d*\operatorname{Sqrt}[-d^2]*(-(e^{x^{2/3}})/d)^{3/2} \operatorname{Log}[1$   
 $+ (e^{x^{2/3}})/d]^2 + 24*d*\operatorname{Sqrt}[-d^2]*(-(e^{x^{2/3}})/d)^{3/2} \operatorname{PolyLog}[2, 1/$   
 $2 - \operatorname{Sqrt}[-(e^{x^{2/3}})/d]/2])]/(\operatorname{Sqrt}[-d]*d^{3/2}*x)$

### Integral number [488]

$$\int \frac{\left(a + b \log\left(c\left(d + ex^{2/3}\right)^n\right)\right)^3}{x^4} dx$$

[A] time = 2.8917 (sec), size = 803 ,normalized size = 1.27

$$-70\left(a - bn \log\left(d + ex^{2/3}\right) + b \log\left(c\left(d + ex^{2/3}\right)^n\right)\right)^3 d^5 - 210bn \log\left(d + ex^{2/3}\right)\left(a - bn \log\left(d + ex^{2/3}\right) + b \log\left(c\left(d + ex^{2/3}\right)^n\right)\right)^2 d^5 -$$

[In] Integrate[(a + b\*Log[c\*(d + e\*x^(2/3))^n])^3/x^4, x]

[Out] (35\*b^3\*n^3\*(54\*e^4\*(d + e\*x^(2/3))\*Sqrt[-(e\*x^(2/3))/d])\*x^(8/3)\*HypergeometricPFQ[{1, 1, 1, 1, 11/2}, {2, 2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(2/3)]\*(54\*d\*e^3\*(d + e\*x^(2/3))\*(-(e\*x^(2/3))/d)^(3/2)\*x^2\*HypergeometricPFQ[{1, 1, 1, 11/2}, {2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(2/3)]\*(27\*e^4\*(d + e\*x^(2/3))\*Sqrt[-(e\*x^(2/3))/d])\*x^(8/3)\*HypergeometricPFQ[{1, 1, 1, 11/2}, {2, 2}, 1 + (e\*x^(2/3))/d] - 2\*d\*(d^4 + d\*e^3\*(-(e\*x^(2/3))/d)^(3/2)\*x^2)\*Log[d + e\*x^(2/3)])) + (210\*b^2\*n^2\*(-9\*e^5\*(d + e\*x^(2/3))\*x^(10/3)\*HypergeometricPFQ[{1, 1, 1, 11/2}, {2, 2, 2}, 1 + (e\*x^(2/3))/d] + Log[d + e\*x^(2/3)]\*(9\*e^5\*(d + e\*x^(2/3))\*x^(10/3)\*HypergeometricPFQ[{1, 1, 11/2}, {2, 2}, 1 + (e\*x^(2/3))/d] + d\*(d^5\*Sqrt[-(e\*x^(2/3))/d] + e^5\*x^(10/3))\*Log[d + e\*x^(2/3)]))\*(-a + b\*n\*Log[d + e\*x^(2/3)] - b\*Log[c\*(d + e\*x^(2/3))^n])/(d\*Sqrt[-(e\*x^(2/3))/d]) - 60\*b\*d^4\*e\*n\*x^(2/3)\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 + 84\*b\*d^3\*e^2\*n\*x^(4/3)\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 - 140\*b\*d^2\*e^3\*n\*x^2\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 + 420\*b\*d\*e^4\*n\*x^(8/3)\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 + 420\*b\*Sqrt[d]\*e^(9/2)\*n\*x^3\*ArcTan[(Sqrt[e]\*x^(1/3))/Sqrt[d]]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 - 210\*b\*d^5\*n\*Log[d + e\*x^(2/3)]\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^2 - 70\*d^5\*(a - b\*n\*Log[d + e\*x^(2/3)] + b\*Log[c\*(d + e\*x^(2/3))^n])^3)/(210\*d^5\*x^3)

### Integral number [528]

$$\int x^2 \left(a + b \log\left(c\left(d + \frac{e}{x^{2/3}}\right)^n\right)\right)^3 dx$$

[A] time = 4.8286 (sec), size = 764 ,normalized size = 0.6

$$\frac{b^2 n^2 \left( -a - b \log \left( c \left( d + \frac{e}{x^{2/3}} \right)^n \right) + b n \log \left( d + \frac{e}{x^{2/3}} \right) \right) \left( \log \left( d + \frac{e}{x^{2/3}} \right) \left( 9e^5 \left( dx^{2/3} + e \right) {}_3F_2 \left( 1, 1, \frac{11}{2}; 2, 2; \frac{e}{dx^{2/3}} + 1 \right) + dx^{2/3} \left( d^5 x^{10/3} \sqrt{-\frac{e}{dx^{2/3}}} \right) \right) \right)}{d^6 x \sqrt{-\frac{e}{dx^{2/3}}}}$$

[In] Integrate[x^2\*(a + b\*Log[c\*(d + e/x^(2/3))^n])^3,x]

[Out] (b^3\*n^3\*(54\*e^5\*(e + d\*x^(2/3))\*HypergeometricPFQ[{1, 1, 1, 1, 11/2}, {2, 2, 2}, 1 + e/(d\*x^(2/3))] + Log[d + e/x^(2/3)]\*(-54\*e^5\*(e + d\*x^(2/3))\*HypergeometricPFQ[{1, 1, 1, 11/2}, {2, 2, 2}, 1 + e/(d\*x^(2/3))] + Log[d + e/x^(2/3)]\*(27\*e^5\*(e + d\*x^(2/3))\*HypergeometricPFQ[{1, 1, 11/2}, {2, 2}, 1 + e/(d\*x^(2/3))] + 2\*d\*x^(2/3)\*(e^5 + d^5\*Sqrt[-(e/(d\*x^(2/3)))])\*x^(10/3))\*Log[d + e/x^(2/3)])))/(6\*d^6\*Sqrt[-(e/(d\*x^(2/3)))]\*x) - (b^2\*n^2\*(-9\*e^5\*(e + d\*x^(2/3))\*HypergeometricPFQ[{1, 1, 1, 11/2}, {2, 2, 2}, 1 + e/(d\*x^(2/3))] + Log[d + e/x^(2/3)]\*(9\*e^5\*(e + d\*x^(2/3))\*HypergeometricPFQ[{1, 1, 11/2}, {2, 2}, 1 + e/(d\*x^(2/3))] + d\*x^(2/3)\*(e^5 + d^5\*Sqrt[-(e/(d\*x^(2/3)))])\*x^(10/3))\*Log[d + e/x^(2/3)])))\*(-a + b\*n\*Log[d + e/x^(2/3)] - b\*Log[c\*(d + e/x^(2/3))^n])/(d^6\*Sqrt[-(e/(d\*x^(2/3)))]\*x) - (2\*b\*e^4\*n\*x^(1/3)\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2/d^4 + (2\*b\*e^3\*n\*x\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2)/(3\*d^3) - (2\*b\*e^2\*n\*x^(5/3)\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2)/(5\*d^2) + (2\*b\*e\*n\*x^(7/3)\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2)/(7\*d) + (2\*b\*e^(9/2)\*n\*ArcTan[(Sqrt[d]\*x^(1/3))/Sqrt[e]]\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2/d^(9/2) + b\*n\*x^3\*Log[d + e/x^(2/3)]\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^2 + (x^3\*(a - b\*n\*Log[d + e/x^(2/3)] + b\*Log[c\*(d + e/x^(2/3))^n])^3)/3

**Integral number [529]**

$$\int \left( a + b \log \left( c \left( d + \frac{e}{x^{2/3}} \right)^n \right) \right)^3 dx$$

[A] time = 5.68845 (sec), size = 824 ,normalized size = 1.12

$$b^3 \sqrt[3]{x} \left( \sqrt{d} \left( 6e + dx^{2/3} \log \left( d + \frac{e}{x^{2/3}} \right) \right) \log^2 \left( d + \frac{e}{x^{2/3}} \right) - 6e \sqrt{\frac{e}{x^{2/3}d+e}} \left( 8\sqrt{d} {}_4F_3 \left( \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}; \frac{3}{2}, \frac{3}{2}, \frac{3}{2}; \frac{d}{d+\frac{e}{x^{2/3}}} \right) + \log \left( d + \frac{e}{x^{2/3}} \right) \right) \left( 4\sqrt{d} {}_3F_2 \left( \frac{1}{2}, \frac{1}{2}, \frac{1}{2}; 2, 2; \frac{e}{dx^{2/3}} + 1 \right) + dx^{2/3} \left( d^5 x^{10/3} \sqrt{-\frac{e}{dx^{2/3}}} \right) \right) \right)$$

[In] Integrate[(a + b\*Log[c\*(d + e/x^(2/3))^n])^3,x]

[Out]  $(3*b^2*n^2*(-3*e^2*(e + d*x^{(2/3)})*HypergeometricPFQ[\{1, 1, 1, 5/2\}, \{2, 2, 2\}, 1 + e/(d*x^{(2/3)})]) - d*x^{(2/3)}*Log[d + e/x^{(2/3)}]*(4*e*(e - e/Sqrt[-(e/(d*x^{(2/3)})])) + 4*e^2*Log[(1 + Sqrt[-(e/(d*x^{(2/3)})]))/2] + (-e^2 + d^2*Sqrt[-(e/(d*x^{(2/3)})]))*x^{(4/3)})*Log[d + e/x^{(2/3)}]))*(-a + b*n*Log[d + e/x^{(2/3)}] - b*Log[c*(d + e/x^{(2/3)})^n]))/(d^3*Sqrt[-(e/(d*x^{(2/3)})]))*x + (6*b*e*n*x^{(1/3)}*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2)/d - (6*b*e^{(3/2)}*n*ArcTan[(Sqrt[d]*x^{(1/3)})/Sqrt[e]]*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2)/d^{(3/2)} + 3*b*n*x*Log[d + e/x^{(2/3)}]*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2 + x*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^3 + (b^3*n^3*x^{(1/3)}*(Sqrt[d]*Log[d + e/x^{(2/3)}]^2*(6*e + d*x^{(2/3)}*Log[d + e/x^{(2/3)}]) - 6*e*Sqrt[e/(e + d*x^{(2/3)})]*(8*Sqrt[d]*HypergeometricPFQ[\{1/2, 1/2, 1/2, 1/2\}, \{3/2, 3/2, 3/2\}, d/(d + e/x^{(2/3)})]) + Log[d + e/x^{(2/3)}]*(4*Sqrt[d]*HypergeometricPFQ[\{1/2, 1/2, 1/2\}, \{3/2, 3/2\}, d/(d + e/x^{(2/3)})]) + Sqrt[d + e/x^{(2/3)}]*ArcSin[Sqrt[d]/Sqrt[d + e/x^{(2/3)}]]*Log[d + e/x^{(2/3)}])) + 6*Sqrt[d]*e*((4*Sqrt[e/x^{(2/3)}]*ArcTanh[Sqrt[e/x^{(2/3)})/Sqrt[-d]]*(Log[d + e/x^{(2/3)}] - Log[1 + e/(d*x^{(2/3)})]))/Sqrt[-d] - Sqrt[-(e/(d*x^{(2/3)})])*(2*Log[(1 + Sqrt[-(e/(d*x^{(2/3)})]))/2] - 4*Log[(1 + Sqrt[-(e/(d*x^{(2/3)})]))/2]*Log[1 + e/(d*x^{(2/3)})] + Log[1 + e/(d*x^{(2/3)})]^2 - 4*PolyLog[2, 1/2 - Sqrt[-(e/(d*x^{(2/3)})])]/2])))/d^{(3/2)}$

### Integral number [530]

$$\int \frac{\left(a + b \log\left(c\left(d + \frac{e}{x^{2/3}}\right)^n\right)\right)^3}{x^2} dx$$

[B] time = 2.23848 (sec), size = 1097 ,normalized size = 2.28

$$\frac{b^3 \left(18 \left(x^{2/3}d + e\right) {}_5F_4\left(-\frac{1}{2}, 1, 1, 1, 1; 2, 2, 2, 2; \frac{e}{dx^{2/3}} + 1\right) - \log\left(d + \frac{e}{x^{2/3}}\right) \left(18 \left(x^{2/3}d + e\right) {}_4F_3\left(-\frac{1}{2}, 1, 1, 1; 2, 2, 2; \frac{e}{dx^{2/3}} + 1\right) + \log\left(d + \frac{e}{x^{2/3}}\right)\right)}{2e\sqrt{-\frac{e}{dx^{2/3}}}x}$$

[In] Integrate[(a + b\*Log[c\*(d + e/x^{(2/3)})^n])^3/x^2, x]

[Out]  $(b^3*n^3*(18*(e + d*x^{(2/3)})*HypergeometricPFQ[\{-1/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, 1 + e/(d*x^{(2/3)})]) - Log[d + e/x^{(2/3)}]*(18*(e + d*x^{(2/3)})*HypergeometricPFQ[\{-1/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, 1 + e/(d*x^{(2/3)})]) + Log[d + e/x^{(2/3)}]*(-9*(e + d*x^{(2/3)})*HypergeometricPFQ[\{-1/2, 1, 1, 1\}, \{2, 2, 2\}, 1 + e/(d*x^{(2/3)})]) + 2*(e*Sqrt[-(e/(d*x^{(2/3)})])) + d*x^{(2/3)}*Log[d + e/x^{(2/3)}])))/(2*e*Sqrt[-(e/(d*x^{(2/3)})]))*x - (6*b*d*n*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2)/(e*x^{(1/3)}) - (6*b*d^{(3/2)}*n*ArcTan[(Sqrt[d]*x^{(1/3)})/Sqrt[e]]*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2)/e^{(3/2)} - (3*b*n*Log[d + e/x^{(2/3)}]*(a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2)/x - ((a - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n])^2*(a - 2*b*n - b*n*Log[d + e/x^{(2/3)}] + b*Log[c*(d + e/x^{(2/3)})^n]))/x + (b^2*n^2*(-a + b*n*Log[d + e/x^{(2/3)}] - b*Log[c*(d + e/x^{(2/3)})^n])*$



$(8e^{3/2} - 96d\sqrt{e}x^{2/3} + 96d^{3/2}x\text{ArcTan}[\sqrt{e}/(\sqrt{d}x^{1/3})]) - 12e^{3/2}\text{Log}[d + e/x^{2/3}] + 36d\sqrt{e}x^{2/3}\text{Log}[d + e/x^{2/3}] + 9e^{3/2}\text{Log}[d + e/x^{2/3}]^2 + 18\sqrt{-d}d*x*\text{Log}[d + e/x^{2/3}]*\text{Log}[\sqrt{e} - \sqrt{-d}x^{1/3}] + 9(-d)^{3/2}x*\text{Log}[\sqrt{e} - \sqrt{-d}x^{1/3}]^2 + 18(-d)^{3/2}x*\text{Log}[d + e/x^{2/3}]*\text{Log}[\sqrt{e} + \sqrt{-d}x^{1/3}] + 9\sqrt{-d}d*x*\text{Log}[\sqrt{e} + \sqrt{-d}x^{1/3}]^2 + 18\sqrt{-d}d*x*\text{Log}[\sqrt{e} + \sqrt{-d}x^{1/3}]*\text{Log}[1/2 - (\sqrt{-d}x^{1/3})/(2\sqrt{e})] + 18(-d)^{3/2}x*\text{Log}[\sqrt{e} - \sqrt{-d}x^{1/3}]*\text{Log}[(1 + (\sqrt{-d}x^{1/3})/\sqrt{e})/2] + 36(-d)^{3/2}x*\text{Log}[\sqrt{e} + \sqrt{-d}x^{1/3}]*\text{Log}[-((\sqrt{-d}x^{1/3})/\sqrt{e})] + 36\sqrt{-d}d*x*\text{Log}[\sqrt{e} - \sqrt{-d}x^{1/3}]*\text{Log}[(\sqrt{-d}x^{1/3})/\sqrt{e}] + 36\sqrt{-d}d*x*\text{PolyLog}[2, 1 - (\sqrt{-d}x^{1/3})/\sqrt{e}] + 18(-d)^{3/2}x*\text{PolyLog}[2, 1/2 - (\sqrt{-d}x^{1/3})/(2\sqrt{e})] + 18\sqrt{-d}d*x*\text{PolyLog}[2, (1 + (\sqrt{-d}x^{1/3})/\sqrt{e})/2] + 36(-d)^{3/2}x*\text{PolyLog}[2, 1 + (\sqrt{-d}x^{1/3})/\sqrt{e}])]/(3e^{3/2}x)$

### Integral number [531]

$$\int \frac{\left(a + b \log\left(c\left(d + \frac{e}{x^{2/3}}\right)^n\right)\right)^3}{x^4} dx$$

**[B]** time = 9.0079 (sec), size = 2858 ,normalized size = 3.65

Result too large to show

**[In]** Integrate[(a + b\*Log[c\*(d + e/x^(2/3))^n])^3/x^4,x]

**[Out]**  $-(b^3n^3(32d^4 - 32d^4\sqrt{1 - (d + e/x^{2/3})/d}] + 128d^3\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3}) - 192d^2\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^2 + 128d\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^3 - 32\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^4 + 1584d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-7/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{2/3})/d] - 4536d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-5/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{2/3})/d] + 3780d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-3/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{2/3})/d] - 864d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-7/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e/x^{2/3})/d] + 3024d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-5/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e/x^{2/3})/d] - 3780d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-3/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e/x^{2/3})/d] + 1890d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-1/2, 1, 1, 1, 1\}, \{2, 2, 2, 2\}, (d + e/x^{2/3})/d] - 240d^4*\text{Log}[d + e/x^{2/3}] + 240d^4*\sqrt{1 - (d + e/x^{2/3})/d}*\text{Log}[d + e/x^{2/3}] - 672d^3*\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})*\text{Log}[d + e/x^{2/3}] + 576d^2*\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^2*\text{Log}[d + e/x^{2/3}] - 96d*\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^3*\text{Log}[d + e/x^{2/3}] - 48\sqrt{1 - (d + e/x^{2/3})/d}*(d + e/x^{2/3})^4*\text{Log}[d + e/x^{2/3}] - 3780d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-3/2, 1, 1\}, \{2, 2\}, (d + e/x^{2/3})/d]*\text{Log}[d + e/x^{2/3}] + 864d^3*(d + e/x^{2/3})*\text{HypergeometricPFQ}[\{-7/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{2/3})/d]$

$$\begin{aligned}
& 2/3)/d] * \text{Log}[d + e/x^{(2/3)}] - 3024*d^3*(d + e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-5/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}] + 3780*d^3 * \\
& (d + e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-3/2, 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}] - 1890*d^3*(d + e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-1/2, \\
& , 1, 1, 1\}, \{2, 2, 2\}, (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}] + 284*d^4 * \text{Log}[ \\
& d + e/x^{(2/3)}]^2 - 284*d^4 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}]^2 \\
& + 668*d^3 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)}) * \text{Log}[d + e/x^{(2/3)}]^2 \\
& - 552*d^2 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^2 * \text{Log}[d + e/x^{(2/3)}] \\
& ^2 + 236*d * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^3 * \text{Log}[d + e/x^{(2/3)}] \\
& ^2 - 68 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^4 * \text{Log}[d + e/x^{(2/3)}]^2 \\
& - 1890*d^3*(d + e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-3/2, 1, 1\}, \{2, 2\}, (d + e/x \\
& ^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}]^2 + 945*d^3*(d + e/x^{(2/3)}) * \text{HypergeometricPFQ} \\
& [\{-1/2, 1, 1\}, \{2, 2\}, (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}]^2 - 70*d^4 * \text{Log} \\
& [d + e/x^{(2/3)}]^3 + 70*d^4 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * \text{Log}[d + e/x^{(2/3)}]^3 \\
& - 280*d^3 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)}) * \text{Log}[d + e/x^{(2/3)}]^3 \\
& + 420*d^2 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^2 * \text{Log}[d + e/x^{(2/3)}] \\
& ^3 - 280*d * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^3 * \text{Log}[d + e/x^{(2/3)}] \\
& ^3 + 70 * \text{Sqrt}[1 - (d + e/x^{(2/3)})/d] * (d + e/x^{(2/3)})^4 * \text{Log}[d + e/x^{(2/3)}]^3 \\
& + 1512*d^3*(d + e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-5/2, 1, 1\}, \{2, 2\}, (d + e/x \\
& ^{(2/3)})/d] * (1 + 3 * \text{Log}[d + e/x^{(2/3)}] + \text{Log}[d + e/x^{(2/3)}]^2) - 144*d^3*(d + \\
& e/x^{(2/3)}) * \text{HypergeometricPFQ}[\{-7/2, 1, 1\}, \{2, 2\}, (d + e/x^{(2/3)})/d] * (6 + \\
& 11 * \text{Log}[d + e/x^{(2/3)}] + 3 * \text{Log}[d + e/x^{(2/3)}]^2)) / (210 * e^4 * \text{Sqrt}[1 - (d + e \\
& /x^{(2/3)})/d] * x^{(1/3)}) - (2 * b * d * n * (a + b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d \\
& + e/x^{(2/3)})^n])^2) / (7 * e * x^{(7/3)}) + (2 * b * d^2 * n * (a + b * (-n * \text{Log}[d + e/x^{(2 \\
& /3)]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2) / (5 * e^2 * x^{(5/3)}) - (2 * b * d^3 * n * (a + b * ( \\
& -n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2) / (3 * e^3 * x) + (2 * b * d^ \\
& 4 * n * (a + b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2) / (e^4 * x^{ \\
& (1/3)}) + (2 * b * d^{(9/2)} * n * \text{ArcTan}[(\text{Sqrt}[d] * x^{(1/3)}) / \text{Sqrt}[e]] * (a + b * (-n * \text{Log}[d \\
& + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2) / e^{(9/2)} - (b * n * \text{Log}[d + e/x^{( \\
& 2/3)}] * (a + b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2) / x^3 - \\
& ((a + b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])^2 * (3 * a - 2 * b \\
& * n + 3 * b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n])) / (9 * x^3) + 9 \\
& * b^2 * n^2 * (a + b * (-n * \text{Log}[d + e/x^{(2/3)}]) + \text{Log}[c * (d + e/x^{(2/3)})^n]) * (-\text{Log} \\
& [(e + d * x^{(2/3)}) / x^{(2/3)}]^2 / (9 * x^3) + (-9800 * e^{(9/2)} + 28800 * d * e^{(7/2)} * x^{(2 \\
& /3)} - 72072 * d^2 * e^{(5/2)} * x^{(4/3)} + 208320 * d^3 * e^{(3/2)} * x^2 - 1418760 * d^4 * \text{Sqrt} \\
& [e] * x^{(8/3)} + 1418760 * d^{(9/2)} * x^3 * \text{ArcTan}[\text{Sqrt}[e] / (\text{Sqrt}[d] * x^{(1/3)})]) + 44100 \\
& * e^{(9/2)} * \text{Log}[d + e/x^{(2/3)}] - 56700 * d * e^{(7/2)} * x^{(2/3)} * \text{Log}[d + e/x^{(2/3)}] + \\
& 79380 * d^2 * e^{(5/2)} * x^{(4/3)} * \text{Log}[d + e/x^{(2/3)}] - 132300 * d^3 * e^{(3/2)} * x^2 * \text{Log}[d \\
& + e/x^{(2/3)}] + 396900 * d^4 * \text{Sqrt}[e] * x^{(8/3)} * \text{Log}[d + e/x^{(2/3)}] + 198450 * (-d) \\
& ^{(9/2)} * x^3 * \text{Log}[d + e/x^{(2/3)}] * \text{Log}[\text{Sqrt}[e] - \text{Sqrt}[-d] * x^{(1/3)}] - 99225 * (-d) ^ \\
& (9/2) * x^3 * \text{Log}[\text{Sqrt}[e] - \text{Sqrt}[-d] * x^{(1/3)}]^2 - 198450 * (-d) ^{(9/2)} * x^3 * \text{Log}[d + \\
& e/x^{(2/3)}] * \text{Log}[\text{Sqrt}[e] + \text{Sqrt}[-d] * x^{(1/3)}] + 99225 * (-d) ^{(9/2)} * x^3 * \text{Log}[\text{Sqrt} \\
& [e] + \text{Sqrt}[-d] * x^{(1/3)}]^2 + 198450 * (-d) ^{(9/2)} * x^3 * \text{Log}[\text{Sqrt}[e] + \text{Sqrt}[-d] * x^{ \\
& (1/3)}] * \text{Log}[1/2 - (\text{Sqrt}[-d] * x^{(1/3)}) / (2 * \text{Sqrt}[e])] - 198450 * (-d) ^{(9/2)} * x^3 * \text{Lo} \\
& g[\text{Sqrt}[e] - \text{Sqrt}[-d] * x^{(1/3)}] * \text{Log}[(1 + (\text{Sqrt}[-d] * x^{(1/3)}) / \text{Sqrt}[e]) / 2] - 396 \\
& 900 * (-d) ^{(9/2)} * x^3 * \text{Log}[\text{Sqrt}[e] + \text{Sqrt}[-d] * x^{(1/3)}] * \text{Log}[-((\text{Sqrt}[-d] * x^{(1/3)}) \\
& / \text{Sqrt}[e])] + 396900 * (-d) ^{(9/2)} * x^3 * \text{Log}[\text{Sqrt}[e] - \text{Sqrt}[-d] * x^{(1/3)}] * \text{Log}[(\text{Sqr} \\
& t[-d] * x^{(1/3)}) / \text{Sqrt}[e]] + 396900 * (-d) ^{(9/2)} * x^3 * \text{PolyLog}[2, 1 - (\text{Sqrt}[-d] * x^{
\end{aligned}$$

$(1/3))/\text{Sqrt}[e]] - 198450*(-d)^{(9/2)}*x^3*\text{PolyLog}[2, 1/2 - (\text{Sqrt}[-d]*x^{(1/3)})/(2*\text{Sqrt}[e])] + 198450*(-d)^{(9/2)}*x^3*\text{PolyLog}[2, (1 + (\text{Sqrt}[-d]*x^{(1/3)})/\text{Sqrt}[e])/2] - 396900*(-d)^{(9/2)}*x^3*\text{PolyLog}[2, 1 + (\text{Sqrt}[-d]*x^{(1/3)})/\text{Sqrt}[e]]/(893025*e^{(9/2)}*x^3))$

## 4.5 Test file Number [79] 4-Trig-functions/4.1-Sine/4.1.7-d-trig-<sup>m</sup>-a+b-c-sin-<sup>n</sup>-<sup>p</sup>

### 4.5.1 Mathematica

**Integral number [399]**

$$\int \frac{\cos^4(c+dx)}{(a+b\sin^3(c+dx))^2} dx$$

[C] time = 0.351766 (sec), size = 394 ,normalized size = 15.76

$$\frac{24\cos(c+dx)(a+b\sin(c+dx))}{4a+3b\sin(c+dx)-b\sin(3(c+dx))} - i\text{RootSum}\left[8\#1^3a + i\#1^6b - 3i\#1^4b + 3i\#1^2b - ib\&, \frac{-2\#1^3a\log(\#1^2-2\#1\cos(c+dx)+1)+2\#1a\log(\#1^2-2\#1\cos(c+dx))}{\dots}\right]$$

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Sin[c + d\*x]^3)^2,x]

[Out] ((-I)\*RootSum[(-I)\*b + (3\*I)\*b\*#1^2 + 8\*a\*#1^3 - (3\*I)\*b\*#1^4 + I\*b\*#1^6 & , (2\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] - I\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] + (4\*I)\*a\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + 2\*a\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 + 12\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 - (6\*I)\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 - (4\*I)\*a\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^3 - 2\*a\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^3 + 2\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^4 - I\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^4)/(b\*#1 - (4\*I)\*a\*#1^2 - 2\*b\*#1^3 + b\*#1^5) & ] + (24\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x]))/(4\*a + 3\*b\*Sin[c + d\*x] - b\*Sin[3\*(c + d\*x)])))/(18\*a\*b\*d)

**Integral number [400]**

$$\int \frac{\cos^2(c+dx)}{(a+b\sin^3(c+dx))^2} dx$$

[C] time = 0.245492 (sec), size = 273 ,normalized size = 10.92

$$\frac{12\sin(2(c+dx))}{4a+3b\sin(c+dx)-b\sin(3(c+dx))} - i\text{RootSum}\left[8\#1^3a + i\#1^6b - 3i\#1^4b + 3i\#1^2b - ib\&, \frac{-i\#1^4\log(\#1^2-2\#1\cos(c+dx)+1)-6i\#1^2\log(\#1^2-2\#1\cos(c+dx))}{\dots}\right]$$

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Sin[c + d\*x]^3)^2,x]

[Out] ((-I)\*RootSum[(-I)\*b + (3\*I)\*b\*#1^2 + 8\*a\*#1^3 - (3\*I)\*b\*#1^4 + I\*b\*#1^6 & , (2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] - I\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] + 12\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 - (6\*I)\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 + 2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^4 - I\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^4)/(b\*#1 - (4\*I)\*a\*#1^2 - 2\*b\*#1^3 + b\*#1^5) & ] + (12\*Sin[2\*(c + d\*x)])/(4\*a + 3\*b\*Sin[c + d\*x] - b\*Sin[3\*(c + d\*x)]))/(18\*a\*d)

### Integral number [401]

$$\int \frac{1}{(a + b \sin^3(c + dx))^2} dx$$

[C] time = 0.459565 (sec), size = 502 ,normalized size = 31.38

$$\frac{-\frac{12b \cos(c+dx)(a \cos(2(c+dx))-3a+2b \sin(c+dx))}{(a-b)(a+b)(4a+3b \sin(c+dx)-b \sin(3(c+dx)))} + \frac{i \text{RootSum}\left[8\#1^3 a+i\#1^6 b-3i\#1^4 b+3i\#1^2 b-ib\&, \frac{12i\#1^2 a^2 \log(\#1^2-2\#1 \cos(c+dx)+1)}{-24\#1^2 a^2 \tan^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)-\#1}\right)-2\#1^3 ab \log(\#1^2-2\#1 \cos(c+dx)+1)}\right]}{(a-b)(a+b)(4a+3b \sin(c+dx)-b \sin(3(c+dx)))}}{18ad}$$

[In] Integrate[(a + b\*Sin[c + d\*x]^3)^(-2),x]

[Out] ((I\*RootSum[(-I)\*b + (3\*I)\*b\*#1^2 + 8\*a\*#1^3 - (3\*I)\*b\*#1^4 + I\*b\*#1^6 & , (2\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] - I\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] + (4\*I)\*a\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + 2\*a\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 - 24\*a^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + 12\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + (12\*I)\*a^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 - (6\*I)\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 - (4\*I)\*a\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^3 - 2\*a\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^3 + 2\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^4 - I\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^4)/(b\*#1 - (4\*I)\*a\*#1^2 - 2\*b\*#1^3 + b\*#1^5) & ])/(a^2 - b^2) - (12\*b\*Cos[c + d\*x]\*(-3\*a + a\*Cos[2\*(c + d\*x)] + 2\*b\*Sin[c + d\*x]))/(a - b)\*(a + b)\*(4\*a + 3\*b\*Sin[c + d\*x] - b\*Sin[3\*(c + d\*x)]))/(18\*a\*d)

### Integral number [402]

$$\int \frac{\sec^2(c + dx)}{(a + b \sin^3(c + dx))^2} dx$$

[C] time = 1.59132 (sec), size = 845 ,normalized size = 33.8

$$\frac{i \text{RootSum}\left[ib\#1^6-3ib\#1^4+8a\#1^3+3ib\#1^2-ib\&, \frac{2b^3 \tan^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)-\#1}\right)\#1^4+16a^2 b \tan^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)-\#1}\right)\#1^4-ib^3 \log(\#1^2-2 \cos(c+dx)\#1+1)\#1^4-8ia^2 b \log(\#1^2-2 \cos(c+dx)\#1+1)\#1^4-20ia^2 \log(\#1^2-2 \cos(c+dx)\#1+1)\#1^4}{(a-b)(a+b)(4a+3b \sin(c+dx)-b \sin(3(c+dx)))}}\right]}{18ad}$$

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Sin[c + d\*x]^3)^2,x]

[Out] (((-I)\*b\*RootSum[(-I)\*b + (3\*I)\*b\*#1^2 + 8\*a\*#1^3 - (3\*I)\*b\*#1^4 + I\*b\*#1^6 & , (16\*a^2\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] + 2\*b^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] - (8\*I)\*a^2\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] - I\*b^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] + (20\*I)\*a^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + (16\*I)\*a\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + 10\*a^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 + 8\*a\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 - 120\*a^2\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + 12\*b^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + (60\*I)\*a^2\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 - (6\*I)\*b^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 - (20\*I)\*a^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^3 - (16\*I)\*a\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^3 - 10\*a^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^3 - 8\*a\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^3 + 16\*a^2\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^4 + 2\*b^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^4 - (8\*I)\*a^2\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^4 - I\*b^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^4)/(b\*#1 - (4\*I)\*a\*#1^2 - 2\*b\*#1^3 + b\*#1^5) & ])/(a\*(a^2 - b^2)^2) + (18\*Sin[(c + d\*x)/2])/((a + b)^2\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (18\*Sin[(c + d\*x)/2])/((a - b)^2\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + (12\*b\*Cos[c + d\*x]\*(-2\*a^3 - 7\*a\*b^2 + 3\*a\*b^2\*Cos[2\*(c + d\*x)] + 2\*b\*(2\*a^2 + b^2)\*Sin[c + d\*x]))/(a\*(a - b)^2\*(a + b)^2\*(4\*a + 3\*b\*Sin[c + d\*x] - b\*Sin[3\*(c + d\*x)])))/(18\*d)

### Integral number [403]

$$\int \frac{\sec^4(c + dx)}{(a + b \sin^3(c + dx))^2} dx$$

[C] time = 1.70294 (sec), size = 1158 ,normalized size = 46.32

result too large to display

[In] Integrate[Sec[c + d\*x]^4/(a + b\*Sin[c + d\*x]^3)^2,x]

[Out] ((4\*I)\*b^2\*RootSum[(-I)\*b + (3\*I)\*b\*#1^2 + 8\*a\*#1^3 - (3\*I)\*b\*#1^4 + I\*b\*#1^6 & , (14\*a^4\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] + 74\*a^2\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] + 2\*b^4\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)] - (7\*I)\*a^4\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] - (37\*I)\*a^2\*b^2\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] - I\*b^4\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2] + (144\*I)\*a^3\*b\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + (36\*I)\*a\*b^3\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1 + 72\*a^3\*b\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 + 18\*a\*b^3\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1 - 180\*a^4\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 - 372\*a^2\*b^2\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + 12\*b^4\*ArcTan[Sin[c + d\*x]/(Cos[c + d\*x] - #1)]\*#1^2 + (90\*I)\*a^4\*Log[1 - 2\*Cos[c + d\*x]\*#1 + #1^2]\*#1^2 + (186\*I)\*a^2\*

```

b^2*Log[1 - 2*Cos[c + d*x]*#1 + #1^2]*#1^2 - (6*I)*b^4*Log[1 - 2*Cos[c + d*
x]*#1 + #1^2]*#1^2 - (144*I)*a^3*b*ArcTan[Sin[c + d*x]/(Cos[c + d*x] - #1)]
*#1^3 - (36*I)*a*b^3*ArcTan[Sin[c + d*x]/(Cos[c + d*x] - #1)]*#1^3 - 72*a^3
*b*Log[1 - 2*Cos[c + d*x]*#1 + #1^2]*#1^3 - 18*a*b^3*Log[1 - 2*Cos[c + d*x]
*#1 + #1^2]*#1^3 + 14*a^4*ArcTan[Sin[c + d*x]/(Cos[c + d*x] - #1)]*#1^4 + 7
4*a^2*b^2*ArcTan[Sin[c + d*x]/(Cos[c + d*x] - #1)]*#1^4 + 2*b^4*ArcTan[Sin[
c + d*x]/(Cos[c + d*x] - #1)]*#1^4 - (7*I)*a^4*Log[1 - 2*Cos[c + d*x]*#1 +
#1^2]*#1^4 - (37*I)*a^2*b^2*Log[1 - 2*Cos[c + d*x]*#1 + #1^2]*#1^4 - I*b^4*
Log[1 - 2*Cos[c + d*x]*#1 + #1^2]*#1^4)/(b*#1 - (4*I)*a*#1^2 - 2*b*#1^3 + b
*#1^5) & ] + (3*Sec[c + d*x]^3*(48*a^5*b + 568*a^3*b^3 + 14*a*b^5 + (78*a^5
*b + 606*a^3*b^3 + 81*a*b^5)*Cos[2*(c + d*x)] + 18*a*b^3*(4*a^2 + b^2)*Cos[
4*(c + d*x)] + 2*a^5*b*cos[6*(c + d*x)] - 30*a^3*b^3*cos[6*(c + d*x)] - 17*
a*b^5*cos[6*(c + d*x)] + 48*a^6*sin[c + d*x] - 244*a^4*b^2*sin[c + d*x] + 2
0*a^2*b^4*sin[c + d*x] - 4*b^6*sin[c + d*x] + 16*a^6*sin[3*(c + d*x)] - 194
*a^4*b^2*sin[3*(c + d*x)] - 86*a^2*b^4*sin[3*(c + d*x)] - 6*b^6*sin[3*(c +
d*x)] - 14*a^4*b^2*sin[5*(c + d*x)] - 74*a^2*b^4*sin[5*(c + d*x)] - 2*b^6*s
in[5*(c + d*x)]))/(4*a + 3*b*sin[c + d*x] - b*sin[3*(c + d*x)]))/(72*a*(a^2
- b^2)^3*d)

```

## 4.5.2 Maple

**Integral number [399]**

$$\int \frac{\cos^4(c + dx)}{(a + b \sin^3(c + dx))^2} dx$$

**[B]** time = 0.244 (sec), size = 550 ,normalized size = 22.

$$-\frac{2}{3da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 \left( \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^6 a + 3 (\tan(1/2 dx + c/2))^4 a + 8b (\tan(1/2 dx + c/2))^3 + 3 (\tan(1/2 dx + c/2))^2 a + a \right)^{-1}$$

**[In]** int(cos(d\*x+c)^4/(a+b\*sin(d\*x+c)^3)^2,x)

```

[Out] -2/3/d/(tan(1/2*d*x+1/2*c)^6*a+3*tan(1/2*d*x+1/2*c)^4*a+8*b*tan(1/2*d*x+1/2
*c)^3+3*tan(1/2*d*x+1/2*c)^2*a+a)/a*tan(1/2*d*x+1/2*c)^5+2/3/d/(tan(1/2*d*x
+1/2*c)^6*a+3*tan(1/2*d*x+1/2*c)^4*a+8*b*tan(1/2*d*x+1/2*c)^3+3*tan(1/2*d*x
+1/2*c)^2*a+a)/b*tan(1/2*d*x+1/2*c)^4+8/3/d/(tan(1/2*d*x+1/2*c)^6*a+3*tan(1
/2*d*x+1/2*c)^4*a+8*b*tan(1/2*d*x+1/2*c)^3+3*tan(1/2*d*x+1/2*c)^2*a+a)/a*ta
n(1/2*d*x+1/2*c)^3+4/3/d/(tan(1/2*d*x+1/2*c)^6*a+3*tan(1/2*d*x+1/2*c)^4*a+8
*b*tan(1/2*d*x+1/2*c)^3+3*tan(1/2*d*x+1/2*c)^2*a+a)/b*tan(1/2*d*x+1/2*c)^2+
2/3/d/(tan(1/2*d*x+1/2*c)^6*a+3*tan(1/2*d*x+1/2*c)^4*a+8*b*tan(1/2*d*x+1/2*
c)^3+3*tan(1/2*d*x+1/2*c)^2*a+a)/a*tan(1/2*d*x+1/2*c)+2/3/d/(tan(1/2*d*x+1/
2*c)^6*a+3*tan(1/2*d*x+1/2*c)^4*a+8*b*tan(1/2*d*x+1/2*c)^3+3*tan(1/2*d*x+1/
2*c)^2*a+a)/b+2/9/d/a/b*sum((_R^4*b+_R^3*a+_R*a+b)/(_R^5*a+2*_R^3*a+4*_R^2*
b+_R*a)*ln(tan(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2

```

\*a+a))

### Integral number [400]

$$\int \frac{\cos^2(c+dx)}{(a+b\sin^3(c+dx))^2} dx$$

[B] time = 0.247 (sec), size = 236 ,normalized size = 9.44

$$-\frac{2}{3da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 \left( \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^6 a + 3 (\tan(1/2 dx + c/2))^4 a + 8 b (\tan(1/2 dx + c/2))^3 + 3 (\tan(1/2 dx + c/2))^2 a + a \right)$$

[In] int(cos(d\*x+c)^2/(a+b\*sin(d\*x+c)^3)^2,x)

[Out] -2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)/a\*tan(1/2\*d\*x+1/2\*c)^5+2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)/a\*tan(1/2\*d\*x+1/2\*c)+2/9/d/a\*sum((\_R^4+1)/(\_R^5\*a+2\*\_R^3\*a+4\*\_R^2\*b+\_R\*a)\*ln(tan(1/2\*d\*x+1/2\*c)-\_R),\_R=RootOf(\_Z^6\*a+3\*\_Z^4\*a+8\*\_Z^3\*b+3\*\_Z^2\*a+a))

### Integral number [401]

$$\int \frac{1}{(a+b\sin^3(c+dx))^2} dx$$

[B] time = 0.198 (sec), size = 658 ,normalized size = 41.12

$$\frac{2b^2}{3da(a^2-b^2)} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 \left( \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^6 a + 3 (\tan(1/2 dx + c/2))^4 a + 8 b (\tan(1/2 dx + c/2))^3 + 3 (\tan(1/2 dx + c/2))^2 \right)$$

[In] int(1/(a+b\*sin(d\*x+c)^3)^2,x)

[Out] 2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)\*b^2/a/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)^5-2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)/(a^2-b^2)\*b\*tan(1/2\*d\*x+1/2\*c)^4+8/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)\*b^2/a/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)^3+8/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)/(a^2-b^2)\*b\*tan(1/2\*d\*x+1/2\*c)^2-2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)\*b^2/a/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)+2/3/d/(tan(1/2\*d\*x+1/2\*c)^6\*a+3\*tan(1/2\*d\*x+1/2\*c)^4\*a+8\*b\*tan(1/2\*d\*x+1/2\*c)^3+3\*tan(1/2\*d\*x+1/2\*c)^2\*a+a)/(a

$\sqrt{2-b^2} * b + 1/9/d/a/(a^2-b^2) * \text{sum}(((3*a^2-2*b^2) * \sqrt{R^4-2*\sqrt{R^3}*a*b+6*\sqrt{R^2}*a^2-2*\sqrt{R}*a*b+3*a^2-2*b^2})/(\sqrt{R^5*a+2*\sqrt{R^3}*a+4*\sqrt{R^2}*b+\sqrt{R}*a}) * \ln(\tan(1/2*d*x+1/2*c) - \sqrt{R}), \sqrt{R} = \text{RootOf}(\sqrt{Z^6*a+3*\sqrt{Z^4}*a+8*\sqrt{Z^3}*b+3*\sqrt{Z^2}*a+a}))$

### Integral number [402]

$$\int \frac{\sec^2(c + dx)}{(a + b \sin^3(c + dx))^2} dx$$

[B] time = 0.269 (sec), size = 1276 ,normalized size = 51.04

result too large to display

[In] int(sec(d\*x+c)^2/(a+b\*sin(d\*x+c)^3)^2,x)

[Out] 
$$\begin{aligned} & -4/3/d*b^2/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4*a \\ & +8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*a*\tan(1/2*d*x+1/2*c)^5 \\ & -2/3/d*b^4/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4*a \\ & +8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)/a*\tan(1/2*d*x+1/2*c)^5 \\ & -2/3/d*b/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4*a \\ & +8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*\tan(1/2*d*x+1/2*c)^4 \\ & a^2+8/3/d*b^3/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4 \\ & a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*\tan(1/2*d*x+1/2*c)^4 \\ & -8/3/d*b^2/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4 \\ & a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*a*\tan(1/2*d*x+1/2*c)^3 \\ & -16/3/d*b^4/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4 \\ & a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)/a*\tan(1/2*d*x+1/2 \\ & c)^3-4/3/d*b/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4 \\ & a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*\tan(1/2*d*x+1/2*c)^2 \\ & a^2-20/3/d*b^3/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2 \\ & c)^4*a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*\tan(1/2*d*x+1/2 \\ & c)^2+4/3/d*b^2/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2 \\ & c)^4*a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*a*\tan(1/2*d*x+1 \\ & /2*c)+2/3/d*b^4/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c \\ & )^4*a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)/a*\tan(1/2*d*x+1/2 \\ & c)-2/3/d*b/(a-b)^2/(a+b)^2/(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4 \\ & a+8*b*\tan(1/2*d*x+1/2*c)^3+3*\tan(1/2*d*x+1/2*c)^2*a+a)*a^2-4/3/d*b^3/(a-b)^2 \\ & /(\tan(1/2*d*x+1/2*c)^6*a+3*\tan(1/2*d*x+1/2*c)^4*a+8*b*\tan(1/2*d*x+1/2*c)^3 \\ & +3*\tan(1/2*d*x+1/2*c)^2*a+a)-1/9/d*b/(a-b)^2/(a+b)^2/a*\text{sum}((b*(11*a^2-2*b^2) * \sqrt{R^4+2*a*(-5*a^2-4*b^2) * \sqrt{R^3+54*\sqrt{R^2}*a^2*b+2*a*(-5*a^2-4*b^2) * \sqrt{R}+11*a^2*b-2*b^3})/(\sqrt{R^5*a+2*\sqrt{R^3}*a+4*\sqrt{R^2}*b+\sqrt{R}*a}) * \ln(\tan(1/2*d*x+1/2*c) - \sqrt{R}), \sqrt{R} = \text{RootOf}(\sqrt{Z^6*a+3*\sqrt{Z^4}*a+8*\sqrt{Z^3}*b+3*\sqrt{Z^2}*a+a))-1/d/(a+b)^2/(\tan(1/2*d*x+1/2*c)-1)-1/d/(a+b)^2/(\tan(1/2*d*x+1/2*c)+1)) \end{aligned}$$





## 4.6 Test file Number [151] 5-Inverse-trig-functions/5.3-Inverse-tangent/5.3.5-u-a+b-arctan-c+d-x^p

### 4.6.1 Mathematica

Integral number [65]

$$\int \frac{\tan^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

[B] time = 0.363002 (sec), size = 163 ,normalized size = 7.41

$$\frac{5\sqrt[3]{2}\sqrt{\pi}\Gamma\left(\frac{5}{3}\right)\text{HypergeometricPFQ}\left(\left\{1,\frac{4}{3},\frac{4}{3}\right\},\left\{\frac{11}{6},\frac{7}{3}\right\},\frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + 6\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(\frac{4(a+bx)\tan^{-1}(a+bx)\text{Hypergeometric2F1}\left(1,\frac{4}{3},\frac{11}{6},\frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1}\right)}{20b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\sqrt[3]{a^2+2abx+b^2x^2+1}}$$

[In] Integrate[ArcTan[a + b\*x]/(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3),x]

[Out] (6\*Gamma[11/6]\*Gamma[7/3]\*(15 + 10\*(a + b\*x)\*ArcTan[a + b\*x] + (4\*(a + b\*x)\*ArcTan[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)) + (5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + (a + b\*x)^2)^(-1)]/(1 + (a + b\*x)^2))/(20\*b\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3)\*Gamma[11/6]\*Gamma[7/3])

Integral number [66]

$$\int \frac{\tan^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

[B] time = 0.0728054 (sec), size = 165 ,normalized size = 6.88

$$\frac{5\sqrt[3]{2}\sqrt{\pi}\Gamma\left(\frac{5}{3}\right)\text{HypergeometricPFQ}\left(\left\{1,\frac{4}{3},\frac{4}{3}\right\},\left\{\frac{11}{6},\frac{7}{3}\right\},\frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + 6\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(\frac{4(a+bx)\tan^{-1}(a+bx)\text{Hypergeometric2F1}\left(1,\frac{4}{3},\frac{11}{6},\frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1}\right)}{20b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\sqrt[3]{c(a^2+2abx+b^2x^2+1)}}$$

[In] Integrate[ArcTan[a + b\*x]/((1 + a^2)\*c + 2\*a\*b\*c\*x + b^2\*c\*x^2)^(1/3),x]

[Out] (6\*Gamma[11/6]\*Gamma[7/3]\*(15 + 10\*(a + b\*x)\*ArcTan[a + b\*x] + (4\*(a + b\*x)\*ArcTan[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)) + (5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + (a + b\*x)^2)^(-1)]/(1 + (a + b\*x)^2))/(20\*b\*(c\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2))^(1/3)\*Gamma[11/6]\*Gamma[7/3])

**Integral number [69]**

$$\int \frac{(a+bx)^2 \tan^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

**[B]** time = 1.43275 (sec), size = 181 ,normalized size = 6.24

$$\frac{3 \left( (a+bx)^2 + 1 \right)^{2/3} \left( \frac{5 \sqrt[3]{2} \sqrt{\pi} \Gamma\left(\frac{5}{3}\right) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left( \frac{24(a+bx) \tan^{-1}(a+bx) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right)} \right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right)}$$

**[In]** Integrate[((a + b\*x)^2\*ArcTan[a + b\*x])/(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3),x]

**[Out]** (-3\*(1 + (a + b\*x)^2)^(2/3)\*((5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)^(2/3) + Gamma[11/6]\*Gamma[7/3]\*(15 + 90/(1 + (a + b\*x)^2) + (24\*(a + b\*x)\*ArcTan[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)^(2/3) + 5\*ArcTan[a + b\*x]\*(-4\*(a + b\*x) + 6\*Sin[2\*ArcTan[a + b\*x]])))/(140\*b\*Gamma[11/6]\*Gamma[7/3])

**Integral number [70]**

$$\int \frac{(a+bx)^2 \tan^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

**[B]** time = 0.312256 (sec), size = 225 ,normalized size = 7.26

$$\frac{3 \sqrt[3]{a^2+2abx+b^2x^2+1} \left( (a+bx)^2 + 1 \right)^{2/3} \left( \frac{5 \sqrt[3]{2} \sqrt{\pi} \Gamma\left(\frac{5}{3}\right) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left( \frac{24(a+bx) \tan^{-1}(a+bx) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{(a+bx)^2+1}\right)}{(a+bx)^2+1} + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right)} \right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right)}$$

**[In]** Integrate[((a + b\*x)^2\*ArcTan[a + b\*x])/((1 + a^2)\*c + 2\*a\*b\*c\*x + b^2\*c\*x^2)^(1/3),x]

**[Out]** (-3\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3)\*((5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)^(2/3) + Gamma[11/6]\*Gamma[7/3]\*(15 + 90/(1 + (a + b\*x)^2) + (24\*(a + b\*x)\*ArcTan[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + (a + b\*x)^2)^(-1)])/(1 + (a + b\*x)^2)^(2/3) + 5\*ArcTan[a + b\*x]\*(-4\*(a + b\*x) + 6\*Sin[2\*ArcTan[a + b\*x]])))/(140\*b\*(c\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2))^(1/3)\*Gamma[11/6]\*Gamma[7/3])

## 4.7 Test file Number [154] 5-Inverse-trig-functions/5.4-Inverse-cotangent/5.4.1-Inverse-cotangent-functions

### 4.7.1 Mathematica

Integral number [116]

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

[B] time = 0.37931 (sec), size = 177 ,normalized size = 8.05

$$\frac{6\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(4(a+bx) {}_2F_1\left(1, \frac{4}{3}; \frac{11}{6}; \frac{1}{a^2+2bxa+b^2x^2+1}\right)\cot^{-1}(a+bx) + 5(a^2+2abx+b^2x^2+1)\left(2(a+bx)\cot^{-1}(a+bx) + \frac{2}{3}\right)\right)}{20b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)(a^2+2abx+b^2x^2)}$$

[In] Integrate[ArcCot[a + b\*x]/(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3),x]

[Out] (6\*Gamma[11/6]\*Gamma[7/3]\*(5\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)\*(-3 + 2\*(a + b\*x))\*ArcCot[a + b\*x]) + 4\*(a + b\*x)\*ArcCot[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]) - 5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]/(20\*b\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(4/3)\*Gamma[11/6]\*Gamma[7/3])

Integral number [117]

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

[B] time = 0.0850221 (sec), size = 180 ,normalized size = 7.5

$$\frac{c\left(6\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(4(a+bx) {}_2F_1\left(1, \frac{4}{3}; \frac{11}{6}; \frac{1}{a^2+2bxa+b^2x^2+1}\right)\cot^{-1}(a+bx) + 5(a^2+2abx+b^2x^2+1)\left(2(a+bx)\cot^{-1}(a+bx) + \frac{2}{3}\right)\right)\right)}{20b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)(c(a^2+2abx+b^2x^2))}$$

[In] Integrate[ArcCot[a + b\*x]/((1 + a^2)\*c + 2\*a\*b\*c\*x + b^2\*c\*x^2)^(1/3),x]

[Out] (c\*(6\*Gamma[11/6]\*Gamma[7/3]\*(5\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)\*(-3 + 2\*(a + b\*x))\*ArcCot[a + b\*x]) + 4\*(a + b\*x)\*ArcCot[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]) - 5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]/(20\*b\*(c\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2))^(4/3)\*Gamma[11/6]\*Gamma[7/3])

**Integral number [120]**

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

**[B]** time = 0.920116 (sec), size = 198 ,normalized size = 6.83

$$\frac{3 \left( 5 \sqrt[3]{2} \sqrt{\pi} \Gamma\left(\frac{5}{3}\right) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{a^2+2abx+b^2x^2+1}\right) + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left(5((a+bx)^2 + 1)\right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \sqrt[3]{a^2+2abx+b^2x^2}}$$

[In] Integrate[((a + b\*x)^2\*ArcCot[a + b\*x])/(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3), x]

[Out] (3\*(Gamma[11/6]\*Gamma[7/3]\*(5\*(1 + (a + b\*x)^2)\*(3\*(7 + (a + b\*x)^2) + 4\*(a + b\*x)\*(-2 + (a + b\*x)^2)\*ArcCot[a + b\*x]) - 24\*(a + b\*x)\*ArcCot[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]) + 5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]))/(140\*b\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(1/3))\*(1 + (a + b\*x)^2)\*Gamma[11/6]\*Gamma[7/3])

**Integral number [121]**

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

**[B]** time = 0.204658 (sec), size = 200 ,normalized size = 6.45

$$\frac{3 \left( 5 \sqrt[3]{2} \sqrt{\pi} \Gamma\left(\frac{5}{3}\right) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{a^2+2abx+b^2x^2+1}\right) + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left(5((a+bx)^2 + 1)\right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) ((a+bx)^2)}$$

[In] Integrate[((a + b\*x)^2\*ArcCot[a + b\*x])/((1 + a^2)\*c + 2\*a\*b\*c\*x + b^2\*c\*x^2)^(1/3), x]

[Out] (3\*(Gamma[11/6]\*Gamma[7/3]\*(5\*(1 + (a + b\*x)^2)\*(3\*(7 + (a + b\*x)^2) + 4\*(a + b\*x)\*(-2 + (a + b\*x)^2)\*ArcCot[a + b\*x]) - 24\*(a + b\*x)\*ArcCot[a + b\*x]\*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]) + 5\*2^(1/3)\*Sqrt[Pi]\*Gamma[5/3]\*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2\*a\*b\*x + b^2\*x^2)^(-1)]))/(140\*b\*(c\*(1 + a^2 + 2\*a\*b\*x + b^2\*x^2))^(1/3))\*(1 + (a + b\*x)^2)\*Gamma[11/6]\*Gamma[7/3])

## 4.8 Test file Number [173] 6-Hyperbolic-functions/6.3-Hyperbolic-tangent/6.3.7-d-hyper- $\hat{m}$ -a+b-c-tanh- $\hat{n}$ - $\hat{p}$

### 4.8.1 Mathematica

Integral number [74]

$$\int \frac{\sinh^3(c + dx)}{a + b \tanh^3(c + dx)} dx$$

[B] time = 0.483965 (sec), size = 826 ,normalized size = 25.81

$$\cosh(3(c + dx))a^3 + 27b \sinh(c + dx)a^2 - b \sinh(3(c + dx))a^2 - 9(a^2 + 3b^2) \cosh(c + dx)a - b^2 \cosh(3(c + dx))a - 2b \text{RootSum} \left[ a^7 \right]$$

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3),x]

[Out] (-9\*a\*(a^2 + 3\*b^2)\*Cosh[c + d\*x] + a^3\*Cosh[3\*(c + d\*x)] - a\*b^2\*Cosh[3\*(c + d\*x)] - 2\*a\*b\*RootSum[a - b + 3\*a\*#1^2 + 3\*b\*#1^2 + 3\*a\*#1^4 - 3\*b\*#1^4 + a\*#1^6 + b\*#1^6 & , (3\*a^2\*c + 3\*a\*b\*c + 3\*b^2\*c + 3\*a^2\*d\*x + 3\*a\*b\*d\*x + 3\*b^2\*d\*x + 6\*a^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1 + 6\*a\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1 + 6\*b^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] + 2\*a^2\*c\*#1^2 - 2\*b^2\*c\*#1^2 + 2\*a^2\*d\*x\*#1^2 - 2\*b^2\*d\*x\*#1^2 + 4\*a^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^2 - 4\*b^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^2 + 3\*a^2\*c\*#1^4 - 3\*a\*b\*c\*#1^4 + 3\*b^2\*c\*#1^4 + 3\*a^2\*d\*x\*#1^4 - 3\*a\*b\*d\*x\*#1^4 + 3\*b^2\*d\*x\*#1^4 + 6\*a^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4 - 6\*a\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4 + 6\*b^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4)/(a\*#1 + b\*#1 + 2\*a\*#1^3 - 2\*b\*#1^3 + a\*#1^5 + b\*#1^5) & ] + 27\*a^2\*b\*Sinh[c + d\*x] + 9\*b^3\*Sinh[c + d\*x] - a^2\*b\*Sinh[3\*(c + d\*x)] + b^3\*Sinh[3\*(c + d\*x)]/(12\*(a - b)^2\*(a + b)^2\*d)

Integral number [76]

$$\int \frac{\sinh(c + dx)}{a + b \tanh^3(c + dx)} dx$$

[B] time = 0.226157 (sec), size = 409 ,normalized size = 13.63

$$b \text{RootSum} \left[ \#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \&, \frac{4\#1^4 a \log\left(-\#1 \sinh\left(\frac{1}{2}(c+dx)\right) + \#1 \cosh\left(\frac{1}{2}(c+dx)\right) - \sinh\left(\frac{1}{2}(c+dx)\right) - \cosh\left(\frac{1}{2}(c+dx)\right)\right)}{\dots} \right]$$

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^3),x]

[Out] (6\*a\*Cosh[c + d\*x] + b\*RootSum[a - b + 3\*a\*#1^2 + 3\*b\*#1^2 + 3\*a\*#1^4 - 3\*b\*#1^4 + a\*#1^6 + b\*#1^6 & , (2\*a\*c + b\*c + 2\*a\*d\*x + b\*d\*x + 4\*a\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] + 2\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] + 2\*a\*c\*#1^4 - b\*c\*#1^4 + 2\*a\*d\*x\*#1^4 - b\*d\*x\*#1^4 + 4\*a\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4 - 2\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4)/(a\*#1 + b\*#1 + 2\*a\*#1^3 - 2\*b\*#1^3 + a\*#1^5 + b\*#1^5) & ] - 6\*b\*Sinh[c + d\*x]/(6\*(a - b)\*(a + b)\*d)

**Integral number [77]**

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^3(c + dx)} dx$$

[B] time = 0.158439 (sec), size = 319 ,normalized size = 10.63

$$6 \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right) - b \operatorname{RootSum}\left[\#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \& \mathbf{x}, \frac{2\#1^4 \log\left(-\#1 \sinh\left(\frac{1}{2}(c + dx)\right) + \#1 \cosh\left(\frac{1}{2}(c + dx)\right)\right)}{\#1^4 a + 2\#1^2 a + \#1^4 b - 2\#1^2 b + a + b}\right]$$

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^3),x]

[Out] (6\*Log[Tanh[(c + d\*x)/2]] - b\*RootSum[a - b + 3\*a\*#1^2 + 3\*b\*#1^2 + 3\*a\*#1^4 - 3\*b\*#1^4 + a\*#1^6 + b\*#1^6 & , (c + d\*x + 2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] - 2\*c\*#1^2 - 2\*d\*x\*#1^2 - 4\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^2 + c\*#1^4 + d\*x\*#1^4 + 2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4)/(a\*#1 + b\*#1 + 2\*a\*#1^3 - 2\*b\*#1^3 + a\*#1^5 + b\*#1^5) & ])/(6\*a\*d)

**Integral number [79]**

$$\int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^3(c + dx)} dx$$

[B] time = 0.361888 (sec), size = 201 ,normalized size = 6.28

$$16b \operatorname{RootSum}\left[\#1^6 a + 3\#1^4 a + 3\#1^2 a + \#1^6 b - 3\#1^4 b + 3\#1^2 b + a - b \& \mathbf{x}, \frac{2\#1 \log\left(-\#1 \sinh\left(\frac{1}{2}(c + dx)\right) + \#1 \cosh\left(\frac{1}{2}(c + dx)\right) - \sinh\left(\frac{1}{2}(c + dx)\right) - \cosh\left(\frac{1}{2}(c + dx)\right)\right)}{\#1^4 a + 2\#1^2 a + \#1^4 b - 2\#1^2 b + a + b}\right]$$

24ad

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3),x]

[Out]  $-(16*b*\text{RootSum}[a - b + 3*a**1^2 + 3*b**1^2 + 3*a**1^4 - 3*b**1^4 + a**1^6 + b**1^6 \& , (c**1 + d*x**1 + 2*\text{Log}[-\text{Cosh}[(c + d*x)/2] - \text{Sinh}[(c + d*x)/2] + \text{Cosh}[(c + d*x)/2]**1 - \text{Sinh}[(c + d*x)/2]**1)**1)/(a + b + 2*a**1^2 - 2*b**1^2 + a**1^4 + b**1^4) \& ] + 3*(\text{Csch}[(c + d*x)/2]^2 + 4*\text{Log}[\text{Tanh}[(c + d*x)/2]] + \text{Sech}[(c + d*x)/2]^2))/(24*a*d)$

## 4.8.2 Maple

**Integral number [74]**

$$\int \frac{\sinh^3(c + dx)}{a + b \tanh^3(c + dx)} dx$$

**[B]** time = 0.11 (sec), size = 346 ,normalized size = 10.81

$$-8 \frac{1}{d(16a - 16b)(\tanh(1/2 dx + c/2) + 1)^2} + \frac{16}{3d(16a - 16b)} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-3} - \frac{a}{2d(a - b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} - \frac{b}{d(a + b)^2} \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1}$$

[In] `int(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^3), x)`

[Out]  $-8/d/(16*a-16*b)/(\tanh(1/2*d*x+1/2*c)+1)^2+16/3/d/(\tanh(1/2*d*x+1/2*c)+1)^3/(16*a-16*b)-1/2/d/(a-b)^2/(\tanh(1/2*d*x+1/2*c)+1)*a-1/d/(a-b)^2/(\tanh(1/2*d*x+1/2*c)+1)*b-16/3/d/(\tanh(1/2*d*x+1/2*c)-1)^3/(16*a+16*b)-8/d/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*a-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*b-1/3/d*a*b/(a+b)^2/(a-b)^2*\text{sum}(((2*a^2+b^2)*_R^4-6*_R^3*a*b+2*(4*a^2+5*b^2)*_R^2-6*a*b*_R+2*a^2+b^2)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-_R), _R=\text{RootOf}(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))$

**Integral number [76]**

$$\int \frac{\sinh(c + dx)}{a + b \tanh^3(c + dx)} dx$$

**[B]** time = 0.108 (sec), size = 164 ,normalized size = 5.47

$$-4 \frac{1}{d(4a + 4b)(\tanh(1/2 dx + c/2) - 1)} + \frac{b}{3d(a - b)(a + b)} \sum_{_R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^4 a - 2_R^3 b + 6_R^2 a - 2_R b}{-R^5 a + 2_R^3 a + 4_R^2 b + _R a}$$

[In] `int(sinh(d*x+c)/(a+b*tanh(d*x+c)^3), x)`

[Out]  $-4/d/(4*a+4*b)/(\tanh(1/2*d*x+1/2*c)-1)+1/3/d*b/(a-b)/(a+b)*\text{sum}((\_R^4*a-2*_R^3*b+6*_R^2*a-2*_R*b+a)/(\_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-_R), _R=\text{RootOf}(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))+4/d/(4*a-4*b)/(\tanh$



$(1/2*d*x+1/2*c)+1)$

### Integral number [77]

$$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

[B] time = 0.105 (sec), size = 98 ,normalized size = 3.27

$$\frac{1}{da} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \frac{4b}{3da} \sum_{_R=\operatorname{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^2}{-R^5a+2_R^3a+4_R^2b+_Ra} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - _R\right)$$

[In] int(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3), x)

[Out] 1/d/a\*ln(tanh(1/2\*d\*x+1/2\*c))-4/3/d/a\*b\*sum(\_R^2/(\_R^5\*a+2\*\_R^3\*a+4\*\_R^2\*b+\_R\*a)\*ln(tanh(1/2\*d\*x+1/2\*c)-\_R), \_R=RootOf(\_Z^6\*a+3\*\_Z^4\*a+8\*\_Z^3\*b+3\*\_Z^2\*a+a))

### Integral number [79]

$$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

[B] time = 0.125 (sec), size = 144 ,normalized size = 4.5

$$\frac{1}{8da} \left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 - \frac{1}{8da} \left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{-2} - \frac{1}{2da} \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \frac{b}{3da} \sum_{_R=\operatorname{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^5a}{-R^5a}$$

[In] int(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3), x)

[Out] 1/8/d/a\*tanh(1/2\*d\*x+1/2\*c)^2-1/8/d/a/tanh(1/2\*d\*x+1/2\*c)^-2-1/2/d/a\*ln(tanh(1/2\*d\*x+1/2\*c))-1/3/d/a\*b\*sum((\_R^4-2\*\_R^2+1)/(\_R^5\*a+2\*\_R^3\*a+4\*\_R^2\*b+\_R\*a)\*ln(tanh(1/2\*d\*x+1/2\*c)-\_R), \_R=RootOf(\_Z^6\*a+3\*\_Z^4\*a+8\*\_Z^3\*b+3\*\_Z^2\*a+a))

## 4.8.3 Giac

### Integral number [74]

$$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**[B]** time = 2.05765 (sec), size = 473 ,normalized size = 14.78

$$\frac{(9ae^{(2dx+2c)}+9be^{(2dx+2c)}-a+b)e^{(-3dx)} - \frac{a^2e^{(3dx+30c)}+2abe^{(3dx+30c)}+b^2e^{(3dx+30c)}-9a^2e^{(dx+28c)}+9b^2e^{(dx+28c)}}{a^2e^{(3c)}-2abe^{(3c)}+b^2e^{(3c)}}}{24d} - \frac{6(a^3be^c+a^2b^2e^c+ab^3e^c)dx - (a^3be^c+a^2b^2e^c+ab^3e^c)}{ad-bd}$$

**[In]** integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

**[Out]** 
$$-1/24*((9*a*e^{(2*d*x + 2*c)} + 9*b*e^{(2*d*x + 2*c)} - a + b)*e^{(-3*d*x)} / (a^2 * e^{(3*c)} - 2*a*b*e^{(3*c)} + b^2*e^{(3*c)}) - (a^2*e^{(3*d*x + 30*c)} + 2*a*b*e^{(3*d*x + 30*c)} + b^2*e^{(3*d*x + 30*c)} - 9*a^2*e^{(d*x + 28*c)} + 9*b^2*e^{(d*x + 28*c)}) / (a^3*e^{(27*c)} + 3*a^2*b*e^{(27*c)} + 3*a*b^2*e^{(27*c)} + b^3*e^{(27*c)})) / d - (6*(a^3*b*e^c + a^2*b^2*e^c + a*b^3*e^c)*d*x / (a*d - b*d) - (a^3*b*e^c + a^2*b^2*e^c + a*b^3*e^c)*log(abs(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3*a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} + a - b)) / (a*d - b*d)) / ((a^4 - 2*a^2*b^2 + b^4)*d)$$

**Integral number [76]**

$$\int \frac{\sinh(c + dx)}{a + b \tanh^3(c + dx)} dx$$

**[B]** time = 1.62107 (sec), size = 263 ,normalized size = 8.77

$$\frac{\frac{e^{(dx+8c)}}{ae^{(7c)}+be^{(7c)}} + \frac{e^{(-dx)}}{ae^c-be^c}}{2d} + \frac{6(2abe^c+b^2e^c)dx - (2abe^c+b^2e^c)\log(|ae^{(6dx+6c)}+be^{(6dx+6c)}+3ae^{(4dx+4c)}-3be^{(4dx+4c)}+3ae^{(2dx+2c)}+3be^{(2dx+2c)}+a-b|)}{ad-bd}}{3(a^2-b^2)d}$$

**[In]** integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

**[Out]** 
$$1/2*(e^{(d*x + 8*c)} / (a*e^{(7*c)} + b*e^{(7*c)}) + e^{(-d*x)} / (a*e^c - b*e^c)) / d + 1/3*(6*(2*a*b*e^c + b^2*e^c)*d*x / (a*d - b*d) - (2*a*b*e^c + b^2*e^c)*log(abs(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3*a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} + a - b)) / (a*d - b*d)) / ((a^2 - b^2)*d)$$

**Integral number [77]**

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^3(c + dx)} dx$$

**[B]** time = 1.45323 (sec), size = 207 ,normalized size = 6.9

$$\frac{\frac{\log(e^{(dx+c)}+1)}{a} - \frac{\log(|e^{(dx+c)}-1|)}{a}}{d} - \frac{6bdxe^c - be^c \log(|ae^{(6dx+6c)}+be^{(6dx+6c)}+3ae^{(4dx+4c)}-3be^{(4dx+4c)}+3ae^{(2dx+2c)}+3be^{(2dx+2c)}+a-b|)}{ad-bd}}{3ad}$$

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^3),x, algorithm="giac")
```

```
[Out] -(log(e^(d*x + c) + 1)/a - log(abs(e^(d*x + c) - 1))/a)/d - 1/3*(6*b*d*x*e^
c/(a*d - b*d) - b*e^c*log(abs(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e
^(4*d*x + 4*c) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x +
2*c) + a - b))/(a*d - b*d))/(a*d)
```



## Chapter 5

# Listing of grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 5.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
```



```

80     Sinh, Cosh, Tanh, Coth, Sech, CsCh,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsCh
82 }, func]
83
84
85 SpecialFunctionQ[func_] :=
86     MemberQ[{
87         Erf, Erfc, Erfi,
88         FresnelS, FresnelC,
89         ExpIntegralE, ExpIntegralEi, LogIntegral,
90         SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91         Gamma, LogGamma, PolyGamma,
92         Zeta, PolyLog, ProductLog,
93         EllipticF, EllipticE, EllipticPi
94     }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98     MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102     MemberQ[{AppellF1}, func]

```

## 5.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result, optimal)
13 local leaf_count_result, leaf_count_optimal, ExpnType_result, ExpnType_optimal, debug :=
14     false;
15
16     leaf_count_result := leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal := leafcount(optimal);
23
24     ExpnType_result := ExpnType(result);
25     ExpnType_optimal := ExpnType(optimal);
26
27     if debug then

```

```

27     print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then
57                 print("both result and optimal complex");
58             fi;
59             #both result and optimal complex
60             if leaf_count_result<=2*leaf_count_optimal then
61                 return "A";
62             else
63                 return "B";
64             end if
65         else #result contains complex but optimal is not
66             if debug then
67                 print("result contains complex but optimal is not");
68             fi;
69             return "C";
70         end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not as well
75 ");
76         fi;
77         if leaf_count_result<=2*leaf_count_optimal then
78             if debug then
79                 print("leaf_count_result<=2*leaf_count_optimal");
80             fi;

```



```

80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119     if type(expn,'atomic') then
120         1
121     elif type(expn,'list') then
122         apply(max,map(ExpnType,expn))
123     elif type(expn,'sqrt') then
124         if type(op(1,expn),'rational') then
125             1
126         else
127             max(2,ExpnType(op(1,expn)))
128         end if
129     elif type(expn,'^^') then
130         if type(op(2,expn),'integer') then
131             ExpnType(op(1,expn))
132         elif type(op(2,expn),'rational') then
133             if type(op(1,expn),'rational') then

```

```

134     1
135     else
136         max(2,ExpnType(op(1,expn)))
137     end if
138     else
139         max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141     elif type(expn,``+``) or type(expn,``*``) then
142         max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143     elif ElementaryFunctionQ(op(0,expn)) then
144         max(3,ExpnType(op(1,expn)))
145     elif SpecialFunctionQ(op(0,expn)) then
146         max(4,apply(max,map(ExpnType,[op(expn)])))
147     elif HypergeometricFunctionQ(op(0,expn)) then
148         max(5,apply(max,map(ExpnType,[op(expn)])))
149     elif AppellFunctionQ(op(0,expn)) then
150         max(6,apply(max,map(ExpnType,[op(expn)])))
151     elif op(0,expn)='int' then
152         max(8,apply(max,map(ExpnType,[op(expn)]))) else
153         9
154     end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then

```

```

188     op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 5.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #     Port of original Maple grading function by
3 #     Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #     added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                   asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                   asinh,acosh,atanh,acoth,asech,acsch
25                   ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                   fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                   gamma,loggamma,digamma,zeta,polylog,LambertW,
31                   elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                   ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39

```

```

40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True
44         else:
45             return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
72         else:
73             return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(
74 op(1,expn)),ExpnType(op(2,expn)))
75     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or type(expn
76 ,``*`)
77         m1 = expnType(expn.args[0])
78         m2 = expnType(list(expn.args[1:]))
79         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
80     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
81         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
82     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
83         m1 = max(map(expnType, list(expn.args)))
84         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
85     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
86         m1 = max(map(expnType, list(expn.args)))
87         return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
88     elif is_appell_function(expn.func):
89         m1 = max(map(expnType, list(expn.args)))
90         return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
91     elif isinstance(expn,RootSum):
92         m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[
93 List,expn]],7]],

```

```

91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5, apply(max, map(ExpnType, [op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

## 5.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #   Albert Rich to use with Sagemath. This is used to
3 #   grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #   'arctan2', 'floor', 'abs', 'log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())

```

```

16     print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(flatten(
tree(anti))))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than
35             #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False

```

```

69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73                       'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral'
74                       'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
75                       'polylog','lambert_w','elliptic_f','elliptic_e',
76                       'elliptic_pi','exp_integral_e','log_integral']
77
78     if debug:
79         print ("m=",m)
80         if m:
81             print ("func ", func ," is special_function")
82         else:
83             print ("func ", func ," is NOT special_function")
84
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']
91
92 def is_appell_function(func):
93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-
equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print (">>>>>Enter expnType, expn=", expn)
116         print (">>>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))

```

```

122 elif is_sqrt(expn):
123     if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
124         return 1
125     else:
126         return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
127 elif expn.operator() == operator.pow: #instance(expn,Pow)
128     if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
129         return expnType(expn.operands()[0]) #expnType(expn.args[0])
130     elif type(expn.operands()[1])==Rational: #instance(expn.args[1],Rational)
131         if type(expn.operands()[0])==Rational: #instance(expn.args[0],Rational)
132             return 1
133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args
135 [0]))
136     else:
137         return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max
138 (3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
139 elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #instance(
140 expn,Add) or instance(expn,Mul)
141     m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
142     m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
143     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
144 elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
145     return max(3,expnType(expn.operands()[0]))
146 elif is_special_function(expn.operator()): #is_special_function(expn.func)
147     m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args
148 )))
149     return max(4,m1) #max(4,m1)
150 elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.
151 func)
152     m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args
153 )))
154     return max(5,m1) #max(5,m1)
155 elif is_appell_function(expn.operator()):
156     m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args
157 )))
158     return max(6,m1) #max(6,m1)
159 elif str(expn).find("Integral") != -1: #this will never happen, since it
160     #is checked before calling the grading function that is passed.
161     #but kept it here.
162     m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args
163 )))
164     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
165 else:
166     return 9
167
168 #main function
169 def grade_antiderivative(result,optimal):
170     debug = False;
171
172     if debug: print ("Enter grade_antiderivative for sagemath")
173
174     leaf_count_result = leaf_count(result)
175     leaf_count_optimal = leaf_count(optimal)

```



```
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",
170                     leaf_count_optimal)
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as well
188         if leaf_count_result <= 2*leaf_count_optimal:
189             return "A"
190         else:
191             return "B"
192     else:
193         return "C"
```